The Journal of

Membrane Biology

An international journal
for studies on the structure, function and genesis
of biomembranes

Volume 71–80 1983/1984

Editorial Board

W.R. Loewenstein, Miami, Editor-in-Chief

P.F. Baker, Kings, London
G. Blobel, Rockefeller
D. Branton, Harvard
P. Cuatrecasas, Burroughs Wellcome
J.M. Diamond, California, L.A.
I.S. Edelman, Columbia
D. Engelman, Yale
S. Fleischer, Vanderbilt
J.G. Forte, California, Berkeley
G. Giebisch, Yale
G. Guidotti, Harvard
J. Handler, N.I.H.
D.A. Haydon, Cambridge
L. Heppel, Cornell
J.F. Hoffman, Yale
W.L. Hubbell, California, L.A.
R.B. Kelly, California, S.F.
A. Klug, Cambridge
P. Läuger, Konstanz
A. Leaf, Harvard
A.L. Lehninger, Johns Hopkins
S.E. Luria, MIT
E.A.C. MacRobbie, Cambridge
V.T. Marchesi, Yale
H.M. McConnell, Stanford
S. McLaughlin, SUNY, Stony Brook
C. Miller, Brandeis
Y.A. Ovchinnikov,
USSR Acad. Sc. Moscow
G.E. Palade, Yale
D. Papahadjopoulos, California, S.F.
A. Rothstein, Toronto
S.G. Schultz, Texas
S.J. Singer, California, S.D.
C.L. Slayman, Yale
K.R. Spring, N.I.H.
C.F. Stevens, Yale
W. Stoeckenius, California, S.F.
D. Urry, Alabama
H.H. Ussing, Copenhagen

D.J. Fritts, Assistant to the Editor

Springer-Verlag New York Inc.

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Printed in West Germany

© 1984 by Springer-Verlag New York Inc.

Author Index — Volumes 71–80

Aboulafia, J., Sanioto, S.M.L., Lacaz-Vieira, F.: Cellular Li^+ Opens Paracellular Path in Toad Skin: Amiloride Blockable Effect 74:59

Adragna, N.C., Tosteson, D.C.: Effect of Volume Changes on Ouabain-Insensitive Net Outward Cation Movements in Human Red Cells 78:43

Ahearn, G.A., Murer, H.: Functional Roles of Na^+ and H^+ in SO_4^{2-} Transport by Rabbit Ileal Brush Border Membrane Vesicles 77:177

Akaike, N., Nishi, K., Oyama, Y.: Characteristics of Manganese Current and Its Comparison with Currents Carried by other Divalent Cations in Snail Soma Membranes 76:289

Akaike, N., *see* Ishizuka, S., et al. 78:19

Akaike, N., *see* Yatani, A., et al. 78:163

Alayoff, A., *see* Panet, R., et al. 75:219

Almers, W., Stirling, C.: Distribution of Transport Proteins over Animal Cell Membranes (*Topical Review*) 77:169

Alonso, A., Goñi, F.M.: Effect of Detergents and Fusogenic Lipids on Phospholipid Phase Transition 71:83

Alvarez, O., *see* Cecchi, X., et al. 77:277

Amelsvoort, J.M.M. van, *see* Theuvenet, A.P.R., et al. 73:131

Anderson, R.J., *see* Dillingham, M.A., et al. 80:243

Ando, M.: Potassium-Dependent Chloride and Water Transport across the Seawater Eel Intestine 73:125

Andreoli, T.E., *see* Hebert, S.C., et al. 80:201, 221

Andrews, S.B., *see* Kirk, R.G., et al. 76:281

Antolini, R., *see* Menestrina, G., et al. 71:173

Armstrong, W.McD., *see* Corcia, A. 76:173

Armstrong, W.McD., *see* Garcia-Diaz, J.F., et al. 73:145

Aubin, J.E., *see* Dixon, S.J., et al. 80:49

Axelrod, D.: Lateral Motion of Membrane Proteins and Biological Function (*Topical Review*) 75:1

Baerentsen, H., Giraldez, F., Zeuthen, T.: Influx Mechanisms for Na^+ and Cl^- across the Brush Border Membrane of Leaky Epithelia. A Model and Microelectrode Study 75:205

Bagwell, E.E., *see* Schilling, W.P., et al. 77:101

Bangham, J.A., *see* Eddlestone, G.T., et al. 77:1

Barry, P.H., Dulhunty, A.F.: Slow Potential Changes in Mammalian Muscle Fibers during Prolonged Hyperpolarization: Transport Number Effects and Chloride Depletion 78:235

Bashford, C.L., Pasternak, C.A.: Plasma Membrane Potential of Lettré Cells does not Depend on Cation Gradients but on Pumps 79:275

Bauer, J., Lauf, P.K.: Thiol-Dependent Passive K/Cl Transport in Sheep Red Cells: III. Differential Reactivity of Membrane SH Groups with N-Ethylmaleimide and Iodoacetamide 73:257

Beck, F.X., *see* Rick, R., et al. 78:129

Bedu, S., *see* Seto-Young, D., et al. 79:185

Beeler, T.: Osmotic Changes of Sarcoplasmic Reticulum Vesicles during Ca^{2+} Uptake 76:165

Beeler, T.J., Dux, L., Martonosi, A.N.: Effect of Na_3VO_4 and Membrane Potential on the Structure of Sarcoplasmic Reticulum Membrane 78:73

Beilby, B.N., *see* Beilby, M.J. 74:229

Beilby, M.J., Beilby, B.N.: Potential Dependence of the Admittance of *Chara* Plasmalemma 74:229

Beilby, M.J., *see* Smith, J.R. 71:131

Benga, G., Pop, V.I., Popescu, O., Ionescu, M., Mihele, V.: Water Exchange through Erythrocyte Membranes: Nuclear Magnetic Resonance Studies on the Effects of Inhibitors and of Chemical Modification of Human Membranes 76:129

Bennett, A.B., Spanswick, R.M.: Optical Measurements of ΔpH and $\Delta\psi$ in Corn Root Membrane Vesicles: Kinetic Analysis of Cl-Effects on Proton Translocating ATPase 71:95

Bennett, A.B., Spanswick, R.M.: Solubilization and Reconstitution of an Anion-Sensitive H^+-ATPase from Corn Roots 75:21

Bentrup, F.-W., *see* Wendler, S. 78:82

Bentrup, F.-W., *see* Wendler, S., et al. 72:75

Berestovsky, G.N., *see* Lunevsky, V.Z., et al. 72:43

Bermano, S., *see* Cremaschi, D., et al. 73:227

Bernhardt, I., Donath, E., Glaser, R.: Influence of Surface Charge and Transmembrane Potential on Rubidium-86 Efflux of Human Red Blood Cells 78:249

Biagi, B.A., *see* Kubota, T., et al. 73:51, 61

Biber, J., *see* Stieger, B., et al. 73:25

Bindels, R.J.M., *see* Theuvenet, A.P.R., et al. 73:131

Blatt, M.R., Slayman, C.L.: KCl Leakage from Microelectrodes and Its Impact on the Membrane Parameters of a Nonexcitable Cell 72:223

Bleckmann, H., *see* Jentsch, T.J., et al. 78:103

Boni, L.T., Stewart, T.P., Hui, S.W.: Alterations in Phospholipid Polymorphism by Polyethylene Glycol 80:91

Boron, W.F.: Transport of H^+ and of Ionic Weak Acids and Bases (*Topical Review*) 72:1

Borst-Pauwels, G.W.F.H., *see* Theuvenet, A.P.R., et al. 73:131

Boulpaep, E.L., *see* Guggino, W.B., et al. 71:227

Bourguet, J., *see* Parisi, M. 71:189

Bourguignon, L.Y.W., Kerrick, W.G.L.: Receptor Capping in Mouse T-Lymphoma Cells: A Ca^{2+} and Calmodulin-Stimulated ATP-Dependent Process 75:65

Bourguignon, L.Y.W., Pressman, B.C.: Stimulation of Lymphocyte Receptor Capping by the Ionophore Monensin 73:91

Bowen, J.W., Levinson, C.: H^+ Transport and the Regulation of Intercellular pH in Ehrlich Ascites Tumor Cells 79:7

Brenner, B.M., *see* Deen, W.M., et al. 71:1

Bridges, C.R., *see* Deen, W.M., et al. 71:1

Brink, P.R.: Effect of Deuterium Oxide on Junctional Membrane Channel Permeability 71:79

Brodbeck, U., *see* Lüdi, H., et al. 74:75

Brown, A.M., *see* Wilson, D.L., et al. 72:117

Brown, A.M., *see* Yatani, A., et al. 78:163

Brunden, K.R., *see* Davidson, V.L., et al. 79:105

Burnup, K., *see* White, J.F., et al. 78:223

Cabantchik, Z.I., *see* Eidelman, O. 71:141, 149

Cameron, R.S., Castle, J.D.: Isolation and Compositional Analysis of Secretion Granules and their Membrane Subfraction from the Rat Parotid Gland 79:127

Campbell, B.J.: *see* Kim, H.S. 75:115

Cantley, L., *see* Forgac, M. 80:185

Carlson, S.L., *see* Marcial, M.A., et al. 80:59

Carpentier, J.-L., *see* Schneider-Picard, G., et al. 78:85

Carson, S.D.: Cadmium Causes Vesicle Leakage under Conditions which Favor Reconstitution of Tissue Factor-Vesicle Complexes 75:123

Casale, T.B., Friedman, M., Parada, N., Plekes, J., Kaliner, M.: Preparation of a Human Lung Purified Plasma Membrane Fraction: Confirmation by Enzyme Markers, Electron Microscopy, and Histamine H_1 Receptor Binding 79:33

Castle, A.M., *see* Castle, J.D., et al. 79:215
Castle, J.D., Castle, A.M., Ma, A.K., Stukenbrok, H.: An Enhanced Incorporation of Fatty Acid into Phosphatidyl Choline that Parallels Histamine Discharge in Mast Cells 79:215
Castle, J.D., *see* Cameron, R.S. 79:127
Cecchi, X., Latorre, R., Alvarez, O.: Alkali Metal Ion Selectivity of the Hemocyanin Channel 77:277
Cereijido, M., *see* González-Mariscal, L., et al. 79:175
Cereijido, M., *see* Stefani, E. 73:177
Chapman, J.B., Johnson, E.A., Kootsey, J.M.: Electrical and Biochemical Properties of an Enzyme Model of the Sodium Pump 74:139
Chávez de Ramírez, B., *see* González-Mariscal, L., et al. 79:175
Cierniewski, C.S., *see* Kowalska, M.A. 75:57
Civan, M.M., *see* DeLong, J. 72:183; 74:155
Claire, M., *see* Rossier, B.C., et al. 77:25
Clay, J.R., Shrier, A.: Effects of D-600 on Sodium Current in Squid Axons 79:211
Cohen, B., *see* London, R., et al. 75:253
Cohen, B., *see* Matsumura, Y., et al. 79:145, 153
Cohen, F.S., *see* Davidson, V.L., et al. 79:105
Coleman, H.A., *see* Findlay, G.P. 75:241
Colombini, M.: Purification of VDAC (Voltage-Dependent Anion-Selective Channel) from Rat Liver Mitochondria 74:115
Corcia, A., Armstrong, W. McD.: KCl Cotransport: A Mechanism for Basolateral Chloride Exit in *Necturus* Gallbladder 76:173
Corcia, A., *see* Garcia-Diaz, J.F., et al. 73:145
Corcoran, S.M., *see* Hsu, B.Y.L., et al. 80:167
Cousin, J.-L., *see* Ehrenfeld, J. 77:45
Cram, W.J.: Chloride Accumulation in Plant Cells as a Homeostatic System: Energy Supply as a Dependent Variable 74:51
Cramer, W.A., *see* Davidson, V.L., et al. 79:105
Cremaschi, D., Meyer, G., Bermano, S., Marcati, M.: Different Sodium Chloride Cotransport Systems in the Apical Membrane of Rabbit Gallbladder Epithelial Cells 73:227
Dainty, J., *see* Dixon, S.J., et al. 80:49
Davidson, V.L., Brunden, K.R., Cramer, W.A., Cohen, F.S.: Studies on the Mechanism of Action of Channel-Forming Colicins using Artificial Membranes (*Topical Review*) 79:105
Dazzo, F.B., Truchet, G.L.: Interactions of Lectins and Their Saccharide Receptors in the *Rhizobium*-Legume Symbiosis (*Topical Review*) 73:1
Deen, W.M., Bridges, C.R., Brenner, B.M.: Biophysical Basis of Glomerular Permselectivity (*Topical Review*) 71:1
Deitmer, J.W., *see* Thiele, J., et al. 76:253
Délèze, J., Hervé, J.C.: Effect of Several Uncouplers of Cell-to-Cell Communication on Gap Junction Morphology in Mammalian Heart 74:203
DeLong, J., Civan, M.M.: Microelectrode Study of K^+ Accumulation by Tight Epithelia: I. Baseline Values of Split Frog Skin and Toad Urinary Bladder 72:183
DeLong, J., Civan, M.M.: Microelectrode Study of K^+ Accumulation by Tight Epithelia: II. Effect of Inhibiting Transepithelial Na^+ Transport on Reaccumulation Follow Depletion 74:155
Dembo, M., Sirotnak, F.M., Moccio, D.M.: Effects of Metabolic Deprivation on Methotrexate Transport in L1210 Leukemia Cells: Further Evidence for Separate Influx and Efflux Systems with Different Energetic Requirements 78:9
Dembo, M., *see* Yang, C.-H., et al. 75:11; 79:285
DeRosa, M., *see* Gliozzi, A., et al. 75:45
Devés, R., Krupka, R.M.: Apparent Noncompetitive Inhibition of Choline Transport in Erythrocytes by Inhibitors Bound at the Substrate Site 74:183
Devés, R., Krupka, R.M.: The Comparative Specificity of the Inner and Outer Substrate Transfer Sites in the Choline Carrier of Human Erythrocytes 80:71
Diamond, J.M., Ehrlich, B.E., Morawski, S.G., Santa Ana, C.A., Fordtran, J.S.: Lithium Absorption in Tight and Leaky Segments of Intestine 72:153
Diamond, J.M., Machen, T.E.: Impedance Analysis in Epithelia and the Problem of Gastric Acid Secretion (*Topical Review*) 72:17
Diamond, J.M., *see* Ehrlich, B.E., et al. 75:233
Diamond, J.M., *see* Lewis, S.A., et al. 80:135
DiBona, D.R., *see* Kirk, K.L., et al. 79:53, 65
Dillingham, M.A., Kim, J.K., Horster, M.F., Anderson, R.J.: Forskolin Increases Osmotic Water Permeability of Rabbit Cortical Collecting Tubule 80:243
Dimitrov, D.S.: Electric Field-Induced Breakdown of Lipid Bilayers and Cell Membranes: A Thin Viscoelastic Film Model 78:53
Dixon, S.J., Aubin, J.E., Dainty, J.: Electrophysiology of a Clonal Osteoblast-like Cell Line: Evidence for the Existence of a Ca^{2+}-Activated K^+ Conductance 80:49
Donahue, P., *see* Keeling, P., et al. 74:217
Donath, E., *see* Bernhardt, I., et al. 78:249
Dörge, A., *see* Rick, R., et al. 78:129
Dörrscheidt-Käfer, M.: The Influence of Amino-Reactive Substances on Contraction Threshold of Frog Skeletal Muscle 73:17
Dow, J.A.T., Gupta, B.L., Hall, T.A., Harvey, W.R.: X-ray Microanalysis of Elements in Frozen-Hydrated Sections of an Electrogenic K^+ Transport System: The Posterior Midgut of Tobacco Hornworm (*Manduca sexta*) *in Vivo* and *in Vitro* 77:223
Duhm, J., Göbel, B.O.: Role of the Furosemide-Sensitive Na^+/K^+ Transport System in Determining the Steady-State Na^+ and K^+ Content and Volume of Human Erythrocytes *in Vitro* and *in Vivo* 77:243
Dulhunty, A.F., *see* Barry, P.H. 78:235
Dux, L., *see* Beeler, T.J., et al. 78:73
Eaton, D.C., *see* Ifshin, M.S., et al. 76:151
Eaton, D.C., *see* LaBelle, E.F. 71:39
Eddlestone, G.T., Gonçalves, A., Bangham, J.A., Rojas, E.: Electrical Coupling between Cells in Islets of Langerhans from Mouse 77:1
Edelman, I.S., *see* Garty, H., et al. 74:15
Ehrenfeld, J., Cousin, J.-L.: Ionic Regulation of the Unicellular Green Alga *Dunaliella tertiolecta:* Response to Hypertonic Shock 77:45
Ehrlich, B.E., Diamond, J.M., Fry, V., Meier, K.: Lithium's Inhibition of Erythrocyte Cation Countertransport Involves a Slow Process in the Erythrocyte 75:233
Ehrlich, B.E., *see* Diamond, J.M., et al. 72:153
Eidelman, O., Cabantchik, Z.I.: The Mechanism of Anion Transport across Human Red Blood Cell Membranes as Revealed with a Fluorescent Substrate: I. Kinetic Properties of NBD-Taurine Transfer in Symmetric Conditions 71:141
Eidelman, O., Cabantchik, Z.I.: The Mechanism of Anion Transport across Human Red Blood Cell Membranes as Revealed with a Fluorescent Substrate: II. Kinetic Properties of NBD-Taurine Transfer in Asymmetric Conditions 71:149

Eisenman, G., Horn, R.: Ionic Selectivity Revisited: The Role of Kinetic and Equilibrium Processes in Ion Permeation through Channels (*Topical Review*) 76:197
Eisenman, G., *see* Sandblom, J., et al. 71:61
Elgavish, A., Rifkind, J., Sacktor, B.: *In Vitro* Effects of Vitamin D_3 on the Phospholipids of Isolated Renal Brush Border Membranes 72:85
Ellingsen, D., *see* White, J.F., et al. 78:223
Eng, W.-K., *see* McLaughlin, A., et al. 76:183
Epstein, F.H., *see* Silva, P., et al. 75:105
Epstein, J.A., *see* Silva, P., et al. 75:105
Esgate, J.A., *see* Gordon, L.M., et al. 76:139
Eveloff, J., Kinne, R.: Sodium-Chloride Transport in the Medullary Thick Ascending Limb of Henle's Loop: Evidence for a Sodium-Chloride Cotransport System in Plasma Membrane Vesicles 72:173
Field, M., *see* Langridge-Smith, J.E., et al. 72:131
Field, M., *see* Shorofsky, S.R., et al. 72:105
Findlay, G.P., Coleman, H.A.: Potassium Channels in the Membrane of *Hydrodictyon africanum* 75:241
Finkelstein, A., *see* Kleinberg, M.E. 80:257
Fischbarg, J.: *see* Lim, J.J., et al. 73:95
Fisher, R.S., Spring, K.R.: Intracellular Activities during Volume Regulation by *Necturus* Gallbladder 78:187
Flatman, P.W.: Magnesium Transport across Cell Membranes (*Topical Review*) 80:1
Fordtran, J.S., *see* Diamond, J.M., et al. 72:153
Foreman, J.W., *see* Hsu, B.Y.L., et al. 80:167
Forgac, M., Cantley, L.: The Plasma Membrane (Mg^{2+})-Dependent Adenosine Triphosphatase from the Human Erythrocyte is Not an Ion Pump 80:185
Forte, J.G., *see* Wolosin, J.M. 71:195
Foskett, J.K., *see* Scheffey, C., et al. 75:193
Fox, J.M., *see* Hof, D. 71:31; 79:1
Fozzard, H.A., *see* Shorofsky, S.R., et al. 72:105
Freedman, J.C.: Partial Requirements for *in Vitro* Survival of Human Red Blood Cells 75:225
Freedman, J.C., Novak, T.S.: Membrane Potentials Associated with Ca-Induced K Conductance in Human Red Blood Cells: Studies with a Fluorescent Oxonol Dye, WW781 72:59
Friedman, D., *see* Hannafin, J., et al. 75:73
Friedman, M., *see* Casale, T.B., et al. 79:33
Friedman, P.A., *see* Hebert, S.C., et al. 80:201
Frizzell, R.A., *see* Smith, P.L. 77:187
Frizzell, R.A., *see* Welsh, M.J., et al. 71:209
Fromer, I., *see* Panet, R., et al. 75:219
Fry, V., *see* Ehrlich, B.E., et al. 75:233
Fuchs, S., *see* Goldberg, G., et al. 76:123
Fujii, S., *see* Sakai, T., et al. 72:205
Fulpius, B.W., *see* Ludi, H., et al. 74:75
Furuya, W., *see* Van der Meulen, J., et al. 71:47
Gaeggeler, H.P., *see* Geering, K., et al. 77:15
Gaeggeler, H.P., *see* Rossier, B.C., et al. 77:25
Gambacorta, A., *see* Gliozzi, A., et al. 75:45
Garcia-Diaz, J.F., Corcia, A., Armstrong, W. McD.: Intracellular Chloride Activity and Apical Membrane Chloride Conductance in *Necturus* Gallbladder 73:145
Garty, H.: Current-Voltage Relations of the Basolateral Membrane in Tight Amphibian Epithelia: Use of Nystatin to Depolarize the Apical Membrane 77:213
Garty, H., Edelman, I.S., Lindemann, B.: Metabolic Regulation of Apical Sodium Permeability in Toad Urinary Bladder in the Presence and Absence of Aldosterone 74:15
Geering, K., Gaeggeler, H.P., Rossier, B.C.: Effects of Thyromimetic Drugs on Aldosterone-Dependent Sodium Transport in the Toad Bladder 77:15
Geering, K., *see* Rossier, B.C., et al. 77:25
Geertsen, J.A.M., *see* Heeswijk, M.P.E. van, et al. 79:19
Giebisch, G., *see* Guggino, W.B., et al. 71:227
Giebisch, G., *see* Kubota, T., et al. 73:51, 61
Giebisch, G., *see* London, R., et al. 75:253
Giebisch, G., *see* Matsumura, Y., et al. 79:145, 153
Ginkinger, K., *see* Hsu, B.Y.L., et al. 80:167
Giraldez, F., *see* Baerentsen, H., et al. 75:205
Girardier, L., *see* Schneider-Picard, G., et al. 78:85
Glaser, R., *see* Bernhardt, I., et al. 78:249
Gliozzi, A., Rolandi, R., DeRosa, M., Giambacorta, A.: Monolayer Black Membranes from Bipolar Lipids of Archaebacteria and Their Temperature-Induced Structural Changes 75:45
Göbel, B.O., *see* Duhm, J. 77:243
Goings, G.E., *see* Manjunath, C.K., et al. 78:147
Goldberg, G., Mochly-Rosen, D., Fuchs, S., Lass, Y.: Monoclonal Antibodies Modify Acetylcholine-Induced Ionic Channel Properties in Cultured Chick Myoballs 76:123
Gonçalves, A., *see* Eddlestone, G.T., et al. 77:1
Goñi, F.M., *see* Alonso, A. 71:183
González-Mariscal, L., Chávez de Ramírez, B., Cereijido, M.: Effect of Temperature on the Occluding Junctions of Monolayers of Epithelioid Cells (MDCK) 79:175
Gordon, L.M., Mobley, P.W.: Thermotropic Lipid Phase Separations in Human Erythrocyte Ghosts and Cholesterol-Enriched Rat Liver Plasma Membranes 79:75
Gordon, L.M., Mobley, P.W., Esgate, J.A., Hofmann, G., Whetton, A.D., Houslay, M.D.: Thermotropic Lipid Phase Separations in Human Platelet and Rat Liver Plasma Membranes 76:139
Gradmann, D., Mummert, H.: Mechanism of Cl^- Efflux Bursts in *Acetabularia:* Vesicle Release *versus* Permeability Transients (*Letter to the Editor*) 78:81
Gradmann, D., *see* Sanders, D., et al. 77:123
Gradmann, D., *see* Tittor, J., et al. 75:129
Grasset, E., Gunter-Smith, P., Schultz, S.G.: Effects of Na-Coupled Alanine Transport on Intracellular K Activities and the K Conductance of the Basolateral Membranes of *Necturus* Small Intestine 71:89
Greco, F., *see* Reyes, J., et al. 72:93
Grinfeldt, A.E., *see* Schagina, L.V., et al. 73:203
Grinstein, S., *see* Van der Meulen, J., et al. 71:47
Guggino, W.B., London, R., Boulpaep, E.L., Giebisch, G.: Chloride Transport across the Basolateral Cell Membrane of the *Necturus* Proximal Tubule: Dependence on Bicarbonate and Sodium 71:227
Guggino, W.B., *see* London, R., et al. 75:253
Guggino, W.B., *see* Matsumura, Y., et al. 79:145, 153
Gullans, S.R., Harris, S.I., Mandel, L.J.: Glucose-Dependent Respiration in Suspensions of Rabbit Cortical Tubules 78:257
Gunter-Smith, P., *see* Grasset, E., et al. 71:89
Gunther, R.D., Schell, R.E., Wright, E.M.: Ion Permeability of Rabbit Intestinal Brush Border Membrane Vesicles 78:119
Gunther, R.D., Wright, E.M.: Na^+, Li^+, and Cl^- Transport by Brush Border Membranes from Rabbit Jejunum 74:85
Gupta, B.L., *see* Dow, J.A.T., et al. 77:223
Gutknecht, J., *see* Walter, A. 77:255
Hägglund, J., *see* Sandblom, J., et al. 71:61
Hall, T.A., *see* Dow, J.A.T., et al. 77:223
Hannafin, J., Kinne-Saffran, E., Friedman, D., Kinne, R.: Pre-

sence of a Sodium-Potassium Chloride Cotransport System in the Rectal Gland of *Squalus acanthias* 75:73
Hanrahan, J.W., Phillips, J.E.: KCl Transport across an Insect Epithelium: I. Tracer Fluxes and the Effects of Ion Substitutions 80:15
Hanrahan, J.W., Phillips, J.E.: KCl Transport across an Insect Epithelium: II. Electrochemical Potentials and Electrophysiology 80:27
Hansen, U.-P., Tittor, J., Gradmann, D.: Interpretation of Current-Voltage Relationships for "Active" Ion Transport Systems: II. Nonsteady-State Reaction-Kinetic Analysis of Class-1 Mechanisms with One Slow Time-Constant 75:141
Hansen, U.-P., *see* Sanders, D., et al. 77:123
Hansen, U.-P., *see* Tittor, J., et al. 75:129
Harris, S.I., *see* Gullans, S.R., et al. 78:257
Harvey, W.R., *see* Dow, J.A.T., et al. 77:223
Hattori, K., *see* Ishizuka, S., et al. 78:19
Haynes, D.H., Mandveno, A.: The pH Dependence of the Ca^{2+}, Mg^{2+}-ATPase of Sarcoplasmic Reticulum: Evidence that the Ca^{2+} Translocator Bears a Doubly Negative Charge 74:25
Hebert, S.C., Andreoli, T.E.: Effects of Antidiuretic Hormone in Cellular Conductive Pathways in Mouse Medullary Thick Ascending Limbs of Henle: II. Determinants of the ADH-Mediated Increases in Transepithelial Voltage and in Net Cl^- Absorption 80:221
Hebert, S.C., Friedman, P.A., Andreoli, T.E.: Effects of Antidiuretic Hormone on Cellular Conductive Pathways in Mouse Medullary Thick Ascending Limbs of Henle: I. ADH Increases Transcellular Conductance Pathways 80:201
Heeswijk, M.P.E. van, Geertsen, J.A.M., Os, C.H. van: Kinetic Properties of the ATP-Dependent Ca^{2+} Pump and the Na^+/Ca^{2+} Exchange System in Basolateral Membranes from Rat Kidney Cortex 79:19
Herchuelz, A., *see* Lebrun, P., et al. 74:67
Hervé, J.C., *see* Délèze, J. 74:203
Hirota, A., see Sakai, T., et al. 72:205
Hof, D., Fox, J.M.: Changes of Ultraviolet Sensitivity of Voltage-Clamped Sodium Channels during Their Potential-Induced Conductance Cycle 71:31
Hof, D., Fox, J.M.: Modification of Ultraviolet Radiation Effects on the Membrane of Myelinated Nerve Fibers by Sulfhydryl Compounds 79:1
Höfer, M., *see* Niemietz, C. 80:235
Hoffman, J.F., *see* Lee, P., et al. 79:119
Hoffmann, E.K., Simonsen, L.O., Lambert, I.H.: Volume-Induced Increase of K^+ and Cl^- Permeabilities in Ehrlich Ascites Tumor Cells. Role of Internal Ca^{2+} 78:211
Hoffmann, E.K., Sjøholm, C., Simonsen, L.O.: Na^+, Cl^- Cotransport in Ehrlich Ascites Tumor Cells Activated during Volume Regulation (Regulatory Volume Increase) 76:269
Hofmann, G., *see* Gordon, L.M., et al. 76:139
Horn, R., *see* Eisenman, G. 76:197
Horster, M.F., *see* Dillingham, M.A., et al. 80:243
Houslay, M.D., *see* Gordon, L.M., et al. 76:139
Hsu, B.Y.L., Foreman, J.W., Corcoran, S.M., Ginkinger, K., Segal, S.: Absence of a Role of Gamma-Glutamyl Transpeptidase in the Transport of Amino Acids by Rat Renal Brushborder Membrane Vesicles 80:167
Hsu, K., *see* Smejtek, P., et al. 76:227
Hudson, R., *see* Schultz, S.G., et al. 79:257
Hui, S.W., *see* Boni, L.T., et al. 80:91
Humphries, G.M.K., Lovejoy, J.P.: Membrane Structure and the Tenuously Maintained Resistance to Staining with Nε-Dansyl-L-Lysine Shown by Many Cells 77:115
Humphries, G.M.K., Lovejoy, J.P.: Lateral Phase Separation of Phospholipids as a Basis for Increased Permeability of Membranes towards Fluorescin and other Chemical Species 80:249
Ichikawa, M., *see* Matsumoto, G., et al. 77:77, 93
Ifshin, M.S., Johnson, K.E., Eaton, D.C.: Acid pH and Weak Acids Induce Na-Cl Cotransport in the Rabbit Urinary Bladder 76:151
Ifshin, M.S., *see* Lewis, S.A., et al. 80:135
Ionescu, M., *see* Benga, G., et al. 76:129
Ishizuka, S., Hattori, K., Akaike, N.: Separation of Ionic Currents in the Somatic Membrane of Frog Sensory Neurons 78:19
Jayaweera, A.R., *see* Smejtek, P., et al. 76:227
Jennings, M.L.: Oligomeric Structure and the Anion Transport Function of Human Erythrocyte Band 3 Protein (*Topical Review*) 80:105
Jentsch, T.J., Koch, M., Bleckmann, H., Wiederholt, M.: Effect of Bicarbonate, pH, Methazolamide, and Stilbenes on the Intracellular Potentials of Cultured Bovine Corneal Endothelial Cells 78:103
Jirón, C., Romano, M., Michelangeli, F.: A Study of Dynamic Membrane Phenomena during the Gastric Secretory Cycle: Fusion, Retrieval, and Recycling of Membranes 80:119
Jirounek, P., Vitus, J., Jones, G.J., Pralong, W.F., Straub, R.W.: Involvement of Intracellular Calcium in the Phosphate Efflux from Mammalian Nonmyelinated Nerve Fibers 79:87
Johnson, E.A., *see* Chapman, J.B., et al. 74:139
Johnson, K., *see* Keeling, P., et al. 74:217
Johnson, K. E., *see* Ifshin, M.S., et al. 76:151
Johnson, R., *see* Keeling, P., et al. 74:217
Jones, G.J., *see* Jirounek, P., et al. 79:87
Jordan, P.C.: The Total Electrostatic Potential in a Gramicidin Channel 78:91
Jung, D., Schwarz, W., Passow, H.: Sodium-Alanine Cotransport in Oocytes of *Xenopus laevis:* Correlation of Alanine and Sodium Fluxes with Potential and Current Changes 78:29
Jung, D., *see* Richter, H.-P., et al. 79:203
Kaback, H.R.: The *Lac* Carrier Protein in *Escherichia coli* (*Topical Review*) 76:95
Kachadorian, W.A., Muller, J.: Effects of Potassium-Free Media on ADH Action in Toad Urinary Bladder 77:161
Kaczorowski, G.J., Vandlen, R.L., Katz, G.M., Reuben, J.P.: Regulation of Excitation-Secretion Coupling by Thyrotropin-Releasing Hormone (TRH): Evidence for TRH Receptor-Ion Channel Coupling in Cultured Pituitary Cells 71:109
Kakkad, B.P., *see* Staros, J.V. 74:247
Kaliner, M., *see* Casale, T.B., et al. 79:33
Kam, E.Y., *see* Larson, D.M., et al. 74:103
Kametani, F., *see* Kitagawa, S., et al. 79:97
Kameyama, M.: Ionic Currents in Cultured Dorsal Root Ganglion Cells from Adult Guinea Pigs 72:195
Kami-ike, N., *see* Kishimoto, U., et al. 80:175
Kamina, K., *see* Sakai, T., et al. 72:205
Kaplan, A., *see* Zenvirth, D., et al. 79:271
Katz, G.M., *see* Kaczorowski, G.J., et al. 71:109
Kaunitz, J.D., Wright, E.M.: Kinetics of Sodium D-Glucose Cotransport in Bovine Intestinal Brush Border Vesicles 79:41
Keeling, P., Johnson, K., Sas, D., Klukas, K., Donahue, P., Johnson, R.: Arrangement of MP26 in Lens Junctional Membranes: Analysis with Proteases and Antibodies 74:217
Keifer, D.W., *see* Lucas, W.J., et al. 73:263
Kerrick, W.G.L., *see* Bourguignon, L.Y.W. 75:65

Kessler, M., Semenza, G.: The Small-Intestinal Na^+ D-Glucose Cotransporter: An Asymmetric Gated Channel (or Pore) Responsive to $\Delta\psi$ 76:27
Khodadad, J.K., Weinstein, R.S.: The Band 3-Rich Membrane of Llama Erythrocyte: Studies in Cell Shape and the Organization of Membrane Proteins 72:161
Kim, H.S., Campbell, B.J.: Association of Renal Dipeptidase with the Triton-Insoluble Fraction of Kidney Microvilli 75:115
Kim, J.K., *see* Dillingham, M.A., et al. 80:243
Kinne, R., *see* Eveloff, J. 72:173
Kinne, R., *see* Hannafin, J., et al. 75:73
Kinne-Saffran, E., *see* Hannafin, J., et al. 75:73
Kippen, I., *see* Nord, E.P., et al. 72:213
Kirk, K.L., DiBona, D.R., Schafer, J.A.: Morphologic Response of the Rabbit Cortical Collecting Tubule to Peritubular Hypotonicity: Quantitative Examination with Differential Interference Contrast Microscopy 79:53
Kirk, K.L., Schafer, J.A., DiBona, D.R.: Quantitative Analysis of the Structural Events Associated with Antidiuretic Hormone-Induced Volume Reabsorption in the Rabbit Cortical Collecting Tubule 79:65
Kirk, R.G., Andrews, S.B., Lee, P.: The Correlation of Composition and Morphology during the High to Low Potassium Transition in Single Erythropoietic Cells 76:281
Kirk, R.G., *see* Lee, P., et al. 79:119
Kishimoto, U., Kami-ike, N., Takeuchi, Y., Ohkawa, T.: A Kinetic Analysis of the Electrogenic Pump of *Chara corallina*: I. Inhibition of the Pump by DCCD 80:175
Kitagawa, S., Shinohara, T., Kametani, F.: Effects of Alcohols on ADP-Induced Aggregation and Membrane Fluidity of Gel-Filtered Bovine Blood Platelets 79:97
Kleinberg, M.E., Finkelstein, A.: Single-Length and Double-Length Channels Formed by Nystatin in Lipid Bilayer Membranes 80:257
Klukas, K., *see* Keeling, P., et al. 74:217
Klyce, S.D., *see* Marshall, W.S. 73:275
Koch, M., *see* Jentsch, T.J., et al. 78:103
Kootsey, J.M., *see* Chapman, J.B., et al. 74:139
Kostellow, A.B., *see* Morrill, G.A., et al. 77:201
Kostyuk, P.G., Mironov, S.L., Shuba, Ya.M.: Two Ion-Selecting Filters in the Calcium Channel of the Somatic Membrane of Mollusc Neurons 76:83
Kowalska, M.A., Cierniewski, C.S.: Microenvironment Changes of Human Blood Platelet Membranes Associated with Fibrinogen Binding 75:57
Kristensen, P.: Exchange Diffusion, Electrodiffusion, and Rectification in the Chloride Transport Pathway of Frog Skin 72:141
Krupka, R.M.: The Kinetics of Transport Inhibition by Noncompetitive Inhibitors 74:175
Krupka, R.M., *see* Devés, R. 74:183; 80:71
Kubota, T., Biagi, B.A., Giebisch, G.: Intracellular Potassium Activity Measurements in Single Proximal Tubules of *Necturus* Kidney 73:51
Kubota, T., Biagi, B.A., Giebisch, G.: Effects of Acid-Base Disturbances on the Basolateral Membrane Potential and Intracellular Potassium Activity in the Proximal Tubule of *Necturus* 73:61
Kukita, F., Yamagishi, S.: Effects of an Outward Water Flow on Potassium Currents in a Squid Giant Axon 75:33
Kunar, J., *see* Morrill, G.A., et al. 77:201
LaBelle, E.F., Eaton, D.C.: Sulfhydryl Reagents Affect Na^+ Uptake into Toad Bladder Membrane Vesicles 71:39
Lacaz-Vieira, F., *see* Aboulafia, J., et al. 74:59
Lambert, I.H., *see* Hoffmann, E.K., et al. 78:211
Lange, Y., Steck, T.L.: Mechanism of Red Blood Cell Acanthocytosis and Echinocytosis *in Vivo* 77:153
Langridge-Smith, J.E., Sellin, J.H., Field, M.: Sulfate Influx across the Rabbit Ileal Brush Border Membrane: Sodium and Proton Dependence, and Substrate Specificities 77:131
Larson, D.M., Kam, E.Y., Sheridan, J.D.: Junctional Transfer in Cultured Vascular Endothelium: I. Electrical Coupling 74:103
Larson, M., Spring, K.R.: Bumetanide Inhibition of NaCl Transport by *Necturus* Gallbladder 74:123
Lass, Y., *see* Goldberg, G., et al. 76:123
Latorre, R., Miller, C.: Conduction and Selectivity in Potassium Channels (*Topical Review*) 71:11
Latorre, R., *see* Cecchi, X., et al. 77:277
Latorre, R., *see* Reyes, J., et al. 72:93
Lauf, P.K.: Thiol-Dependent Passive K/Cl Transport in Sheep Red Cells: I. Dependence on Chloride and External K^+ [Rb^+] Ions 73:237
Lauf, P.K.: Thiol-Dependent Passive K/Cl Transport in Sheep Red Cells: II. Loss of Cl^- and N-Ethylmaleimide Sensitivity in Maturing High K^+ Cells 73:247
Lauf, P.K.: Thiol-Dependent Passive K/Cl Transport in Sheep Red Cells: IV. Furosemide Inhibition as a Function of External Rb^+, Na^+, and Cl^- 77:57
Lauf, P.K., *see* Bauer, J. 73:257
Lebrun, P., Malaisse, W.J., Herchuelz, A.: Na^+-K^+ Pump Activity and the Glucose-Stimulated Ca^{2+}-Sensitive K^+ Permeability in the Pancreatic B-Cell 74:67
Lee, P., Kirk, R.G., Hoffman, J.F.: Interrelations among Na and K Content, Cell Volume, and Buoyant Density in Human Red Blood Cell Populations 79:119
Lee, P., *see* Kirk, R.G., et al. 76:281
Lee, S.-H., Pritchard, J.B.: Proton-Coupled L-Lysine Uptake by Renal Brush Border Membrane Vesicles from Mullet (*Mugil cephalus*) 75:171
Lev, A.A., *see* Schagina, L.V., et al. 73:203
Levinson, C., *see* Bowen, J.W. 79:7
Lewis, S.A., Ifshin, M.S., Loo, D.D.F., Diamond, J.M.: Studies of Sodium Channels in Rabbit Urinary Bladder by Noise Analysis 80:135
Li, J.H.-Y., Lindemann, B.: Chemical Stimulation of Na Transport Through Amiloride-Blockable Channels of Frog Skin Epithelium 75:179
Li, J.H.-Y., Lindemann, B.: Competitive Blocking of Epithelial Sodium Channels by Organic Cations: The Relationship between Macroscopic and Microscopic Inhibition Constants 76:235
Liebovitch, L.S., *see* Lim, J.J., et al. 73:95
Lim, J.J., Liebovitch, L.S., Fischbarg, J.: Ionic Selectivity of the Paracellular Shunt Path across Rabbit Corneal Endothelium 73:95
Lindemann, B., *see* Garty, H., et al. 74:15
Lindemann, B., *see* Li, J.H.-Y. 75:179; 76:235
Lindenmayer, G.E., *see* Schilling, W.P. 79:163
Lindenmayer, G.E., *see* Schilling, W.P., et al. 77:101
London, R., Cohen, B., Guggino, W.B., Giebisch, G.: Regulation of Intracellular Chloride Activity during Perfusion with Hypertonic Solutions in the *Necturus* Proximal Tubule 75:253
London, R., *see* Guggino, W.B., et al. 71:227
Loo, D.D.F., *see* Lewis, S.A., et al. 80:135
Lovejoy, J.P., *see* Humphries, G.M.K. 77:115; 80:249

Lucas, W.J., Keifer, D.W., Sanders, D.: Bicarbonate Transport in *Chara corallina:* Evidence for Cotransport of HCO_3 with H^+ 73:263

Lüdi, H., Oetliker, H., Brodbeck, U., Ott, P., Schwendimann, B., Fulpius, B.W.: Reconstitution of Pure Acetylcholine Receptor in Phospholipid Vesicles and Comparison with Receptor-Rich Membranes by the Use of a Potentiometric Dye 74:75

Lunevsky, V.Z., Zherelova, O.M., Vostrikov, I.Y., Berestovsky, G.N.: Excitation of *Characeae* Cell Membranes as a Result of Activation of Calcium and Chloride Channels 72:43

Ma, A.K., *see* Castle, J.D., et al. 79:215

Machen, T.E., *see* Diamond, J.M. 72:17

Machen, T.E., *see* Scheffey, C., et al. 75:193

Madara, J.L., *see* Marcial, M.A., et al. 80:59

Malaisse, W.J., *see* Lebrun, P., et al. 74:67

Mandel, L.J., *see* Gullans, S.R., et al. 78:257

Mandveno, A., *see* Haynes, D.H. 74:25

Maniacco, D., *see* Menestrina, G., et al. 71:173

Manjunath, C.K., Goings, G.E., Page, E.: Detergent Sensitivity and Splitting of Isolated Liver Gap Junctions 78:147

Marcati, M., *see* Cremaschi, D., et al. 73:227

Marcial, M.A., Carlson, S.L., Madara, J.L.: Partitioning of Paracellular Conductance along the Ileal Crypt-Villus Axis: A Hypothesis Based on Structural Analysis with Detailed Consideration of Tight Junction Structure-Function Relationships 80:59

Marshall, W.S., Klyce, S.D.: Cellular and Paracellular Pathway Resistances in the "Tight" Cl^--Secreting Epithelium of Rabbit Cornea 73:275

Martonosi, A.N., *see* Beeler, T.J., et al. 78:73

Maruyama, Y., Petersen, O.H.: Control of K^+ Conductance by Cholecystokinin and Ca^{2+} in Single Pancreatic Acinar Cells Studied by the Patch-Clamp Technique 79:293

Matsumoto, G., Ichikawa, M., Tasaki, A.: Axonal Microtubules Necessary for Generation of Sodium Current in Squid Giant Axons: II. Effect of Colchicine upon Asymmetrical Displacement Current 77:93

Matsumoto, G., Ichikawa, M., Tasaki, A., Murofushi, H., Sakai, H.: Axonal Microtubules Necessary for Generation of Sodium Current in Squid Giant Axons: I. Pharmacological Study on Sodium Current and Restoration of Sodium Current by Microtubule Proteins and 260 K Protein 77:77

Matsumura, Y., Cohen, B., Guggino, W.B., Giebisch, G.: Electrical Effects of Potassium and Bicarbonate on Proximal Tubule Cells of *Necturus* 79:145

Matsumura, Y., Cohen, B., Guggino, W.B., Giebisch, G.: Regulation of the Basolateral Potassium Conductance of the *Necturus* Proximal Tubule 79:153

McLaughlin, A., Eng, W.-K., Viao, G., Wilson, T., McLaughlin, S.: Dimethonium, A Divalent Cation that Exerts only a Screening Effect on the Electrostatic Potential Adjacent to Negatively Charged Phospholipid Bilayer Membranes 76:183

McLaughlin, S., *see* McLaughlin, A., et al. 76:183

Meier, K., *see* Ehrlich, B.E., et al. 75:233

Menestrina, G., Maniacco, D., Antolini, R.: A Kinetic Study of the Opening and Closing Properties of the Hemocyanin Channel in Artifical Lipid Bilayer Membranes 71:173

Mengual, R., Sudaka, P.: The Mechanism of Na^+-L-Lactate Cotransport by Brush Border Membrane from Horse Kidney: Analysis of Rapid Equilibrium Kinetics in Absence of Membrane Potential 71:163

Meyer, G., *see* Cremaschi, D., et al. 73:227

Michangeli, F., *see* Jirón, C., et al. 80:119

Mihele, V., *see* Benga, G., et al. 76:129

Miller, C., *see* Latorre, R. 71:11

Mironov, S.L., *see* Kostyuk, P.G., et al. 76:83

Mobley, P.W., *see* Gordon, L.M. 79:75

Mobley, P.W., *see* Gordon, L.M., et al. 76:139

Moccio, D.M., *see* Dembo, M., et al. 78:9

Mochly-Rosen, D., *see* Goldberg, G., et al. 76:123

Montgomery, R.A.P., *see* Tomlins, B., et al. 80:191

Moore, L.E., Tsai, T.D.: Ion Conductances of the Surface and Transverse Tubular Membranes of Skeletal Muscle 73:217

Morawski, S.G., *see* Diamond, J.M., et al. 72:153

Morimoto, K., *see* Wilson, D.L., et al. 72:117

Morrill, G.A., Ziegler, D.H., Kunar, J., Weinstein, S.P., Kostellow, A.B.: Biochemical Correlates of Progesterone-Induced Plasma Membrane Depolarization during the First Meiotic Division in *Rana* Oocytes 77:201

Moscarello, M.A., *see* Wood, D.D. 79:195

Motais, R., *see* Reyes, J., et al. 72:93

Muller, J., *see* Kachadorian, W.A. 77:161

Mummert, H., *see* Gradmann, D. 78:81

Murer, H., *see* Ahearn, G.A. 78:177

Murer, H., *see* Stieger, B., et al. 73:25

Murofushi, H., *see* Matsumoto, G., et al. 77:77

Nagle, J.F., Tristram-Nagle, S.: Hydrogen Bonded Chain Mechanisms for Proton Conduction and Proton Pumping (*Topical Review*) 74:1

Nelson, D.J., Tang, J.M., Palmer, L.G.: Single-Channel Recordings of Apical Membrane Chloride Conductance in A6 Epithelial Cells 80:81

Niemietz, C., Höfer, M.: Transport of an Anionic Substrate by the H^+/Monosaccharide Symport in *Rhodotorula gracilis:* Only the Protonated Form of the Carrier is Catalytically Active 80:235

Nishi, K., *see* Akaike, N., et al. 76:289

Nord, E.P., Wright, S.H., Kippen, I., Wright, E.M.: Specificity of the Na^+-Dependent Monocarboxylic Acid Transport Pathway in Rabbit Renal Brush Border Membranes 72:213

Novak, T.S. *see* Freedman, J.C. 72:59

Obaid, A.L., Socolar, S.J., Rose, B.: Cell-to-Cell Channels with Two Independently Regulated Gates in Series: Analysis of Junctional Conductance Modulation by Membrane Potential, Calcium, and pH 73:69

Oetliker, H., *see* Lüdi, H., et al. 74:75

Ohkawa, T., *see* Kishimoto, U., et al. 80:175

Ohki, S.: Effects of Divalent Cations, Temperature, Osmotic Pressure Gradient, and Vesicle Curvature on Phosphatidylserine Vesicle Fusion 77:265

Okada, Y., *see* Yada, T. 77:33

O'Neil, R.G.: Voltage-Dependent Interaction of Barium and Cesium with the Potassium Conductance of the Cortical Collecting Duct Apical Cell Membrane 74:165

O'Neill, S.D., Spanswick, R.M.: Solubilization and Reconstitution of a Vanadate-Sensitive H^+-ATPase from the Plasma Membrane of the *Beta vulgaris* 79:231

O'Neill, S.D., Spanswick, R.M.: Characterization of Native and Reconstituted Plasma Membrane H^+ ATPase from the Plasma Membrane of *Beta vulgaris* 79:245

Ong, R.L.: ^{31}P and ^{19}F NMR Studies of Glycophorin-Reconstituted Membranes: Preferential Interaction of Glycophorin with Phosphatidylserine 78:1

Os, C.H. van, *see* Heeswijk, M.P.E. van, et al. 79:19

Ott, P. *see* Lüdi, H., et al. 74:75

Otto, M.K., *see* Thiele, J., et al. 76:253

Oyama, Y., *see* Akaike, N., et al. 76:289
Pace, C.S., Tarvin, J.T.: pH Modulation of Glucose-Induced Electrical Activity in B-Cells: Involvement of Na/H and HCO_3/Cl Antiporters 73:39
Page, E., *see* Manjunath, C.K., et al. 78:147
Palmer, L.G.: Voltage-Dependent Block by Amiloride and Other Monovalent Cations of Apical Na Channels in the Toad Urinary Bladder 80:153
Palmer, L.G., *see* Nelson, D.J., et al. 80:81
Panet, R., Fromer, I., Alayoff, A.: Rb^+ Influxes Differentiate between Growth Arrest of Cells by Different Agents 75:219
Parada, N., *see* Casale, T.B., et al. 79:33
Parisi, M., Bourguet, J.: The Single File Hypothesis and the Water Channels Induced by Antidiuretic Hormone 71:189
Passow, H., *see* Jung, D., et al. 78:29
Passow, H., *see* Richter, H.-P., et al. 79:203
Pasternak, C.A., *see* Bashford, C.L. 79:275
Payet, D., *see* Sauvé, R., et al. 74:41
Pecht, I., *see* Sagi-Eisenberg, R. 75:97
Petersen, O.H., *see* Maruyama, Y. 79:293
Phillips, J.E., *see* Hanrahan, J.W. 80:15, 27
Plekes, J., *see* Casale, T.B., et al. 79:33
Pop, V.I., *see* Benga, G., et al. 76:129
Popescu, O., *see* Benga, G., et al. 76:129
Pralong, W.F., *see* Jirounek, P., et al. 79:87
Preissler, M., Williams, J.A.: Localization of ATP-Dependent Calcium Transport Activity in Mouse Pancreatic Microsomes 73:137
Pressman, B.C., *see* Bourguignon, L.Y.W. 73:91
Pritchard, J.B., *see* Lee, S.-H. 75:171
Rafestin-Oblin, M.E., *see* Rossier, B.C., et al. 77:25
Reid, R.J., Walker, N.A.: The Energetics of Cl^- Active Transport in *Chara* 78:35
Reid, R.J., Walker, N.A.: Control of Cl^- Influx in *Chara* by Internal pH 78:157
Reuben, J.P., *see* Kaczorowski, G.J., et al. 71:109
Reyes, J., Greco, F., Motais, R., Latorre, R.: Phloretin and Phloretin Analogs: Mode of Action in Planar Lipid Bilayers and Monolayers 72:93
Richter, H.-P., Jung, D., Passow, H.: Regulatory Changes of Membrane Transport and Ouabain Binding during Progesterone-Induced Maturation of *Xenopus* Oocytes 79:203
Rick, R., Roloff, C., Dörge, A., Beck, F.X., Thurau, K.: Intracellular Electrolyte Concentrations in the Frog Skin Epithelium: Effect of Vasopressin and Dependence on the Na Concentration in the Bathing Media 78:129
Rifkind, J., *see* Elgavish, A., et al. 72:85
Rojas, E., *see* Eddlestone, G.T., et al. 77:1
Rolandi, R., *see* Gliozzi, A., et al. 75:45
Roloff, C., *see* Rick, R., et al. 78:129
Romano, M., *see* Jirón, C., et al. 80:119
Rose, B., *see* Obaid, A.L., et al. 73:69
Rossier, B.C., Claire, M., Rafestin-Oblin, M.E., Gaeggeler, H.P., Geering, K.: Effects of Thyroid Hormones and Aldosterone on Mineralocorticoid Binding Sites in the Toad Bladder 77:25
Rossier, B.C., *see* Geering, K., et al. 77:15
Rossum, G.D.V. van, Russo, M.A.: Requirement of Cl^- and Na^+ for the Ouabain-Resistant Control of Cell Volume in Slices of Rat Liver 77:63
Roy, G., *see* Sauvé, R., et al. 74:41
Russo, M.A., *see* Rossum, G.D.V. van 77:63
Sacktor, B., *see* Elgavish, A., et al. 72:85
Sagi-Eisenberg, R., Pecht, I.: Membrane Potential Changes during IgE-Mediated Histamine Release from Rat Basophilic Leukemia Cells 75:97
Sakai, H.: *see* Matsumoto, G., et al. 77:77
Sakai, T., Fujii, S., Hirota, A., Kamino, K.: Optical Evidence for Calcium-Action Potentials in Early Embryonic Precontractile Chick Heart Using a Potential-Sensitive Dye 72:205
Sandblom, J., Eisenman, G., Hägglund, J.: Multioccupancy Models for Single Filing Ionic Channels: Theoretical Behavior of a Four-Site Channel with Three Barriers Separating the Sites 71:61
Sanders, D., Hansen, U.-P., Gradmann, D., Slayman, C.L.: Generalized Kinetic Analysis of Ion-Driven Cotransport Systems: A Unified Interpretation of Selective Ionic Effects on Michaelis Parameters 77:123
Sanders, D., *see* Lucas, W.J., et al. 73:263
Sanioto, S.M.L., *see* Aboulafia, J., et al. 74:59
Santa Ana, C.A., *see* Diamond, J.M., et al. 72:153
Sas, D., *see* Keeling, P., et al. 74:217
Sauvé, R., Roy, G., Payet, D.: Single Channel K^+ Currents from HeLa Cells 74:41
Schafer, J.A., *see* Kirk, K.L., et al. 79:53, 65
Schagina, L.V., Grinfeldt, A.E., Lev, A.A.: Concentration Dependence of Bidirectional Flux Ratio as a Characteristic of Transmembrane Ion Transporting Mechanism 73:203
Scheffey, C., Foskett, J.K., Machen, T.E.: Localization of Ionic Pathways in the Teleost Opercular Membrane by Extracellular Recording with a Vibrating Probe 75:193
Schell, R.E., *see* Gunther, R.D., et al. 78:119
Schilling, W.P., Lindenmayer, G.E.: Voltage-Sensitive Calcium Flux Promoted by Vesicles in an Isolated Cardiac Sarcolemma Preparation 79:163
Schilling, W.P., Schuil, D.W., Bagwell, E.E., Lindenmayer, G.E.: Sodium and Potassium Permeability of Membrane Vesicles in a Sarcolemma-Enriched Preparation from Canine Ventricles 77:101
Schmidt, W.: Further Photophysical and Photochemical Characterization of Flavins Associated with Single-shelled Vesicles 76:73
Schneider-Picard, G., Carpentier, J.-L., Girardier, L.: Quantitative Evaluation of Gap Junctions in Rat Brown Adipose Tissue after Cold Acclimation 78:85
Schuil, D.W., *see* Schilling, W.P., et al. 77:101
Schultz, J.E., *see* Thiele, J., et al. 76:253
Schultz, S.G., Thompson, S.M., Hudson, R., Thomas, S.R., Suzuki, Y.: Electrophysiology of *Necturus* Urinary Bladder: II. Time-Dependent Current-Voltage Relations of the Basolateral Membranes 79:257
Schultz, S.G., *see* Grasset, E., et al. 71:89
Schultz, S.G., *see* Thomas, S.R., et al. 73:157
Schultz, S.G., *see* Turnheim, K., et al. 76:299
Schwarz, W., *see* Jung, D., et al. 78:29
Schwendimann, B., *see* Lüdi, H., et al. 74:75
Segal, S., *see* Hsu, B.Y.L., et al. 80:167
Sellin, J.H., *see* Langridge-Smith, J.E., et al. 72:131
Semenza, G., *see* Kessler, M. 76:27
Senior, A.E., Wise, J.G.: The Proton-ATPase of Bacteria and Mitochondria (*Topical Review*) 73:105
Serpersu, E.H., Tsong, T.Y.: Stimulation of a Ouabain-Sensitive Rb^+ Uptake in Human Erythrocytes with an External Electric Field 74:191
Seto-Young, D., Bedu, S., Wilson, T.H.: Transport by Reconsti-

tuted Lactose Carrier from Parental and Mutant Strains of *Escherichia coli* 79:185
Sheridan, J.D., *see* Larson, D.M., et al. 74:103
Shinohara, T., *see* Kitagawa, S., et al. 79:97
Shorofsky, S.R., Field, M., Fozzard, H.A.: Electrophysiology of Cl Secretion in Canine Trachea 72:105
Shrier, A., *see* Clay, J.R. 79:211
Shuba, Ya. M., *see* Kostyuk, P.G., et al. 76:83
Silva, P., Epstein, J.A., Stevens, A., Spokes, K., Epstein, F.H.: Ouabain Binding in Rectal Gland of *Squalus acanthias* 75:105
Simonsen, L.O., *see* Hoffmann, E.K., et al. 76:269; 78:211
Sims, P.J., Wiedmer, T.: The Influence of Electrochemical Gradients of Na^+ and K^+ upon the Membrane Binding and Pore Forming Activity of the Terminal Complement Proteins 78:169
Sinha, B.A., Smejtek, P.: Effect of 3-Phenylindole on Lipophilic Ion and Carrier-Mediated Ion Transport across Bilayer Lipid Membranes 71:119
Sirotnak, F.M., *see* Dembo, M., et al. 78:9
Sirotnak, F.M., *see* Yang, C.-H., et al. 75:11; 79:285
Sjøholm, C., *see* Hoffmann, E.K., et al. 76:269
Slayman, C.L., *see* Blatt, M.R. 72:223
Slayman, C.L., *see* Sanders, D., et al. 77:123
Smejtek, P., Jayaweera, A.R., Hsu, K.: Electrical Conductivity, Transfer of Hydrogen Ions in Lipid Bilayer Membranes and Uncoupling Effect Induced by Pentachlorobenzenethiol (Pentachlorothiophenol) 76:227
Smejtek, P., *see* Sinha, B.A. 71:119
Smith, J.R.: Effect of a Spatially Inhomogeneous Membrane upon the Measured Electrical Properties of *Chara* 73:185
Smith, J.R., Beilby, M.J.: Inhibition of Electrogenic Transport Associated with the Action Potential in *Chara* 71:131
Smith, J.R., Walker, N.A.: Membrane Conductance of *Chara* Measured in the Acid and Basic Zones 73:193
Smith, P.L., Frizzell, R.A.: Chloride Secretion by Canine Tracheal Epithelium: IV. Basolateral Membrane K Permeability Parallels Secretion Rate 77:187
Smith, P.L., *see* Welsh, M.J., et al. 71:209
Socolar, S.J., *see* Obaid, A.L., et al. 73:69
Spanswick, R.M., *see* Bennett, A.B. 71:95; 75:21
Spanswick, R.M., *see* O'Neill, S.D. 79:231, 245
Spokes, K., *see* Silva, P., et al. 75:105
Spring, K.R., *see* Fisher, R.S. 78:187
Spring, K.R., *see* Larson, M. 74:123
Spyropoulos, C.S.: Hydraulic Conductivity of *Nitella* Cells using the Intracellular Perfusion Technique 76:17
Stange, G., *see* Steiger, B., et al. 73:25
Staros, J.V., Kakkad, B.P.: Cross-Linking and Chymotryptic Digestion of the Extracytoplasmic Domain of the Anion Exchange Channel in Intact Human Erythrocytes 74:247
Steck, T.L., *see* Lange, Y. 77:153
Stefani, E., Cereijido, M.: Electrical Properties of Cultured Epithelioid Cells (MDCK) 73:177
Stetson, D.L., Wade, J.B.: Ultrastructural Characterization of Cholesterol Distribution in Toad Bladder Using Filipin 74:131
Steudle, E., Tyerman, S.D.: Determination of Permeability Coefficients, Reflection Coefficients, and Hydraulic Conductivity of *Chara corallina* using the Pressure Probe: Effects of Solute Concentrations 75:85
Stevens, A., *see* Silva, P., et al. 75:105
Stewart, T.P., *see* Boni, L.T., et al. 80:91
Stieger, B., Stange, G., Biber, J., Murer, H.: Transport of L-Cysteine by Rat Renal Brush Border Membrane Vesicles 73:25
Stirling, C., *see* Almers, W. 77:169
Stols, A.L.H., *see* Theuvenet, A.P.R., et al. 73:131
Straub, R.W., *see* Jirounek, P., et al. 79:87
Stukenbrok, H., *see* Castle, J.D., et al. 79:215
Sudaka, P., *see* Mengual, R. 71:163
Suzuki, Y., *see* Schultz, S.G., et al. 79:257
Suzuki, Y., *see* Thomas, S.R., et al. 73:157
Takeuchi, Y., *see* Kishimoto, U., et al. 80:175
Tang, J.M., *see* Nelson, D.J., et al. 80:81
Tarvin, J.T., *see* Pace, C.S. 73:39
Tasaki, A., *see* Matsumoto, G., et al. 77:77, 93
Thacher, S.M.: ATP Causes a Structural Change in Retinal Rod Outer Segments: Disc Swelling Is Not Involved 74:95
Theuvenet, A.P.R., Bindels, R.J.M., Amelsvoort, J.M.M., van, Borst-Pauwels, G.W.F.H., Stols, A.L.H.: Interaction of Ethidium Bromide with Yeast Cells Investigated by Electron Probe X-Ray Microanalysis 73:131
Thiele, J., Otto, M.K., Deitmer, J.W., Schultz, J.E.: Calcium Channels of the Excitable Ciliary Membrane from *Paramecium:* An Initial Biochemical Characterization 76:253
Thomas, S.R., Suzuki, Y., Thompson, S.M., Schultz, S.G.: Electrophysiology of *Necturus* Urinary Bladder: I. "Instantaneous" Current-Voltage Relations in the Presence of Varying Mucosal Sodium Concentrations 73:157
Thomas, S.R., *see* Schultz, S.G., et al. 79:257
Thompson, S.M., *see* Schultz, S.G., et al. 79:257
Thompson, S.M., *see* Thomas, S.R., et al. 73:157
Thompson, S.M., *see* Turnheim, K., et al. 76:299
Thurau, K., *see* Rick, R., et al. 78:129
Tittor, J., Hansen, U.-P., Gradmann, D.: Impedance of the Electrogenic Cl^- Pump in *Acetabularia:* Electrical Frequency Entrainments, Voltage-Sensitivity, and Reaction Kinetic Interpretation 75:129
Tomlins, B., Williams, A.J., Montgomery, R.A.P.: The Characterization of a Monovalent Cation-Selective Channel of Mammalian Cardiac Muscle Sarcoplasmic Reticulum 80:191
Tosteson, D.C., *see* Adragna, N.C. 78:43
Tristram-Nagle, S., *see* Nagle, J.F. 74:1
Truchet, G.L., *see* Dazzo, F.B. 73:1
Tsai, T.D., *see* Moore, L.E. 73:217
Tsong, T.Y., *see* Serpersu, E.H. 74:191
Tsuda, Y., *see* Wilson, D.L., et al. 72:117
Turner, R.J.: Quantitive Studies of Cotransport Systems: Models and Vesicles (*Topical Review*) 76:1
Turnheim, K., Thompson, S.M., Schultz, S.G.: Relation between Intracellular Sodium and Active Sodium Transport in Rabbit Colon: Current-Voltage Relations of the Apical Sodium Entry Mechanisms in the Presence of Varying Luminal Sodium Concentrations 76:299
Tyerman, S.D., *see* Steudle, E. 75:85
Vaio, G., *see* McLaughlin, A., et al. 76:183
Van der Meulen, J., Furuya, W., Grinstein, S.: Isolation and Partial Characterization of Platelet α-Granule Membranes 71:47
Vandlen, R.L., *see* Kaczorowski, G.J., et al. 71:109
Van Driessche, W., *see* Zeiske, W. 76:57
Vitus, J., *see* Jirounek, P., et al. 79:87
Volokita, M., *see* Zenvirth, D., et al. 79:271
Vostrikov, I.Y., *see* Lunevsky, V.Z., et al. 72:43
Wade, J.B., *see* Stetson, D.L. 74:131
Walker, N.A., *see* Reid, R.J., 78:35, 157
Walker, N.A., *see* Smith, J.R. 73:193

Walter, A., Gutknecht, J.: Monocarboxylic Acid Permeation through Lipid Bilayer Membranes 77:255
Weinstein, R.S., *see* Khodadad, J.K. 72:161
Weinstein, S.P., *see* Morrill, G.A., et al. 77:201
Welsh, M.J.: Anthracene-9-Carboxylic Acid Inhibits an Apical Membrane Chloride Conductance in Canine Tracheal Epithelium 78:61
Welsh, M.J.: Inhibition of Chloride Secretion by Furosemide in Canine Tracheal Epithelium 71:219
Welsh, M.J., Smith, P.L., Frizzell, R.A.: Chloride Secretion by Canine Tracheal Epithelium: III. Membrane Resistances and Electromotive Forces 71:209
Wendler, S., Zimmermann, U., Bentrup, F.-W.: Relationship between Cell Turgor Pressure, Electrical Membrane Potential, and Chloride Efflux in *Acetabularia mediterranea* 72:75
Wendler, S., Zimmermann, U., Bentrup, F.-W.: *Reply to:* Mechanism of Cl^- Efflux Bursts in *Acetabularia:* Vesicle Release *versus* Permeability Transients (*Letter to the Editor*) 78:82
Whetton, A.D., *see* Gordon, L.M., et al. 76:139
White, J.F., Ellingsen, D., Burnup, K.: Electrogenic Cl^- Absorption by *Amphiuma* Small Intestine: Dependence on Serosal Na^+ from Tracer and Cl^- Microelectrode Studies 78:223
Wiederholt, M., *see* Jentsch, T.J., et al. 78:103
Wiedmer, T., *see* Sims, P.J., et al. 78:169
Williams, A.J., *see* Tomlins, B., et al. 80:191
Williams, J.A., *see* Preissler, M. 73:137
Wilson, D.L., Morimoto, K., Tsuda, Y., Brown, A.M.: Interaction between Calcium Ions and Surface Charge as it Relates to Calcium Currents 72:117
Wilson, T., *see* McLaughlin, A., et al. 76:183
Wilson, T.H., *see* Seto-Young, D., et al. 79:185
Wise, J.G., *see* Senior, A.E. 73:105
Wolosin, J.M., Forte, J.G.: Kinetic Properties of the KCl Transport at the Secreting Apical Membrane of the Oxyntic Cell 71:195
Wolosin, J.M., Forte, J.G.: Anion Exchange in Oxyntic Cell Apical Membrane: Relationship to Thiocyanate Inhibition of Acid Secretion 76:261
Wood, D.D., Moscarello, M.A.: Is the Myelin Membrane Abnormal in Multiple Sclerosis? (*Topical Review*) 79:195
Wright, E.M., *see* Gunther, R.D., et al. 78:119
Wright, E.M., *see* Gunther, R.D. 74:85
Wright, E.M., *see* Kaunitz, J.D. 79:41
Wright, E.M., *see* Nord, E.P., et al. 72:213
Wright, S.H., *see* Nord, E.P., et al. 72:213
Yada, T., Okada, Y.: Electrical Activity of an Intestinal Epithelial Cell Line: Hyperpolarizing Responses to Intestinal Secretagogues 77:33
Yamagishi, S.: *see* Kukita, F. 75:33
Yang, C.-H., Dembo, M., Sirotnak, F.M.: Relationships between Carrier-Mediated Transport of Folate Compounds by L1210 Leukemia Cells: Evidence for Multiplicity of Entry Routes with Different Kinetic Properties Expressed in Plasma Membrane Vesicles 75:11
Yang, C.-H., Sirotnak, F.M., Dembo, M.: Interaction between Anions and the Reduced Folate/Methotrexate Transport System in L1210 Cell Plasma Membrane Vesicles: Directional Symmetry and Anion Specificity for Differential Mobility of Loaded and Unloaded Carrier 79:285
Yatani, A., Brown, A.M., Akaike, N.: Effect of Extracellular pH on Sodium Current in Isolated, Single Rat Ventricular Cells 78:163
Yeagle, P.L.: Incorporation of the Human Erythrocyte Sialoglycoprotein into Recombined Membranes Containing Cholesterol 78:201
Zeiske, W., Van Driessche, W.: The Interaction of "K^+-like" Cations with the Apical K^+ Channel in Frog Skin 76:57
Zenvirth, D., Volokita, M., Kaplan, A.: Evidence against H^+-HCO_3^- Symport as the Mechanism for HCO_3^- Transport in the Cyanobacterium *Anabaena variabilis* 79:271
Zeuthen, T.: Ion Activities in the Lateral Intercellular Spaces of Gallbladder Epithelium Transporting at Low External Osmolarities 76:113
Zeuthen, T., *see* Baerentsen, H., et al. 75:205
Zherelova, O.M., *see* Lunevsky, V.Z., et al. 72:43
Ziegler, D.H., *see* Morrill, G.A., et al. 77:201
Zimmermann, U., *see* Wendler, S., et al. 72:75; 78:82

Subject Index—Volumes 71–80

A23187, *see* Calcium ionophore A 23187

A6 cells
—, single-channel recordings of apical membrane chloride conductance in A6 epithelial cells, Nelson, D.J., Tang, J.M., Palmer, L.G. 80:81

Acanthocytosis
—, mechanism of red blood cell acanthocytosis and echinocytosis *in vivo*, Lange, Y., Steck, T.L. 77:153

Acetabularia
—, impedance of the electrogenic Cl^- pump in *Acetabularia:* electrical frequency entrainements, voltage-sensitivity, and reaction kinetic interpretation, Tittor, J., Hansen, U.-P., Gradmann, D. 75:129
—, mechanism of Cl^- efflux bursts in *Acetabularia:* vesicle release *versus* permeability transients, Gradmann, D., Mummert, H. 78:81
—, relationship between cell turgor pressure, electrical membrane potential, and chloride efflux in *Acetabularia mediterranea*, Wendler, S., Zimmermann, U., Bentrup, F.-W. 72:75

Acetylcholine receptor
—, monoclonal antibodies modify acetylcholine-induced ionic channel properties in cultured chick myoballs, Goldberg, G., Mochly-Rosen, D., Fuchs, S., Lass, Y. 76:123
—, reconstitution of pure acetylcholine receptor in phospholipid vesicles and comparison with receptor-rich membranes by the use of a potentiometric dye, Lüdi, H., Oetliker, H., Brodbeck, U., Ott, P., Schwendimann, B., Fulpius, B.W. 74:75

ACh noise
—, monoclonal antibodies modify acetylcholine-induced ionic channel properties in cultured chick myoballs, Goldberg, G., Mochly-Rosen, D., Fuchs, S., Lass, Y. 76:123

Acid secretion
—, impedance analysis in epithelia and the problem of gastric acid secretion, Diamond, J.M., Machen, T.E. 72:17

Acidosis
—, effects of acid base disturbances on basolateral membrane potential and intracellular potassium activity in the proximal tubule of *Necturus*, Kubota, T., Biagi, B.A., Giebisch, G. 73:61

Action potential
—, inhibition of electrogenic transport associated with the action potential in *Chara*, Smith, J.R., Beilby, M.J. 71:131
—, potential dependence of the admittance of *Chara* plasmalemma, Beilby, M.J., Beilby, B.N. 74:229
—, relationship between cell turgor pressure, electrical membrane potential, and chloride efflux in *Acetabularia mediterranea*, Wendler, S., Zimmermann, U., Bentrup, F.-W. 72:75

Active transport
—, the *lac* carrier protein in *Escherichia coli*, Kaback, H.R. 76:95

Adenylate cyclase
—, forskolin increases osmotic water permeability of rabbit cortical collecting tubule, Dillingham, M.A., Kim, J.K., Horster, M.F., Anderson, R.J. 80:243

ADH, *see* Antidiuretic hormone

Admittance
—, ion conductances of the surface and transverse tubular membranes of skeletal muscle, Moore, L.E., Tsai, T.D. 73:217
—, potential dependence of the admittance of *Chara* plasmalemma, Beilby, M.J., Beilby, B.N. 74:229

Affinity/velocity models
—, generalized kinetic analysis of ion-driven contransport systems: a unified interpretation of selective ionic effects on Michaelis parameters, Sanders, D., Hansen, U.-P., Gradmann, D., Slayman, C.L. 77:123

Ag^+, *see* Silver ion

Aggregate turnover
—, effects of potassium-free media on ADH action in toad urinary bladder, Kachadorian, W.A., Muller, J. 77:161

Alanine
—, effects of Na-coupled alanine transport on intracellular K activities and the K conductance of the basolateral membranes of *Necturus* small intestine, Grasset, E., Gunter-Smith, P., Schultz, S.G. 71:89

Alanine flux
—, sodium-alanine cotransport in oocytes of *Xenopus laevis:* correlation of alanine and sodium fluxes with potential and current changes, Jung, D., Schwarz, W., Passow, H. 78:29

Alcohols
—, effects of alcohols on ADP-induced aggregation and membrane fluidity of gel-filtered bovine blood platelets, Kitagawa, S., Shinohara, T., Kametani, F. 79:97

Aldosterone
—, effects of thyroid hormones and aldosterone on mineralocorticoid binding sites in the toad bladder, Rossier, B.C., Claire, M., Rafestin-Oblin, M.E., Gaeggeler, H.P., Geering, K. 77:25
—, effects of thyromimetic drugs on aldosterone-dependent sodium transport in the toad bladder, Geering, K., Gaeggeler, H.P., Rossier, B.C. 77:15
—, metabolic regulation of apical sodium permeability in toad urinary bladder in the presence and absence of aldosterone, Garty, H., Edelman, I.S., Lindemann, B. 74:15

Alkalosis
—, effects of acid base disturbances on basolateral membrane potential and intracellular potassium activity in the proximal tubule of *Necturus*, Kubota, T., Biagi, B.A., Giebisch, G. 73:61

α-granules
—, isolation and partial characterization of platelet α-granule membranes, Van der Meulen, J., Furuya, W., Grinstein, S. 71:47

Amiloride
—, cellular Li^+ opens paracellular path in toad skin: amiloride blockable effect, Aboulafia, J., Sanioto, S.M.L., Lacaz-Viera, F. 74:59
—, electrical properties of cultured epithelioid cells (MDCK), Stefani, E., Cereijido, M. 73:117
—, intracellular electrolyte concentrations in the frog skin epithelium: effect of vasopressin and dependence on the Na concentration in the bathing media, Rick, R., Roloff, C., Dörge, A., Beck, F.X., Thurau, K. 78:129

—, microelectrode study of K^+ accumulation by tight epithelia: II. effect of inhibiting transepithelial Na^+ transport on reaccumulation following depletion, DeLong, J., Civan, M.M. 74:155
—, pH modulation of glucose-induced electrical activity in B-cells: involvement of Na/H and HCO_3/Cl antiporters, Pace, C.S., Tarvin, J.T. 73:39
—, sulfhydryl reagents affect Na^+ uptake into toad bladder membrane vesicles, LaBelle, E.F., Eaton, D.C. 71:39
—, voltage-dependent block by amiloride and other monovalent cations of apical Na channels in the toad urinary bladder, Palmer, L.G. 80:153
Amiloride analogs
—, chemical stimulation of Na transport through amiloride-blockable channels of frog skin epithelium, Li, J.H.-Y., Lindemann, B. 75:179
—, competitive blocking of epithelial sodium channels by organic cations: the relationships between macroscopic and microscopic inhibition constants, Li, J.H.-Y., Lindemann, B. 76:235
Amino acid transport
—, absence of a role of gamma-glutamyl transpeptidase in the transport of amino acids by rat renal brushborder membrane vesicles, Hsu, B.Y.L, Foreman, J.W., Corcoran, S.M., Ginkinger, K., Segal, S. 80:167
Amino-reactive substances
—, the influence of amino-reactive substances on contraction threshold of frog skeletal muscle, Dörrscheidt-Käfer, M. 73:17
Amphiuma
—, electrogenic Cl^+ absorption by *Amphiuma* small intestine: dependence on serosal Na^+ from tracer and Cl^- microelectrode studies, White, J.F., Ellingsen, D., Burnup, K. 78:223
Anabaena
—, evidence against H^+-HCO_3^- symport as the mechanism for HCO_3^- transport in the cyanobacterium *Anabaena variabilis*, Zenvirth, D., Volokita, M., Kaplan, A. 79:271
Anion
—, the mechanism of Na^+-L-lactate cotransport by brush border membrane vesicles from horse kidney: analysis of rapid equilibrium kinetics in absence of membrane potential, Mengual, R., Sudaka, P. 71:163
Anion exchange
—, the mechanism of anion transport across human red blood cell membranes as revealed with a fluorescent substrate: I. kinetic properties of NBD-taurine transfer in symmetric conditions, Eidelman, O., Cabantchik, Z.I. 71:141
—, the mechanism of anion transport across human red blood cell membranes as revealed with a fluorescent substrate; II. kinetic properties of NBD-taurine transfer in asymmetric conditions, Eidelman, O., Cabantchik, Z.I. 71:149
Anion (exchange) channel
—, cross-linking and cymotrypic digestion of the extracytoplasmic domain of the anion exchange channel in intact human erythrocytes, Staros, J.V., Kakkad, B.P. 74:247
Anion stimulation
—, interaction between anions and the reduced folate/methotrexate transport system in L1210 cell plasma membrane vesicles; directional symmetry and anion specificity for differential mobility of loaded and unloaded carrier, Yang, C.-H., Sirotnak, F.M., Dembo, M. 79:285
Anion transport
—, acid pH and weak acids induce Na-Cl cotransport in the rabbit urinary bladder, Ifshin, M.S., Johnson, K.E., Eaton, D.C. 76:151
—, anion exchange in oxyntic cell apical membrane: relationship to thiocyanate inhibition of acid secretion, Wolosin, J.M., Forte, J.G. 76:261
Anionic substrate
—, transport of an anionic substrate by the H^+ monosaccharide symport in *Rhodotorula gracilis:* only the protonated form of the carrier is catalytically active, Niemietz, C., Höfer, M. 80:235
Anthracene-9-carboxylic acid
—, anthracene-9-carboxylic acid inhibits an apical membrane chloride conductance in canine tracheal epithelium, Welsh, M.J. 78:61
Antibody inhibition
—, association of renal dipeptidase with the Triton-insoluble fraction of kidney microvilli, Kim, H.S., Campbell, B.J. 75:115
Antidiuretic hormone (ADH)
—, effects of antidiuretic hormone cellular conductive pathways in mouse medullary thick ascending limbs of Henle: I. ADH increases transcellular conductance pathways, Hebert, S.C., Friedman, P.A., Andreoli, T.E. 80:201
—, effects of antidiuretic hormone on cellular conductive pathways in mouse medullary thick ascending limbs of Henle: II. determinants of the ADH-mediated increases in transepithelial voltage and in net Cl^- absorption, Hebert, S.C., Andreoli, T.E. 80:221
—, effects of potassium-free media on ADH action in toad urinary bladder, Kachadorian, W.A., Muller, J. 77:161
—, morphologic response of the rabbit cortical collecting tubule to peritubular hypotonicity: quantitative examination with differential interference contrast microscopy, Kirk, K.L., DiBona, D.R., Schafer, J.A. 79:53
—, quantitative analysis of the structural events associated with antidiuretic hormone-induced volume reabsorption in the rabbit cortical collecting tubule, Kirk, K.L., Schafer, J.A., DiBona, D.R. 79:65
—, the single file hypothesis and the water channels induced by antidiuretic hormone, Parisi, M., Bourguet, J. 71:189
—, ultrastructural characterization of cholesterol distribution in toad bladder using filipin, Stetson, D.L., Wade, J.B. 74:131
Apical cotransport
—, bumetanide inhibition of NaCl transport by *Necturus* gallbladder, Larson, M., Spring, K.R. 74:123
Apical membrane
—, anion exchange in oxyntic cell apical membrane: relationship to thiocyanate inhibition of acid secretion, Wolosin, J.M., Forte, J.G. 76:261
—, kinetic properties of the KCl transport at the secreting apical membrane of the oxyntic cell, Wolosin, J.M., Forte, J.G. 71:195
Apical Na channels
—, chemical stimulation of Na transport through amiloride-blockable channels of frog skin epithelium, Li, J.H.-Y., Lindemann, B. 75:179
Apical Na^+ entry
—, microelectrode study of K^+ accumulation by tight epithelia: II. effect of inhibiting transepithelial Na^+ transport on reaccumulation following depletion, DeLong, J., Civan, M.M. 74:155
Apical Na permeability of frog skin
—, competitive blocking of epithelial sodium channels by organic cations: the relationships between macroscopic and microscopic inhibition constants, Li, J.H.-Y., Lindemann, B. 76:235

Archaebacteria membranes
—, monolayer black membranes from bipolar lipids of archaebacteria and their temperature-induced structural changes, Gliozzi, A., Rolandi, R., De Rosa, M., Gambacorta, A. 75:45
AT-125
—, absence of a role of gamma-glutamyl transpeptidase in the transport of amino acids by rat renal brushborder membrane vesicles, Hsu, B.Y.L., Foreman, J.W., Corcoran, S.M., Ginkinger, K., Segal, S. 80:167
ATP
—, ATP causes a structural change in retinal rod outer segments: disc swelling is not involved, Thacher, S.M. 74:95
—, ionic regulation of the unicellular green alga *Dunaliella tertiolecta:* response to hypertonic shock, Ehrenfeld, J., Cousin, J.-L. 77:45
—, partial requirements for *in vitro* survival of human red blood cells, Freedman, J.C. 75:225
—, receptor capping in mouse T-lymphoma cells: a Ca^{2+} and calmodulin-stimulated ATP-dependent process, Bourguignon, L.Y.W., Kerrick, W.G.L. 75:65
ATP-dependent Ca^{2+} transport
—, kinetic properties of the ATP-dependent Ca^{2+} pump and the Na^+/Ca^{2+} exchange system in basolateral membranes from rat kidney cortex, van Heeswijk, M.P.E., Geertsen, J.A.M., van Os, C.H. 79:19
ATPase
—, hydrogen bonded chain mechanisms for proton conduction and proton pumping, Nagle, J.F., Tristram-Nagle, S. 74:1
—, the proton-ATPase of bacteria and mitochondria, Senior, A.E., Wise, J.G. 73:105
Autoradiography
—, enhanced incorporation of fatty acid into phosphatidyl choline that parallels histamine discharge in mast cells, Castle, J.D., Castle, A.M., Ma, A.K., Stukenbrok, H. 79:215
Axoplasmic microtubules
—, axonal microtubules necessary for generation of sodium current in squid giant axons: I. pharmacological study on sodium current and restoration of sodium current by microtubule proteins and 260K protein, Matsumoto, G., Ichikawa, M., Tasaki, A., Murofushi, H., Sakai, H. 77:77
Bacteriorhodopsin
—, hydrogen bonded chain mechanisms for proton conduction and proton pumping, Nagle, J.F., Tristram-Nagle, S. 74:1
Band 3
—, the band 3-rich membrane of llama erythrocytes: studies on cell shape and the organization of membrane protein, Khodadad, J.K., Weinstein, R.S. 72:161
—, cross-linking and chymotryptic digestion of the extracytoplasmic domain of the anion exchange channel in intact human erythrocytes, Staros, J.V., Kakkad, B.P. 74:247
Band 3 protein
—, oligomeric structure and the anion transport function of human erythrocyte band 3 protein, Jennings, M.L. 80:105
Banding
—, membrane conductance of *Chara* measured in the acid and basic zones, Smith, J.R., Walker, N.A. 73:193
Barium
—, microelectrode study of K^+ accumulation by tight epithelia: I. baseline values of split frog skin and toad urinary bladder, DeLong, J., Civan, M.M. 72:183
—, voltage-dependent interaction of barium and cesium with the potassium conductance of the cortical collecting duct apical cell membrane, O'Neil, R.G. 74:165
Barrier model
—, multioccupancy models for single filing ionic channels: theoretical behavior of a four-site channel with three barriers separating the sites, Sandblom, J., Eisenman, G., Hägglund, J. 71:61
Barriers
—, ionic selectivity revisited: the role of kinetic and equilibrium processes in ion permeation through channels, Eisenman, G., Horn, R. 76:197
Basic amino acid
—, proton coupled L-lysine uptake by renal brush border membrane vesicles from mullet *Mugil cephalus*, Lee, S.-H., Pritchard, J.B. 75:171
Basolateral chloride transport
—, chloride transport across the basolateral cell membrane of the *Necturus* proximal tubule: dependence on bicarbonate and sodium, Guggino, W.B., London, R., Boulpaep, E.L., Giebisch, G. 71:227
Basolateral membrane
—, acid pH and weak acids induce Na-Cl cotransport in the rabbit urinary bladder, Ifshin, M.S., Johnson, K.E., Eaton, D.C. 76:151
—, current-voltage relations of the basolateral membrane in tight amphibian epithelia: use of nystatin to depolarize the apical membrane, Garty, H. 77:213
—, electrical effects of potassium and bicarbonate on proximal tubule cells of *Necturus*, Matsumura, Y., Cohen, B., Guggino, W.B., Giebisch, G. 79:145
—, electrophysiology of *Necturus* urinary bladder: II. time-dependent current-voltage relations of the basolateral membranes, Schultz, S.G., Thompson, S.M., Hudson, R., Thomas, S.R., Suzuki, Y. 79:257
—, kinetic properties of the ATP-dependent Ca^{2+} pump and the Na^+/Ca^{2+} exchange system in basolateral membranes from rat kidney cortex, van Heeswijk, M.P.E., Geertsen, J.A.M., van Os, C.H. 79:19
—, regulation of intracellular chloride activity during perfusion with hypertonic solutions in the *Necturus* proximal tubule, London, R., Cohen, B., Guggino, W.B., Giebisch, G. 75:253
—, regulation of the basolateral potassium conductance of the *Necturus* proximal tublule, Matsumura, Y., Cohen, B., Guggino, W.B., Giebisch, G. 79:153
Basolateral membrane conductance
—, effects of Na-coupled alanine transport on intracellular K activities and the K conductance of the basolateral membranes of *Necturus* small intestine, Grasset, E., Gunter-Smith, P., Schultz, S.G. 71:89
Bessel function
—, junctional transfer in cultured vascular endothelium: I. electrical coupling, Larson, D.M., Kam, E., Sheridan, J.D. 74:103
β-cells
—, electrical coupling between cells in islets of Langerhans from mouse, Eddlestone, G.T., Gonçalves, A., Bangham, J.A., Rojas, E. 77:1
Bicarbonate
—, effect of bicarbonate, pH, methazolamide and stilbenes on the intracellular potentials of cultured bovine corneal endothelial cells, Jentsch, T.J., Koch, M., Bleckmann, H., Wiederholt, M. 78:103
—, effects of acid base disturbances on basolateral membrane potential and intracellular potassium activity in the proximal tubule of *Necturus*, Kubota, T., Biagi, B.A., Giebisch, G. 73:61

—, electrical effects of potassium and bicarbonate on proximal tubule cells of *Necturus*, Matsumura, Y., Cohen, B., Guggino, W.B., Giebisch, G. 79:145
—, electrogenic Cl^- absorption by *Amphiuma* small intestine: dependence on serosal Na^+ from tracer and Cl^- microelectrode studies, White, J.F., Ellingsen, D., Burnup, K. 78:223
Bicarbonate transport
—, bicarbonate transport in *Chara corallina:* evidence for cotransport of HCO_3^- with H^+, Lucas, W.J., Keifer, D.W., Sanders, D. 73:263
—, evidence against H^+-HCO_3^- symport as the mechanism for HCO_3^- transport in the cyanobacterium *Anabaena variabilis*, Zenvirth, D., Volokita, M., Kaplan, A. 79:271
Biionic potential
—, ionic selectivity of the paracellular shunt path across rabbit corneal endothelium, Lim, J.J., Liebovitch, L.S., Fischbarg, J. 73:95
Bilayer lipid membranes
—, effect of 3-phenylindole on lipophilic ion and carrier-mediated ion transport across bilayer lipid membranes, Sinha, B.A., Smejtek, P. 71:119
Bilayer membranes
—, dimethonium, a divalent cation that exerts only a screening effect on the electrostatic potential adjacent to negatively charged phospholipid bilayer membranes, McLaughlin, A., Eng, W.-K., Vaio, G., Wilson, T., McLaughlin, S. 76:183
Bilayer thicknesses
—, single-length and double-length channels formed by nystatin in lipid bilayer membranes, Kleinberg, M.E., Finkelstein, A. 80:257
Bilayers
—, concentration dependence of bidirectional flux ratio as a characteristic of transmembrane ion transporting mechanism, Schagina, L.V., Grinfeldt, A.E., Lev, A.A. 73:203
—, mechanism of red blood cell acanthocytosis and echinocytosis *in vivo*, Lange, Y., Steck, T.L. 77:153
Binding
—, ionic selectivity revisited: the role of kinetic and equilibrium processes in ion permeation through channels, Eisenman, G., Horn, R. 76:197
Bioenergetics
—, the pH dependence of the Ca^{2+}, Mg^{2+}-ATPase of sarcoplasmic reticulum: evidence that the Ca^{2+} translocator bears a doubly negative charge, Haynes, D.H., Mandveno, A. 74:25
Bipolar lipid membranes
—, monolayer black membranes from bipolar lipids of archaebacteria and their temperature-induced structural changes, Gliozzi, A., Rolandi, R., De Rosa, M., Gambacorta, A. 75:45
Bladder, *see* Toad bladder
Blockage
—, the interaction of "K^+-like" cations with the apical K^+ channel in frog skin, Zeiske, W., Van Driessche, W. 76:57
Blood
—, the correlation of composition and morphology during the high to low potassium transition in single erythropoietic cells, Kirk, R.G., Andrews, S.B., Lee, P. 76:281
Bone marrow
—, the correlation of composition and morphology during the high to low potassium transition in single erythropoietic cells, Kirk, R.G., Andrews, S.B., Lee, P. 76:281
Bromophenol blue
—, interaction of ethidium bromide with yeast cells investigated by electron probe X-ray microanalysis, Theuvenet, A.P.R., Bindels, R.J.M., van Amelsvoort, J.M.M., Borst-Pauwels, G.W.F.H., Stols, A.L.H. 73:131
Brown adipose tissue
—, quantitative evaluation of gap junctions in rat brown adipose tissue after cold acclimation, Schneider-Picard, G., Carpentier, J.-L., Girardier, L. 78:85
Brush border membrane vesicles
—, functional roles of Na^+ and H^+ in SO_4^{2-} transport by rabbit ileal brush border membrane vesicles, Ahearn, G.A., Murer, H. 78:177
—, kinetics of sodium D-glucose cotransport in bovine intestinal brush border vesicles, Kaunitz, J.D., Wright, E.M. 79:41
—, transport of L-cysteine by rat renal brush border membrane vesicles, Stieger, B., Stange, G., Biber, J., Murer, H. 73:25
Bufo marinus, *see also* Toad; Toad bladder
—, effects of thyroid hormones and aldosterone on mineralocorticoid binding sites in the toad bladder, Rossier, B.C., Claire, M., Rafestin-Oblin, M.E., Gaeggeler, H.P., Geering, K. 77:25
—, effects of thyromimetic drugs on aldosterone-dependent sodium transport in the toad bladder, Geering, K., Gaeggeler, H.P., Rossier, B.C. 77:15
—, study of dynamic membrane phenomena during the gastric secretory cycle: fusion, retrieval and recycling of membranes, Jirón, C., Romano, M., Michelangeli, F. 80:119
Bumetanide
—, Na^+,Cl^- contransport in Ehrlich ascites tumor cells activated during volume regulation (regulatory volume increase), Hoffmann, E.K., Sjøholm, C., Simonsen, L.O. 76:269
Bouyant density
—, interrelations among Na and K content, cell volume, and bouyant density in human red blood cell populations, Lee, P., Kirk, R.G., Hoffman, J.F. 79:119
Ca/Ca^{2+}, *see* Calcium *entries*
Cable
—, effect of a spatially inhomogeneous membrane upon the measured electrical properties of *Chara*, Smith, J.R. 73:185
Cadmium
—, cadmium causes vesicle leakage under conditions which favor reconstitution of tissue factor-vesicle complexes, Carson, S.D. 75:123
Calcium (Ca/Ca^{2+})
—, biochemical correlates of progesterone-induced plasma membrane depolarization during the first meiotic division in *Rana* oocytes, Morrill, G.A., Ziegler, D.H., Kunar, J., Weinstein, S.P., Kostellow, A.B. 77:201
—, calcium channels of the excitable ciliary membrane from *Paramecium:* an initial biochemical characterization, Theile, J., Otto, M.K., Deitmer, J.W., Schultz, J.E. 76:253
—, cell-to-cell channels with two independently regulated gates in series: analysis of junctional conductance modulation by membrane potential, calcium, and pH, Obaid, A.L., Socolar, S.J., Rose, B. 73:69
—, effect of Na_3VO_4 and membrane potential on the structure of sarcoplasmic reticulum membrane, Beeler, T.J., Dux, L., Martonosi, A.N. 78:73
—, electrical activity of an intestinal epithelial cell line: hyperpolarizing responses to intestinal secretagogues, Yada, T., Okada, Y. 77:33

—, involvement of intracellular calcium in the phosphate efflux from mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Jones, G.J., Pralong, W.F., Straub, R.W. 79:87
—, membrane potential associated with Ca-induced conductance in human red blood cells: studies with a flourescent oxonol dye, WW 781, Freedman, J.C., Novak, T.S. 72:59
—, receptor capping in mouse T-lymphoma cells: a Ca^{2+} and calmodulin-stimulated ATP-dependent process, Bourguignon, L.Y.W., Kerrick, W.G.L. 75:65
—, stimulation of lymphocyte receptor capping by the ionophore monensin, Bourguignon, L.Y.W., Pressman, B.C. 73:91
Calcium action potentials
—, optical evidence for calcium-action potentials in early embryonic precontractile chick heart using a potential-sensitive dye, Sakai, T., Fujii, S., Hirota, A., Kamino, K. 72:205
—, regulation of excitation-secretion coupling by thyrotropin-releasing hormone (TRH): evidence for TRH receptor ion channel coupling in cultured pituitary cells, Kaczorowski, G.J., Vandlen, R.L., Katz, G.M., Reuben, J.P. 71:109
Calcium activated
—, single channel K^+ currents from HeLa cells, Sauvé, R., Roy, G., Payet, D. 74:41
Calcium-activated K^+ conductance
—, electrophysiology of a clonal osteoblast-like cell line: evidence for the existence of a Ca^{2+}-activated K^+ conductance, Dixon, S.J., Aubin, J.E., Dainty, J. 80:49
Calcium-activated K^+ permeability
—, Na^+-K^+ pump activity and the glucose-stimulated Ca^{2+}-sensitive K^+ permeability in the pancreatic B-cell, Lebrun, P., Malaisse, W.J., Herchuelz, A. 74:67
Calcium antagonists
—, effects of D-600 on sodium current in squid axons, Clay, J.R., Shrier, A. 79: 211
—, voltage-sensitive calcium flux promoted by vesicles in an isolated cardiac sarcolemma preparation, Schilling, W.P., Lindenmayer, G.E. 79:163
Calcium-ATPase
—, kinetic properties of the ATP-dependent Ca^{2+} pump and the Na^+/Ca^{2+} exchange system in basolateral membranes from rat kidney cortex, van Heeswijk, M.P.E., Geertsen, J.A.M., van Os, C.H. 79:19
—, osmotic changes of sarcoplasmic reticulum vesicles during Ca^{2+} uptake, Beeler, T. 76:165
Calcium blocker
—, characteristics of manganese current and its comparison with currents carried by other divalent cations in snail soma membranes, Akaike, N., Nishi, K., Oyama, Y. 76:289
Calcium channel
—, excitation of *Characeae* cell membranes as a result of activation of calcium and chloride channels, Lunevsky, V.Z., Zherelova, O.M., Vostrikov, I.Y., Berestovsky, G.N. 72:43
—, interaction between calcium ions and surface charge as it relates to calcium currents, Wilson, D.L., Morimoto, K., Tsuda, Y., Brown, A.M. 72:117
—, two ion-selecting filters in the calcium channel of the somatic membrane of mollusc neurons, Kostyuk, P.G., Mironov, S.L., Shuba, Y.M. 76:83
—, voltage-sensitive calcium flux promoted by vesicles in an isolated cardiac sarcolemma preparation, Schilling, W.P., Lindenmayer, G.E. 79:163
Calcium control
—, control of K^+ conductance by cholecystokinin and Ca^{2+} in single pancreatic acinar cells studied by the patch-clamp technique, Maruyama, Y., Petersen, O.H. 79:293
Calcium current
—, separation of ionic currents in the somatic membrane of frog sensory neurons, Ishizuka, S., Hattori, K., Akaike, N. 78:19
Calcium-dependent K^- channel
—, volume-induced increase of K^- and Cl^- permeabilities in Ehrlich ascites tumor cells, role of internal Ca^{2+}, Hoffmann, E.K., Simonsen, L.E., Lambert, I.H. 78:211
Calcium ionophore
—, enhanced incorporation of fatty acid into phosphatidyl choline that parallels histamine discharge in mast cells, Castle, J.D., Castle, A.M., Ma, A.K., Stukenbrook, H. 79:215
—, involvement of intracellular calcium in the phosphate efflux from mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Jones, G.J., Pralong, W.F., Straub, R.W. 79:87
Calcium ionophore A 23187
—, electrophysiology of a clonal osteoblast-like cell line: evidence for the existence of a Ca^{2+}-activated K^- conductance, Dixon, S.J., Aubin, J.E., Dainty, J. 80:49
—, membrane potentials associated with Ca-induced conductance in human red blood cells: studies with a fluorescent oxonol dye, WW 781, Freedman, J.C., Novak, T.S. 72:59
—, volume-induced increase of K^- and Cl^- permeabilities in Ehrlich ascites tumor cells, role of internal Ca^{2+}, Hoffmann, E.K., Simonsen, L.E., Lambert, I.H. 78:211
Calcium-magnesium-ATPase
—, the pH dependence of the Ca^{2+}, Mg^{2+}-ATPase of sarcoplasmic reticulum: evidence that the Ca^{2+} translocator bears a doubly negative charge, Haynes, D.H., Mandveno, A. 74:25
Calcium release
—, osmotic changes of sarcoplasmic reticulum vesicles during Ca^{2+} uptake, Beeler, T. 76:165
Calcium spike
—, separation of ionic currents in the somatic membrane of frog sensory neurons, Ishizuka, S., Hattori, K., Akaike, N. 78:19
Calcium transport
—, effect of Na_3VO_4 and membrane potential on the structure of sarcoplasmic reticulum membrane, Beeler, T.J., Dux, L., Martonosi, A.N. 78:73
—, localization of ATP-dependent calcium transport activity in mouse pancreatic microsomes, Preissler, M., Williams, J.A. 73:137
—, osmotic changes of sarcoplasmic reticulum vesicles during Ca^{2+} uptake, Beeler, T. 76:165
—, the pH dependence of the Ca^{2+}, Mg^{2+}-ATPase of sarcoplasmic reticulum: evidence that the Ca^{2+} translocator bears a doubly negative charge, Haynes, D.H., Mandveno, A. 74:25
Calf lens
—, arrangement of MP26 in lens junctional membranes: analysis with proteases and antibodies, Keeling, P., Johnson, K., Sas, D., Klukas, K., Donahue, P., Johnson, R. 74:217
Calmodulin
—, receptor capping in mouse T-lymphoma cells: a Ca^{2+} and calmodulin-stimulated ATP-dependent process, Bourguignon, L.Y.W., Kerrick, W.G.L 75:65
—, volume-induced increase of K^- and Cl^- permeabilities in Ehrlich ascites tumor cells, role of internal Ca^{2+}, Hoffmann, E.K., Simonsen, L.E., Lambert, I.H. 78:211

cAMP, *see* Cyclic AMP *entries*
Capping
—, receptor capping in mouse T-lymphoma cells: a Ca^{2+} and calmodulin-stimulated ATP-dependent process, Bourguignon, L.Y.W., Kerrick, W.G.L 75:65
—, stimulation of lymphocyte receptor capping by the ionophore monensin, Bourguignon, L.Y.W., Pressman, B.C. 73:91
Cardiac sarcoplasmic reticulum
—, characterization of a monovalent cation-selective channel of mammalian cardiac muscle sarcoplasmic reticulum, Tomlins, B., Williams, A.J., Montgomery, R.A.P. 80:191
Carrier mechanism
—, comparative specificity of the inner and outer substrate transfer sites in the choline carrier of human erythrocytes, Devés, R., Krupka, R.M. 80:71
Carrier model
—, apparent noncompetitive inhibition of choline transport in erythrocytes by inhibitors bound at the substrate site, Devés, R., Krupka, R.M. 74:183
—, the kinetics of transport inhibition by noncompetitive inhibitors, Krupka, R.M. 74:175
—, quantitative studies of cotransport systems: models and vesicles, Turner, R.J. 76:1
Carrier protonation
—, transport of an anionic substrate by the H^+/monosaccharide symport in *Rhodotorula gracilis:* only the protonated form of the carrier is catalytically active, Niemietz, C., Höfer, M. 80:235
Catalytic activity
—, transport of an anionic substrate by the H^+/monosaccharide symport in *Rhodotorula gracilis:* only the protonated form of the carrier is catalytically active, Niemietz, C., Höfer, M. 80:235
Cationic dye
—, interaction of ethidium bromide with yeast cells investigated by electron probe X-ray microanalysis, Theuvenet, A.P.R., Bindels, R.J.M., van Amelsvoort, J.M.M., Borst-Pauwels, G.W.F.H., Stols, A.L.H. 73:131
Cell attachment
—, interactions of lectins and their saccharide receptors in the *Rhizobium*-legume symbiosis, Dazzo, F.B., Truchet, G.L. 73:1
Cell conductance
—, effects of antidiuretic hormone on cellular conductive pathways in mouse medullary thick ascending limbs of Henle: I. ADH increases transcellular conductance pathways, Hebert, S.C., Friedman, P.A., Andreoli, T.E. 80:201
Cell coupling
—, electrical properties of cultured epithelioid cells (MDCK), Stefani, E., Cereijido, M. 73:117
Cell culture
—, effect of bicarbonate, pH, methazolamide and stilbenes on the intracellular potentials of cultured bovine corneal endothelial cells, Jentsch, T.J., Koch, M., Bleckmann, H., Wiederholt, M. 78:103
—, ionic currents in cultured dorsal root ganglion cells from adult guinea pigs, Kameyama, M. 72:195
Cell junctional permeability
—, cell-to-cell channels with two independently regulated gates in series: analysis of junctional conductance modulation by membrane potential, calcium, and pH, Obaid, A.L., Socolar, S.J., Rose, B. 73:69
Cell Na activity
—, relation between intracellular sodium and active sodium transport in rabbit colon: current-voltage relations of the apical sodium entry mechanism in the presence of varying luminal sodium concentrations, Turnheim, K., Thompson, S.M., Schultz, S.G. 76:299
Cell potassium activity
—, chloride secretion by canine tracheal epithelium: IV. basolateral membrane K permeability parallels secretion rate, Smith, P.L., Frizzell, R.A. 77:187
Cell recognition
—, interactions of lectins and their saccharide receptors in the *Rhizobium*-legume symbiosis, Dazzo, F.B., Truchet, G.L. 73:1
Cell shape
—, isolation and partial characterization of platelet α-granule membranes, Van der Meulen, J., Furuya, W., Grinstein, S. 71:47
—, mechanism of red blood cell acanthocytosis and echinocytosis *in vivo*, Lange, Y., Steck, T.L. 77:153
Cell surface
—, lateral motion of membrane proteins and biological function, Axelrod, D. 75:1
Cell-to-cell channels
—, cell-to-cell channels with two independently regulated gates in series: analysis of junctional conductance modulation by membrane potential, calcium, and pH, Obaid, A.L., Socolar, S.J., Rose, B. 73:69
Cell-to-cell conduction
—, effect of several uncouplers of cell-to-cell communication on gap junction morphology in mammallian heart, Délèze, J., Hervé, J.C. 74:203
Cell-to-cell coupling
—, electrical coupling between cells in islets of Langerhans from mouse, Eddlestone, G.T., Gonçalves, A., Bangham, J.A., Rojas, E. 77:1
Cell volume
—, bumetanide inhibition of NaCl transport by *Necturus* gallbladder, Larson, M., Spring, K.R. 74:123
—, interrelations among Na and K content, cell volume, and bouyant density in human red blood cell populations, Lee, P., Kirk, R.G., Hoffman, J.F. 79:119
—, intracellular activities during volume regulation by *Necturus* gallbladder, Fisher, R.S., Spring, K.R. 78:187
—, ionic regulation of the unicellular green alga *Dunaliella tertiolecta:* response to hypertonic shock, Ehrenfeld, J., Cousin, J.-L. 77:45
—, quantitative analysis of the structural events associated with antidiuretic hormone-induced volume reabsorption in the rabbit cortical collecting tubule, Kirk, K.L., Schafer, J.A., DiBona, D.R. 79:65
—, requirement of Cl^- and Na^+ for the ouabain-resistant control of cell volume in slices of rat liver, van Rossum, G.D.V., Russo, M.A. 77:63
Cell volume regulation
—, morphologic response of the rabbit cortical collecting tubule to peritubular hypotonicity: quantitative examination with differential interference contrast microscopy, Kirk, K.L., DiBona, D.R., Schafer, J.A. 79:53
Cell water
—, requirement of Cl^- and Na^+ for the ouabain-resistant control of cell volume in slices of rat liver, van Rossum, G.D.V., Russo, M.A. 77:63
Cellular osmolarity
—, ion activities in the lateral intercellular spaces of gallbladder epithelium transporting at low external osmolarities, Zeuthen, T. 76:113

Cesium
—, voltage-dependent interaction of barium and cesium with the potassium conductance of the cortical collecting duct apical cell membrane, O'Neil, R.G. 74:165
Channel-forming colicins
—, studies on the mechanism of action of channel-forming colicins using artificial membranes, Davidson, V.L., Brunden, K.R., Cramer, W.A., Cohen, F.S. 79:105
Channel kinetics
—, a kinetic study of the opening and closing properties of the hemocyanin channel in artificial lipid bilayer membranes, Menestrina, G., Maniacco, D., Antolini, R. 71:173
—, the total electrostatic potential in a gramicidin channel, Jordan, P.C. 78:91
Channel pore
—, effects of an outward water flow on potassium currents in a squid giant axon, Kukita, F., Yamagishi, S. 75:33
Channel selectivity
—, alkali metal ion selectivity of the hemocyanin channel, Cecchi, X., Latorre, R., Alvarez, O. 77:277
Channel structure
—, conduction and selectivity in potassium channels, Latorre, R., Miller, C. 71:11
Channel turnover
—, studies of sodium channels in rabbit urinary bladder by noise analysis, Lewis, S.A., Ifshin, M.S., Loo, D.D.F., Diamond, J.M. 80:135
Channels
—, ionic selectivity revisited: the role of kinetic and equilibrium processes in ion permeation through channels, Eisenman, G., Horn, R. 76:197
—, purification of VDAC (voltage-dependent anion-selective channel) from rat liver mitochondria, Colombini, M. 74:115
Chara corallina
—, bicarbonate transport in *Chara corallina:* evidence for cotransport of HCO_3^- with H^+, Lucas, W.J., Keifer, D.W., Sanders, D. 73:263
—, control of Cl^- influx in *Chara* by internal pH, Reid, R.J., Walker, N.A. 78:157
—, determination of permeability coefficients, reflection coefficients, and hydraulic conductivity of *Chara corallina* using the pressure probe: effects of solute concentrations, Steudle, E., Tyerman, S.D. 75:85
—, effect of a spatially inhomogeneous membrane upon the measured electrical properties of *Chara*, Smith, J.R. 73:185
—, the energetics of Cl^- active transport in *Chara*, Reid, R.J., Walker, N.A. 78:35
—, inhibition of electrogenic transport associated with the action potential in *Chara*, Smith, J.R., Beilby, M.J. 71:131
—, kinetic analysis of the electrogenic pump of *Chara corallina:* I. inhibition of the pump by DCCD, Kishimoto, U., Kami-ike, N., Takeuchi, Y., Ohkawa, T. 80:175
—, membrane conductance of *Chara* measured in the acid and basic zones, Smith, J.R., Walker, N.A. 73:193
—, potential dependence of the admittance of *Chara* plasmalemma, Beilby, M.J., Beilby, B.N. 74:229
Characeae
—, excitation of *Characeae* cell membranes as a result of activation of calcium and chloride channels, Lunevsky, V.Z., Zherelova, O.M., Vostrikov, I.Y., Berestovsky, G.N. 72:43
Chemical kinetics
—, lateral motion of membrane proteins and biological function, Axelrod, D. 75:1
Chemiosmosis
—, X-ray microanalysis of elements in frozen-hydrated sections of an electrogenic K^+ transport system: the posterior midgut of tobacco hornworm (*Manduca sexta*) *in vivo* and *in vitro*, Dow, J.A.T., Gupta, B.L., Hall, T.A., Harvey, W.R. 77:223
Chemiosmotic hypothesis
—, the *lac* carrier protein in *Escherichia coli*, Kaback, H.R. 76:95
Chloride (Cl^-)
—, electrogenic Cl^- absorption by *Amphiuma* small intestine: dependence on serosal Na^+ from tracer and Cl^- microelectrode studies, White, J.F., Ellingsen, D., Burnup, K. 78:223
—, exchange diffusion, electrodiffusion and rectification in the chloride transport pathway of frog skin, Kristensen, P. 72:141
—, Na^+, Li^+ and Cl^- transport by brush border membranes from rabbit jejunum, Gunther, R.D., Wright, E.M. 74:85
—, oligomeric structure and the anion transport function of human erythrocyte band 3 protein, Jennings, M.L. 80:105
Chloride activation
—, optical measurements of ΔpH and $\Delta\psi$ in corn root membrane vesicles: kinetic analysis of Cl^- effects on a proton-translocating ATPase, Bennett, A.B., Spanswick, R.M. 71:95
Chloride activity
—, intracellular chloride activity and apical membrane chloride conductance in *Necturus* gallbaldder, Garcia-Diaz, J.G., Corcia, A., Armstrong, W.McD. 73:145
Chloride-bicarbonate exchange
—, different sodium chloride cotransport systems in the apical membrane of rabbit gallbladder epithelial cells, Cremaschi, D., Meyer, G., Bermano, S., Marcati, M. 73:227
—, influx mechanisms for Na^+ and Cl^- across the brush border membrane of leaky epithelia: a model and microelectrode study, Baerentsen, H., Giraldez, F., Zeuthen, T. 75:205
—, regulation of intracellular chloride activity during perfusion with hypertonic solutions in the *Necturus* proximal tubule, London, R., Cohen, B., Guggino, W.B., Giebisch, G. 75:253
Chloride cell
—, localization of ionic pathways in the teleost opercular membrane by extracellular recording with a vibrating probe, Scheffey, C., Foskett, J.K., Machen, T.E. 75:193
Chloride channel
—, excitation of *Characeae* cell membranes as a result of activation of calcium and chloride channels, Lunevsky, V.Z., Zherelova, O.M., Vostrikov, I.Y., Berestovsky, G.N. 72:43
—, single-channel recordings of apical membrane chloride conductance in A6 eptihelial cells, Nelson, D.J., Tang, J.M., Palmer, L.G. 80:81
—, volume-induced increase of K^+ and Cl^- permeabilities in Ehrlich ascites tumor cells, role of internal Ca^{2+}, Hoffmann, E.K., Simonsen, L.E., Lambert, I.H. 78:211
Chloride chemical potential
—, KCl cotransport: a mechanism for basolateral chloride exit in *Necturus* gallbladder, Corcia, A., Armstrong, W. McD. 76:173
Chloride conductance
—, intracellular chloride activity and apical membrane chloride conductance in *Necturus* gallbladder, Garcia-Diaz, J.F., Corcia, A., Armstrong, W.McD. 73:145

Chloride depletion
—, slow potential changes in mammalian muscle fibers during prolonged hyperpolarization: transport number effects and chloride depletion, Barry, P.H., Dulhunty, A.F. 78:235
Chloride efflux
—, relationship between cell turgor pressure, electrical membrane potential, and chloride efflux in *Acetabularia mediterranea*, Wendler, S., Zimmermann, U., Bentrup, F.-W. 72:75
Chloride efflux bursts
—, mechanism of Cl^- efflux bursts in *Acetabularia:* vesicle release *versus* permeability transients, Gradmann, D., Mummert, H. 78:81
Chloride flux/accumulation
—, chloride accumulation in plant cells as a homeostatic system: energy supply as a dependent variable, Cram, W.J. 74:51
Chloride fluxes
—, Na^+,Cl^- cotransport in Ehrlich ascites tumor cells activated during volume regulation (regulatory volume increase), Hoffmann, E.K., Sjøholm, C., Simonsen, L.O. 76:269
Chloride influx
—, control of Cl^- influx in *Chara* by internal pH, Reid, R.J., Walker, N.A. 78:157
Chloride movement, liver cells
—, requirement of Cl^- and Na^+ for the ouabain-resistant control of cell volume iin slices of rat liver, van Rossum, G.D.V., Russo, M.A. 77:63
Chloride permeability
—, anthracene-9-carboxylic acid inhibits an apical membrane chloride conductance in canine tracheal epithelium, Welsh, M.J. 78:61
—, electrophysiology of Cl secretion in canine trachea, Shorofsky, S.R., Field, M., Fozzard, H.A. 72:105
—, KCl cotransport: a mechanism for basolateral chloride exit in *Necturus* gallbladder, Corcia, A., Armstrong, W. McD. 76:173
—, KCl leakage from microelectrodes and its impact on the membrane parameters of a nonexcitable cell, Blatt, M.R., Slayman, C.L. 72:223
Chloride secretion
—, anthracene-9-carboxylic acid inhibits an apical membrane chloride conductance in canine tracheal epithelium, Welsh, M.J. 78:61
—, chloride secretion by canine tracheal epithelium: III. membrane resistances and electromotive forces, Welsh, M.J., Smith, P.L., Frizzell, R.A. 71:209
—, chloride secretion by canine tracheal epithelium: IV. basolateral membrane K permeability parallels secretion rate, Smith, P.L., Frizzell, R.A. 77:187
—, electrophysiology of Cl secretion in canine trachea, Shorofsky, S.R., Field, M., Fozzard, H.A. 72:105
—, inhibition of chloride secretion by furosemide in canine tracheal epithelium, Welsh, M.J. 71:219
Chloride-sensitive microelectrodes
—, electrogenic Cl^- absorption by *Amphiuma* small intestine: dependence on serosal Na^+ from tracer and Cl^- microelectrode studies, White, J.F., Ellingsen, D., Burnup, K. 78:223
Chloride transport
—, potassium-dependent chloride and water transport across the seawater eel intestine, Ando, M. 73:125
—, presence of a sodium-potassium chloride cotransport system in the rectal gland of *Squalus acanthias*, Hannafin, J., Kinne-Saffran, E., Friedman, D., Kinne, R. 75:73
—, sodium-chloride transport in the medullary thick ascending limb of Henle's loop: evidence for a sodium-chloride cotransport system in plasma membrane vesicles, Eveloff, J., Kinne, R. 72:173
Chloride uptake
—, the energetics of Cl^- active transport in *Chara*, Reid, R.J., Walker, N.A. 78:35
Chlorpromazine
—, mechanism of red blood cell acanthocytosis and echinocytosis *in vivo*, Lange, Y., Steck, T.L. 77:153
Cholecalciferol
—, *in vitro* effects of vitamin D_3 on the phospholipids of isolated renal brush border membranes, Elgavish, A., Rifkind, J., Sacktor, B. 72:85
Cholecystokinin
—, control of K^+ conductance by cholecystokinin and Ca^{2+} in single pancreatic acinar cells studied by the patch-clamp technique, Maruyama, Y., Petersen, O.H. 79:293
Cholesterol
—, incorporation of the human erythrocyte sialoglycoprotein into recombined membranes containing cholesterol, Yeagle, P.L. 78:201
—, thermotropic lipid phase separations in human erythrocyte ghosts and cholesterol-enriched rat liver plasma membranes, Gordon, L.M., Mobley, P.W. 79:75
—, thermotropic lipid phase separations in human platelet and rat liver plasma membranes, Gordon, L.M., Mobley, P.W., Esgate, J.A., Hofmann, G., Whetton, A.D., Houslay, M.D. 76:139
—, ultrastructural characterization of cholesterol distribution in toad bladder using filipin, Stetson, D.L., Wade, J.B. 74:131
Choline analogs
—, comparative specificity of the inner and outer substrate transfer sites in the choline carrier of human erythrocytes, Devés, R., Krupka, R.M. 80:71
Choline transport
—, apparent noncompetitive inhibition of choline transport in erythrocytes by inhibitors bound at the substrate site, Devés, R., Krupka, R.M. 74:183
—, comparative specificity of the inner and outer substrate transfer sites in the choline carrier of human erythrocytes, Devés, R., Krupka, R.M. 80:71
Chord conductance
—, kinetic analysis of the electrogenic pump of *Chara corrallina:* I. inhibition of the pump by DCCD, Kishimoto, U., Kami-ike, N., Takeuchi, Y., Ohkawa, T. 80:175
Cilia
—, calcium channels of the excitable ciliary membrane from *Paramecium:* an initial biochemical characterization, Theile, J., Otto, M.K., Deitmer, J.W., Schultz, J.E. 76:253
Circuit analysis
—, impedance analysis in epithelia and the problem of gastric acid secretion, Diamond, J.M., Machen, T.E. 72:17
Coagulation factor III
—, cadmium causes vesicle leakage under conditions which favor reconstitution of tissue factor-vesicle complexes, Carson, S.D. 75:123
Colchicine
—, axonal microtubules necessary for generation of sodium current in squid giant axons: II. effect of colchicine upon asymmetrical displacement current, Matsumoto, G., Ichikawa, M., Tasaki, A. 77:93
Cold acclimation
—, quantitative evaluation of gap junctions in rat brown adi-

pose tissue after cold acclimation, Schneider-Picard, G., Carpentier, J.-L., Girardier, L. 78:85
Colicins
—, studies on the mechanism of action of channel-forming colicins using artificial membranes, Davidson, V.L., Brunden, K.R., Cramer, W.A., Cohen, F.S. 79:105
Collecting tubule
—, forskolin increases osmotic water permeability of rabbit cortical collecting tubule, Dillingham, M.A., Kim, J.K., Horster, M.F., Anderson, R.J. 80:243
Competition kinetics
—, competitive blocking of epithelial sodium channels by organic cations: the relationships between macroscopic and microscopic inhibition constants, Li, J.H.-Y., Lindemann, B. 76:235
Competitive
—, apparent noncompetitive inhibition of choline transport in erythrocytes by inhibitors bound at the substrate site, Devés, R., Krupka, R.M. 74:183
—, the kinetics of transport inhibition by noncompetitive inhibitors, Krupka, R.M. 74:175
Complement
—, the influence of electrochemical gradients of Na^+ and K^+ upon the membrane binding and pore forming activity of the terminal complement proteins, Sims, P.J., Weidmer, T. 78:169
Computer modeling
—, the pH dependence of the Ca^{2+}, Mg^{2+}-ATPase of sarcoplasmic reticulum: evidence that the Ca^{2+} translocator bears a doubly negative charge, Haynes, D.H., Mandveno, A. 74:25
Computer simulation
—, electrical and biochemical properties of an enzyme model of the sodium pump, Chapman, J.B., Johnson, E.A., Kootsey, J.M. 74:139
—, kinetic analysis of the electrogenic pump of *Chara coralina:* I. inhibition of the pump by DCCD, Kishimoto, U., Kami-ike, N., Takeuchi, Y., Ohkawa, T. 80:175
Concanavalin A
—, receptor capping in mouse T-lymphoma cells: a Ca^{2+} and calmodulin-stimulated ATP-dependent process, Bourguignon, L.Y.W., Kerrick, W.G.L 75:65
Conductance
—, effect of a spatially inhomogeneous membrane upon the measured electrical properties of *Chara,* Smith, J.R. 73:185
—, inhibition of electrogenic transport associated with the action potential in *Chara,* Smith, J.R., Beilby, M.J. 71:131
—, ionic selectivity revisited: the role of kinetic and equilibrium processes in ion permeation through channels, Eisenman, G., Horn, R. 76:197
—, membrane conductance of *Chara* measured in the acid and basic zones, Smith, J.R., Walker, N.A. 73:193
Conduction block
—, effect of several uncouplers of cell-to-cell communication on gap junction morphology in mammalian heart, Délèze, J., Hervé, J.C. 74:203
Conformational change
—, comparative specificity of the inner and outer substrate transfer sites in the choline carrier of human erythrocytes, Devés, R., Krupka, R.M. 80:71
Conformational states
—, the mechanism of anion transport across human red blood cell membranes as revealed with a fluorescent substrate: II. kinetic properties of NBD-taurine transfer in asymmetric conditions, Eidelman, O., Cabantchik, Z.I. 71:149
Conformational transitions
—, monolayer black membranes from bipolar lipids of archaebacteria and their temperature-induced structural changes, Gliozzi, A., Rolandi, R., De Rosa, M., Gambacorta, A. 75:45
Constant field equation
—, ionic selectivity of the paracellular shunt path across rabbit corneal endothelium, Lim, J.J., Liebovitch, L.S., Fischbarg, J. 73:95
Contractile machinery
—, stimulation of lymphocyte receptor capping by the ionophore monensin, Bourguignon, L.Y.W., Pressman, B.C. 73:91
Contraction threshold
—, the influence of amino-reactive substances on contraction threshold of frog skeletal muscle, Dörrscheidt-Käfer, M. 73:17
Cooperativity
—, functional roles of Na^+ and H^+ in SO_4^{2-} transport by rabbit ileal brush border membrane vesicles, Ahearn, G.A., Murer, H. 78:177
Corn roots
—, optical measurements of ΔpH and $\Delta\psi$ in corn root membrane vesicles: kinetic analysis of Cl^- effects on a proton-translocating ATPase, Bennett, A.B., Spanswick, R.M. 71:95
—, solubilization and reconstitution of an anion-sensitive H^+-ATPase from corn roots, Bennett, A.B., Spanswick, R.M. 75:21
Corneal endothelium
—, effect of bicarbonate, pH, methazolamide and stilbenes on the intracellular potentials of cultured bovine corneal endothelial cells, Jentsch, T.J., Koch, M., Bleckmann, H., Wiederholt, M. 78:103
Corneal epithelium
—, cellular and paracellular pathway resistances in the "tight" Cl^--secreting eptihelium of rabbit cornea, Marshall, W.S., Klyce, S.D. 73:275
Cortical collecting duct
—, voltage-dependent interaction of barium and cesium with the potassium conductance of the cortical collecting duct apical cell membrane, O'Neil, R.G. 74:165
Cotransport
—, effect of volume changes on ouabain-insensitive net outward cation movements in human red cells, Adragna, N.C., Tosteson, D.C. 78:43
—, functional roles of Na^+ and H^+ in SO_4^{2-} transport by rabbit ileal brush border membrane vesicles, Ahearn, G.A., Murer, H. 78:177
—, generalized kinetic analysis of ion-driven contransport systems: a unified interpretation of selective ionic effects on Michaelis parameters, Sanders, D., Hansen, U.-P., Gradmann, D., Slayman, C.L. 77:123
—, kinetic properties of the KCl transport at the secreting apical membrane of the oxyntic cell, Wolosin, J.M., Forte, J.G. 71:195
—, the mechanism of Na^+-L-lactate contransport by brush border membrane vesicles from horse kidney: analysis of rapid equilibrium kinetics in absence of membrane potential, Mengual, R., Sudaka, P. 71:163
—, the small-intestinal Na^+, D-glucose contransporter: an asymmetric gated channel (or pore) responsive to $\Delta\psi$, Kessler, M., Semenza, G. 76:27
—, sodium-alanine contransport in oocytes of *Xenopus laevis:* correlation of alanine and sodium fluxes with potential and

current changes, Jung, D., Schwarz, W., Passow, H. 78:29
—, transport of L-cysteine by rat renal brush border membrane vesicles, Stieger, B., Stange, G., Biber, J., Murer, H. 73:25
Countertransport
—, effect of volume changes on ouabain-insensitive net outward cation movements in human red cells, Adragna, N.C., Tosteson, D.C. 78:43
—, lithium absorption in tight and leaky segments of intestine, Diamond, J.M., Ehrlich, B.E., Morawski, S.G., Santa Ana, C.A., Fordtran, J.S. 72:153
—, lithium's inhibition of erythrocyte cation countertransport involves a slow process in the erythrocyte, Ehrlich, B.E., Diamond, J.M., Fry, V., Meiser, K. 75:233
Coupled transport
—, quantitative studies of cotransport systems: models and vesicles, Turner, R.J. 76:1
Creep
—, slow potential changes in mammalian muscle fibers during prolonged hyperpolarization: transport number effects and chloride depletion, Barry, P.H., Dulhunty, A.F. 78:235
Cross-linking
—, cross-linking and cymotryptic digestion of the extracytoplasmic domain of the anion exchange channel in intact human erythrocytes, Staros, J.V., Kakkad, B.P. 74:247
Crystals
—, effect of Na_3VO_4 and membrane potential on the structure of sarcoplasmic reticulum membrane, Beeler, T.J., Dux, L., Martonosi, A.N. 78:73
Culture
—, junctional transfer in cultured vascular endothelium: I. electrical coupling, Larson, D.M., Kam, E., Sheridan, J.D. 74:103
Current-voltage relations
—, current-voltage relations of the basolateral membrane in tight amphibian epithelia: use of nystatin to depolarize the apical membrane, Garty, H. 77:213
—, electrophysiology of *Necturus* bladder: I. "instantaneous" current-voltage relations in the presence of varying mucosal sodium concentrations, Thomas, S.R., Suzuki, Y., Thompson, S.M., Schultz, S.G. 73:157
—, electrophysiology of *Necturus* urinary bladder: II. time-dependent current-voltage relations of the basolateral membranes, Schultz, S.G., Thompson, S.M., Hudson, R., Thomas, S.R., Suzuki, Y. 79:257
—, relation between intracellular sodium and active sodium transport in rabbit colon: current-voltage relations of the apical sodium entry mechanism in the presence of varying luminal sodium concentrations, Turnheim, K., Thompson, S.M., Schultz, S.G. 76:299
Cyanobacteria
—, evidence against H^+-HCO_3^- symport as the mechanism for HCO_3^- transport in the cyanobacterium *Anabaena variabilis*, Zenvirth, D., Volokita, M., Kaplan, A. 79:271
Cyclic AMP (cAMP)
—, ouabain binding in rectal gland of *Squalus acanthias*, Silva, P., Epstein, J.A., Stevens, A., Spokes, K., Epstein, F.H. 75:105
Cyclic AMP-stimulated Cl^- transport
—, KCl transport across an insect epithelium: I. tracer fluxes and the effects of ion substitutions, Hanrahan, J.W., Phillips, J.E. 80:15
L-Cysteine transport
—, transport of L-cysteine by rat renal brush border membrane vesicles. Stieger, B., Stange, G., Biber, J., Murer, H. 73:25
Cystolic Ca^{2+}
—, cellular Li^+ opens paracellular path in toad skin: amiloride blockable effect, Aboulafia, J., Sanioto, S.M.L., Lacaz-Vieira, F. 74:59
Cytolysis
—, interaction of ethidium bromide with yeast cells investigated by electron probe X-ray microanalysis, Theuvenet, A.P.R., Bindels, R.J.M., van Amelsvoort, J.M.M., Borst-Pauwels, G.W.F.H., Stols, A.L.H. 73:131
Cytoplasmic vacuoles
—, quantitative analysis of the structural events associated with antidiuretic hormone-induced volume reabsorption in the rabbit cortical collecting tubule, Kirk, K.L., Schafer, J.A., DiBona, D.R. 79:65
Nε-Dansyl-L-lysine
—, lateral phase separation of phospholipids as a basis for increased permeability of membranes towards fluorescein and other chemical species, Humphries, G.M.K., Lovejoy, J.P. 80:249
—, membrane structure and the tenuously maintained resistance to staining with Nε-dansyl-L-lysine shown by many cells, Humphries, G.M.K., Lovejoy, J.P. 77:115
Decamethonium block
—, characterization of a monovalent cation-selective channel of mammalian cardiac muscle sarcoplasmic reticulum, Tomlins, B., Williams, A.J., Montgomery, R.A.P. 80:191
Deformability
—, the band 3-rich membrane of llama erythrocytes: studies on cell shape and the organization of membrane protein, Khodadad, J.K., Weinstein, R.S. 72:161
Degranulation
—, membrane potential changes during IgE-mediated histamine release from rat basophilic leukemia cells, Sagi-Eisenberg, R., Pecht, I. 75:97
Demyelination
—, is the myelin membrane abnormal in multiple sclerosis?, Wood, D.D., Moscarello, M.A. 79:195
Dependent/independent variables
—, chloride accumulation in plant cells as a homeostatic system: energy supply as a dependent variable, Cram, W.J. 74:51
Depolarization
—, biochemical correlates of progesterone-induced plasma membrane depolarization during the first meiotic division in *Rana* oocytes, Morrill, G.A., Ziegler, D.H., Kunar, J., Weinstein, S.P., Kostellow, A.B. 77:201
—, membrane potential changes during IgE-mediated histamine release from rat basophilic leukemia cells, Sagi-Eisenberg, R., Pecht, I. 75:97
Detergents
—, detergent sensitivity and splitting of isolated liver gap junctions, Manjunath, C.K., Goings, G.E., Page, E. 78:147
—, effect of detergents and fusogenic lipids on phospholipid phase transitions, Alonso, A., Goñi, F.M. 71:183
Deuterium oxide
—, effect of deuterium oxide on junctional membrane channel permeability, Brink, P.R. 71:79
DIDS
—, Na^+,Cl^- cotransport in Ehrlich ascites tumor cells activated during volume regulation (regulatory volume increase), Hoffmann, E.K., Sjøholm, C., Simonsen, L.O. 76:269
—, pH modulation of glucose-induced electrical activity in B-cells: involvement of Na/H and HCO_3/Cl antiporters, Pace, C.S., Tarvin, J.T. 73:39

DIDS inhibition
—, optical measurements of ΔpH and Δψ in corn root membrane vesicles: kinetic analysis of Cl^- effects on a proton-translocating ATPase, Bennett, A.B., Spanswick, R.M. 71:95
Differential interference contrast microscopy
—, morphologic response of the rabbit cortical collecting tubule to peritubular hypotonicity: quantitative examination with differential interference contrast microscopy, Kirk, K.L., DiBona, D.R., Schafer, J.A. 79:53
—, quantitative analysis of the structural events associated with antidiuretic hormone-induced volume reabsorption in the rabbit cortical collecting tubule, Kirk, K.L., Schafer, J.A., DiBona, D.R. 79:65
Differential scanning calorimetry
—, alterations in phospholipid polymorphism by polyethylene glycol, Boni, L.T., Stewart, T.P., Hui, S.W. 80:91
—, effect of detergents and fusogenic lipids on phospholipid phase transitions, Alonso, A., Goñi, F.M. 71:183
Diffusion
—, effect of deuterium oxide on junctional membrane channel permeability, Brink, P.R. 71:79
Diffusional permeability
—, the single file hypothesis and the water channels induced by antidiuretic hormone, Parisi, M., Bourguet, J. 71:189
Dilution potential
—, ionic selectivity of the paracellular shunt path across rabbit corneal endothelium, Lim, J.J., Liebovitch, L.S., Fischbarg, J. 73:95
Dipole potential
—, effect of 3-phenylinidole on lipophilic ion and carrier-mediated ion transport across bilayer lipid membranes, Sinha, B.A., Smejtek, P. 71:119
Disc internal space
—, ATP causes a structural change in retinal rod outer segments: disc swelling is not involved, Thacher, S.M. 74:95
Distributed resistor
—, impedance analysis in epithelia and the problem of gastric acid secretion, Diamond, J.M., Machen, T.E. 72:17
Divalent cations
—, dimethonium, a divalent cation that exerts only a screening effect on the electrostatic potential adjacent to negatively charged phospholipid bilayer membranes, McLaughlin, A., Eng, W.-K., Vaio, G., Wilson, T., McLaughlin, S. 76:183
—, effects of divalent cations, temperature, osmotic pressure gradient, and vesicle curvature on phosphatidylserine vesicle fusion, Ohki, S. 77:265
Dorsal root ganglion
—, ionic currents in cultured dorsal root ganglion cells from adult guinea pigs, Kameyama, M. 72:195
Dose-response curves
—, competitive blocking of epithelial sodium channels by organic cations: the relationships between macroscopic and microscopic inhibition constants, Li, J.H.-Y., Lindemann, B. 76:235
Down regulation
—, effects of thyroid hormones and aldosterone on mineralocorticoid binding sites in the toad bladder, Rossier, B.C., Claire, M., Rafestin-Oblin, M.E., Gaeggeler, H.P., Geering, K. 77:25
Dunaliella
—, ionic regulation of the unicellular green alga *Dunaliella tertiolecta:* response to hypertonic shock, Ehrenfeld, J., Cousin, J.-L. 77:45
Earthworms
—, effect of deuterium oxide on junctional membrane channel permeability, Brink, P.R. 71:79
Echinocytosis
—, mechanism of red blood cell acanthocytosis and echinocytosis *in vivo*, Lange, Y., Steck, T.L. 77:153
Eel
—, potassium-dependent chloride and water transport across the seawater eel intestine, Ando, M. 73:125
Ehrlich mouse ascites tumor cells
—, H^+ transport and the regulation of intracellular pH in Ehrlich ascites tumor cells, Bowen, J.W., Levinson, C. 79:7
—, Na^+,Cl^- cotransport in Ehrlich ascites tumor cells activated during volume regulation (regulatory volume increase), Hoffmann, E.K., Sjøholm, C., Simonsen, L.O. 76:269
—, volume-induced increase of K^+ and Cl^- permeabilities in Ehrlich ascites tumor cells, role of internal Ca^{2+}, Hoffmann, E.K., Simonsen, L.E., Lambert, I.H. 78:211
Electric field
—, stimulation of a ouabain-sensitive Rb^+ uptake in human erythrocytes with an external electric field, Serpersu, E.H., Tsong, T.Y. 74:191
Electrical coupling
—, electrical coupling between cells in islets of Langerhans from mouse, Eddlestone, G.T., Gonçalves, A., Bangham, J.A., Rojas, E. 77:1
—, junctional transfer in cultured vascular endothelium: I. electrical coupling, Larson, D.M., Kam, E., Sheridan, J.D. 74:103
Electrical excitation
—, conduction and selectivity in potassium channels, Latorre, R., Miller, C. 71:11
Electrical frequency response
—, impedance of the electrogenic Cl^- pump in *Acetabularia:* electrical frequency entrainements, voltage-sensitivity, and reaction kinetic interpretation, Tittor, J., Hansen, U.-P., Gradmann, D. 75:129
Electrical properties
—, electrical effects of potassium and bicarbonate on proximal tubule cells of *Necturus*, Matsumura, Y., Cohen, B., Guggino, W.B., Giebisch, G. 79:145
Electrical resistance
—, effect of temperature on the occluding junctions of monolayers of epithelioid cells (MDCK), González-Mariscal, L., Chávez de Ramírez, B., Cereijido, M. 79:175
Electrical uncoupling
—, effect of several uncouplers of cell-to-cell communication on gap junction morphology in mammalian heart, Délèze, J., Hervé, J.C. 74:203
Electrogenic
—, electrical and biochemical properties of an enzyme model of the sodium pump, Chapman, J.B., Johnson, E.A., Kootsey, J.M. 74:139
Electrogenic K^+ pump
—, X-ray microanalysis of elements in frozen-hydrated sections of an electrogenic K^+ transport system: the posterior midgut of tobacco hornworm (*Manduca sexta*) *in vivo* and *in vitro*, Dow, J.A.T., Gupta, B.L., Hall, T.A., Harvey, W.R. 77:223
Electrogenic proton pump
—, inhibition of electrogenic transport associated with the action potential in *Chara*, Smith, J.R., Beilby, M.J. 71:131
Electrogenic pump
—, impedance of the electrogenic Cl^- pump in *Acetabularia:*

electrical frequency entrainements, voltage-sensitivity, and reaction kinetic interpretation, Tittor, J., Hansen, U.-P., Gradmann, D. 75:129
—, interpretation of current-voltage relationships for "active" ion transport systems: II. nonsteady-state reaction kinetic analysis of Class-I mechanisms with one slow time-constant, Hansen, U.-P., Tittor, J., Gradmann, D. 75:141
—, kinetic analysis of the electrogenic pump of *Chara corallina:* I. inhibition of the pump by DCCD, Kishimoto, U., Kami-ike, N., Takeuchi, Y., Ohkawa, T. 80:175
—, stimulation of a ouabain-sensitive Rb^+ uptake in human erythrocytes with an external electric field, Serpersu, E.H., Tsong, T.Y. 74:191
Electrogenic transport
—, ionic selectivity of the paracellular shunt path across rabbit corneal endothelium, Lim, J.J., Liebovitch, L.S., Fischbarg, J. 73:95
—, optical measurements of ΔpH and $\Delta\psi$ in corn root membrane vesicles: kinetic analysis of Cl^- effects on a proton-translocating ATPase, Bennett, A.B., Spanswick, R.M. 71:95
Electron microprobe analysis
—, intracellular electrolyte concentrations in the frog skin epithelium: effect of vasopressin and dependence on the Na concentration in the bathing media, Rick, R., Roloff, C., Dörge, A., Beck, F.X., Thurau, K. 78:129
Electron probe
—, the correlation of composition and morphology during the high to low potassium transition in single erythropoietic cells, Kirk, R.G., Andrews, S.B., Lee, P. 76:281
Electron probe microanalysis
—, interrelations among Na and K content, cell volume, and bouyant density in human red blood cell populations, Lee, P., Kirk, R.G., Hoffman, J.F. 79:119
Electron probe X-ray microanalysis
—, interaction of ethidium bromide with yeast cells investigated by electron probe X-ray microanalysis, Theuvenet, A.P.R., Bindels, R.J.M., van Amelsvoort, J.M.M., Borst-Pauwels, G.W.F.H., Stols, A.L.H. 73:131
Electron spin resonance
—, *in vitro* effects of vitamin D_3 on the phospholipids of isolated renal brush border membranes, Elgavish, A., Rifkind, J., Sacktor, B. 72:85
Electroneutral
—, intracellular activities during volume regulation by *Necturus* gallbladder, Fisher, R.S., Spring, K.R. 78:187
Electrophoretic transfer
—, arrangement of MP26 in lens junctional membranes: analysis with proteases and antibodies, Keeling, P., Johnson, K., Sas, D., Klukas, K., Donahue, P., Johnson, R. 74:217
Electrophysiological measurements
—, regulation of excitation-secretion coupling by thyrotropin-releasing hormone (TRH): evidence for TRH receptor-ion channel coupling in cultured pituitary cells, Kaczorowski, G.J., Vandlen, R.L., Katz, G.M., Reuben, J.P. 71:109
Electrophysiology
—, anthracene-9-carboxylic acid inhibits an apical membrane chloride conductance in canine tracheal epithelium, Welsh, M.J. 78:61
—, chloride secretion by canine tracheal epithelium: III. membrane resistances and electromotive forces, Welsh, M.J., Smith, P.L., Frizzell, R.A. 71:209
—, electrophysiology of a clonal osteoblast-like cell line: evidence for the existence of a Ca^{2+}-activated K^+ conductance, Dixon, S.J., Aubin, J.E., Dainty, J. 80:49
—, electrophysiology of *Necturus* urinary bladder: I. "instantaneous" current-voltage relations in the presence of varying mucosal sodium concentrations, Thomas, S.R., Suzuki, Y., Thompson, S.M., Schultz, S.G. 73:157
—, inhibition of chloride secretion by furosemide in canine tracheal epithelium, Welsh, M.J. 71:219
—, KCl transport across an insect epithelium: II. electrochemical potentials and electrophysiology, Hanrahan, J.W., Phillips, J.E. 80:27
—, relation between intracellular sodium and active sodium transport in rabbit colon: current-voltage relations of the apical sodium entry mechanism in the presence of varying luminal sodium concentrations, Turnheim, K., Thompson, S.M., Schultz, S.G. 76:299
Electrostatic potentials
—, dimethonium, a divalent cation that exerts only a screening effect on the electrostatic potential adjacent to negatively charged phospholipid bilayer membranes, McLaughlin, A., Eng, W.-K., Vaio, G., Wilson, T., McLaughlin, S. 76:183
—, the total electrostatic potential in a gramicidin channel, Jordan, P.C. 78:91
ELISA
—, arrangement of MP26 in lens junctional membranes: analysis with proteases and antibodies, Keeling, P., Johnson, K., Sas, D., Klukas, K., Donahue, P., Johnson, R. 74:217
Embryonic precontractile heart
—, optical evidence for calcium-action potentials in early embryonic precontractile chick heart using a potential-sensitive dye, Sakai, T., Fujii, S., Hirota, A., Kamino, K. 72:205
Energy barriers
—, alkali metal ion selectivity of the hemocyanin channel, Cecchi, X., Latorre, R., Alvarez, O. 77:277
Energy profile
—, ionic selectivity revisited: the role of kinetic and equilibrium processes in ion permeation through channels, Eisenman, G., Horn, R. 76:197
Energy supply
—, chloride accumulation in plant cells as a homeostatic system: energy supply as a dependent variable, Cram, W.J. 74:51
Enzyme kinetics
—, electrical and biochemical properties of an enzyme model of the sodium pump, Chapman, J.B., Johnson, E.A., Kootsey, J.M. 74:139
Enzyme solubilization
—, association of renal dipeptidase with the Triton-insoluble fraction of kidney microvilli, Kim, H.S., Campbell, B.J. 75:115
Epinephrine
—, cellular and paracellular pathway resistances in the "tight" Cl^--secreting epithelium of rabbit cornea, Marshall, W.S., Klyce, S.D. 73:275
—, chloride secretion by canine tracheal epithelium: III. membrane resistances and electromotive forces, Welsh, M.J., Smith, P.L., Frizzell, R.A. 71:209
—, chloride secretion by canine tracheal epithelium: IV. basolateral membrane K permeability parallels secretion rate, Smith, P.L., Frizzell, R.A. 77:187
—, electrophysiology of Cl secretion in canine trachea, Shorofsky, S.R., Field, M., Fozzard, H.A. 72:105
Epithelia
—, distribution of transport proteins over animal cell membranes, Almers, W., Stirling, C. 77:169
—, electrical properties of cultured epithelioid cells (MDCK), Stefani, E., Cereijido, M. 73:117

—, influx mechanisms for Na^+ and Cl^- across the brush border membrane of leaky epithelia: a model and microelectrode study, Baerentsen, H., Giraldez, F., Zeuthen, T. 75:205
—, intracellular activities during volume regulation by *Necturus* gallbladder, Fisher, R.S., Spring, K.R. 78:187
—, ion activities in the lateral intercellular spaces of gallbladder epithelium transporting at low external osmolarities, Zeuthen, T. 76:113
Epithelial cell
—, bumetanide inhibition of NaCl transport by *Necturus* gallbladder, Larson, M., Spring, K.R. 74:123
Epithelial ion transport
—, chemical stimulation of Na transport through amiloride-blockable channels of frog skin epithelium, Li, J.H.-Y., Lindemann, B. 75:179
Epithelial monolayers
—, effect of temperature on the occluding junctions of monolayers of epithelioid cells (MDCK), González-Mariscal, L., Chávez de Ramírez, B., Cereijido, M. 79:175
Epithelial Na channels
—, voltage-dependent block by amiloride and other monovalent cations of apical Na channels in the toad urinary bladder, Palmer, L.G. 80:153
Epithelial transport
—, cellular and paracellular pathway resistances in the "tight" Cl^--secreting epithelium of rabbit cornea, Marshall, W.S., Klyce, S.D. 73:275
—, competitive blocking of epithelial sodium channels by organic cations: the relationships between macroscopic and microscopic inhibition constants, Li, J.H.-Y., Lindemann, B. 76:235
—, electrophysiology of *Necturus* urinary bladder: I. "instantaneous" current-voltage relations in the presence of varying mucosal sodium concentrations, Thomas, S.R., Suzuki, Y., Thompson, S.M., Schultz, S.G. 73:157
—, KCl transport across an insect epithelium: II. electrochemical potentials and electrophysiology, Hanrahan, J.W., Phillips, J.E. 80:27
Equivalent electrical circuit
—, chloride secretion by canine tracheal epithelium: III. membrane resistances and electromotive forces, Welsh, M.J., Smith, P.L., Frizzell, R.A. 71:209
—, inhibition of chloride secretion by furosemide in canine tracheal epithelium, Welsh, M.J. 71:219
—, interpretation of current-voltage relationships for "active" ion transport systems: II. nonsteady-state reaction kinetic analysis of Class-I mechanisms with one slow time-constant, Hansen U.-P., Tittor, J., Gradmann, D. 75:141
Erythrocyte ghosts
—, the influence of electrochemical gradients of Na^+ and K^+ upon the membrane binding and pore forming activity of the terminal complement proteins, Sims, P.J., Wiedmer, T. 78:169
—, thermotropic lipid phase separations in human erythrocyte ghosts and cholesterol-enriched rat liver plasma membranes, Gordon, L.M., Mobley, P.W. 79:75
Erythrocyte membranes
—, incorporation of the human erythrocyte sialoglycoprotein into recombined membranes containing cholesterol, Yeagle, P.L. 78:201
—, water exchange through erythrocyte membranes: nuclear magnetic resonance studies on the effects of inhibitors and of chemical modification of human membranes, Benga, G., Pop, V.I., Popescu, O., Ionescu, M., Mihele, V. 76:129
Erythrocytes: *see also* Red blood cells
—, apparent noncompetitive inhibition of choline transport in erythrocytes by inhibitors bound at the substrate site, Devés, R., Krupka, R.M. 74:183
—, the band 3-rich membrane of llama erythrocytes: studies on cell shape and the organization of membrane protein, Khodadad, J.K., Weinstein, R.S. 72:161
—, effect of volume changes on ouabain-insensitive net outward cation movements in human red cells, Adragna, N.C., Tosteson, D.C. 78:43
—, lithium's inhibition of erythrocyte cation countertransport involves a slow process in the erythrocyte, Ehrlich, B.E., Diamond, J.M., Fry, V., Meier, K. 75:233
—, mechanism of red blood cell acanthocytosis and echinocytosis *in vivo*, Lange, Y., Steck, T.L. 77:153
—, role of the furosemide-sensitive Na^+/K^+ transport system in determining the steady-state Na^+ and K^+ content and volume of human erythrocytes *in vitro* and *in vivo*, Duhm, J., Göbel, B.O. 77:243
—, stimulation of a ouabain-sensitive Rb^+ uptake in human erythrocytes with an external electric field, Serpersu, E.H., Tsong, T.Y. 74:191
Erythropoiesis
—, the correlation of composition and morphology during the high to low potassium transition in single erythropoietic cells, Kirk, R.G., Andrews, S.B., Lee, P. 76:281
Escherichia coli
—, the proton-ATPase of bacteria and mitochondria, Senior, A.E., Wise, J.G. 73:105
Ethacrynic acid
—, excitation of *Characeae* cell membranes as a result of activation of calcium and chloride channels, Lunevsky, V.Z., Zherelova, O.M., Vostrikov, I.Y., Berestovsky, G.N. 72:43
Ethidium
—, interaction of ethidium bromide with yeast cells investigated by electron probe X-ray microanalysis, Theuvenet, A.P.R., Bindels, R.J.M., van Amelsvoort, J.M.M., Borst-Pauwels, G.W.F.H., Stols, A.L.H. 73:131
N-Ethylmaleimide
—, comparative specificity of the inner and outer substrate transfer sites in the choline carrier of human erythrocytes, Devés, R., Krupka, R.M. 80:71
—, thiol-dependent passive K/Cl transport in sheep red cells: IV. furosemide inhibition as a function of external Rb^+, Na^+, and Cl^-, Lauf, P.K. 77:57
Exchange diffusion
—, exchange diffusion, electrodiffusion and rectification in the chloride transport pathway of frog skin, Kristensen, P. 72:141
Excitable membranes
—, conduction and selectivity in potassium channels, Latorre, R., Miller, C. 71:11
Excitation-contraction coupling
—, ion conductances of the surface and transverse tubular membranes of skeletal muscle, Moore, L.E., Tsai, T.D. 73:217
Excitation-secretion coupling
—, regulation of excitation-secretion coupling by thyrotropin-releasing hormone (TRH): evidence for TRH receptor-ion channel coupling in cultured pituitary cells, Kaczorowski, G.J., Vandlen, R.L., Katz, G.M., Reuben, J.P. 71:109
Exocytosis
—, enhanced incorporation of fatty acid into phosphatidyl choline that parallels histamine discharge in mast cells, Castle, J.D., Castle, A.M., Ma, A.K., Stukenbrok, H. 79:215

—, isolation and compositional analysis of secretion granules and their membrane subfraction from the rat parotid gland, Cameron, R.S., Castle, J.D. 79:127
—, membrane potential changes during IgE-mediated histamine release from rat basophilic leukemia cells, Sagi-Eisenberg, R., Pecht, I. 75:97
External sites
—, multioccupancy models for single filing ionic channels: theoretical behavior of a four-site channel with three barriers separating the sites, Sandblom, J., Eisenman, G., Hägglund, J. 71:61
Extracellular matrices
—, X-ray microanalysis of elements in frozen-hydrated sections of an electrogenic K^+ transport system: the posterior midgut of tobacco hornworm (*Manduca sexta*) *in vivo* and *in vitro*, Dow, J.A.T., Gupta, B.L., Hall, T.A., Harvey, W.R. 77:223
Extracellular pH
—, bicarbonate transport in *Chara corallina:* evidence for cotransport of HCO_3^- with H^+, Lucas, W.J., Keifer, D.W., Sanders, D. 73:263
—, effect of extracellular pH on sodium current in isolated, single rat ventricular cells, Yatani, A., Brown, A.M., Akaike, N. 78:163
Extracellular recording
—, localization of ionic pathways in the teleost opercular membrane by extracellular recording with a vibrating probe, Scheffey, C., Foskett, J.K., Machen, T.E. 75:193
Extrinsic blockers
—, chemical stimulation of Na transport through amiloride-blockable channels of frog skin epithelium, Li, J.H.-Y., Lindemann, B. 75:179
—, competitive blocking of epithelial sodium channels by organic cations: the relationships between macroscopic and microscopic inhibition constants, Li, J.H.-Y., Lindemann, B. 76:235
Extrinsic stimulators
—, chemical stimulation of Na transport through amiloride-blockable channels of frog skin epithelium, Li, J.H.-Y., Lindemann, B. 75:179
^{19}F NMR
—, ^{31}P and ^{19}F NMR studies of glycophorin-reconstituted membranes: preferential interaction of glycophorin with phosphatidylserine, Ong, R.L. 78:1
Fatty acid
—, monocarboxylic acid permeation through lipid bilayer membranes, Walter, A., Gutknecht, J. 77:255
Fibrinogen
—, microenvironment changes of human blood platelet membranes associated with fibrinogen binding, Kowalska, M.A., Cierniewski, C.S. 75:57
Filipin
—, ultrastructural characterization of cholesterol distribution in toad bladder using filipin, Stetson, D.L., Wade, J.B. 74:131
Filtration
—, hydraulic conductivity of *Nitella* cells using the intracellular perfusion technique, Spyropoulos, C.S. 76:17
Flavin
—, further photophysical and photochemical characterization of flavins associated with single-shelled vesicles, Schmidt, W. 76:73
Fluctuation analysis
—, chemical stimulation of Na transport through amiloride-blockable channels of frog skin epithelium, Li, H.H.-Y., Lindemann, B. 75:179
—, competitive blocking of epithelial sodium channels by organic cations: the relationships between macroscopic and microscopic inhibition constants, Li, J.H.-Y., Lindemann, B. 76:235
—, studies of sodium channels in rabbit urinary bladder by noise analysis, Lewis, S.A., Ifshin, M.S., Loo, D.D.F., Diamond, J.M. 80:135
Fluorescein diacetate
—, lateral phase separation of phospholipids as a basis for increased permeability of membranes towards fluorescein and other chemical species, Humphries, G.M.K., Lovejoy, J.P. 80:249
Fluorescence
—, further photophysical and photochemical characterization of flavins associated with single-shelled vesicles, Schmidt, W. 76:73
—, membrane potentials associated with Ca-induced conductance in human red blood cells: studies with a fluorescent oxonol dye, WW 781, Freedman, J.C., Novak, T.S. 72:59
Fluorescence polarization
—, effects of alcohols on ADP-induced aggregation and membrane fluidity of gel-filtered bovine blood platelets, Kitagawa, S., Shinohara, T., Kametani, F. 79:97
Fluorescent probes
—, microenvironment changes of human blood platelet membranes associated with fibrinogen binding, Kowalska, M.A., Cierniewski, C.S. 75:57
Fluorescent studies
—, the mechanism of anion transport across human red blood cell membranes as revealed with a fluorescent substrate: I. kinetic properties of NBD-taurine transfer in symmetric conditions, Eidelman, O., Cabantchik, Z.I. 71:141
—, the mechanism of anion transport across human red blood cell membranes as revealed with a fluorescent substrate: II. kinetic properties of NBD-taurine transfer in asymmetric conditions, Eidelman, O., Cabantchik, Z.I. 71:149
Flux coupling
—, the small-intestinal Na^+, D-glucose cotransporter: an asymmetric gated channel (or pore) responsive to $\Delta\psi$, Kessler, M., Semenza, G. 76:27
Flux ratio
—, exchange diffusion, electrodiffusion and rectification in the chloride transport pathway of frog skin, Kristensen, P. 72:141
Folate analog transport
—, interaction between anions and the reduced folate/methotrexate transport system in L1210 cell plasma membrane vesicles: directional symmetry and anion specificity for differential mobility of loaded and unloaded carrier, Yang, C.-H., Sirotnak, F.M., Dembo, M. 79:285
Folate compounds
—, relationships between carrier-mediated transport of folate compounds by L1210 leukemia cells: evidence for multiplicity of entry routes with different kinetic properties expressed in plasma membrane vesicles, Yang, C.-H., Dembo, M., Sirotnak, F.M. 75:11
Forskolin
—, forskolin increases osmotic water permeability of rabbit cortical collecting tubule, Dillingham, M.A., Kim, J.K., Horster, M.F., Anderson, R.J. 80:243
Freeze fracture
—, alterations in phospholipid polymorphism by polyethylene glycol, Boni, L.T., Stewart, T.P., Hui, S.W. 80:91
—, quantitative evaluation of gap junctions in rat brown adipose tissue after cold acclimation, Schneider-Picard, G., Carpentier, J.-L., Girardier, L. 78:85

Frog sensory neuron
—, separation of ionic currents in the somatic membrane of frog sensory neurons, Ishizuka, S., Hattori, K., Akaike, N. 78:19
Frog skeletal muscle
—, the influence of amino-reactive substances on contraction threshold of frog skeletal muscle, Dörrscheidt-Käfer, M. 73:17
Frog skin
—, chemical stimulation of Na transport through amiloride-blockable channels of frog skin epithelium, Li, J.H.-Y., Lindemann, B. 75:179
—, exchange diffusion, electrodiffusion and rectification in the chloride transport pathway of frog skin, Kristensen, P. 72:141
—, the interaction of "K^+-like" cations with the apical K^+ channel in frog skin, Zeiske, W., Van Driessche, W. 76:57
Frog urinary bladder
—, the single file hypothesis and the water channels induced by antidiuretic hormone, Parisi, M., Bourguet, J. 71:189
Frozen-hydrated cryosections
—, X-ray microanalysis of elements in frozen-hydrated sections of an electrogenic K^+ transport system: the posterior midgut of tobacco hornworm (*Manduca sexta*) *in vivo* and *in vitro*, Dow, J.A.T., Gupta, B.L., Hall, T.A., Harvey, W.R. 77:223
Fungicide
—, effect of 3-phenylindole on lipophilic ion and carrier-mediated ion transport across bilayer lipid membranes, Sinha, B.A., Smejtek, P. 71:119
Furosemide
—, inhibition of chloride secretion by furosemide in canine tracheal epithelium, Welsh, M.J. 71:219
—, Na^+,Cl^- cotransport in Ehrlich ascites tumor cells activated during volume regulation (regulatory volume increase), Hoffmann, E.K., Sjøholm, C., Simonsen, L.O. 76:269
—, sodium-chloride transport in the medullary thick ascending limb of Henle's loop: evidence for a sodium-chloride cotransport system in plasma membrane vesicles, Eveloff, J., Kinne, R. 72:173
—, thiol-dependent passive K/Cl transport in sheep red cells: IV. furosemide inhibition as a function of external Rb^+, Na^+ and Cl^-, Lauf, P.K. 77:57
Furosemide binding sites
—, presence of a sodium-potassium chloride cotransport system in the rectal gland of *Squalus acanthias*, Hannafin, J., Kinne-Saffran, E., Friedman, D., Kinne, R. 75:73
Furosemide effect on volume regulation
—, requirement of Cl^- and Na^+ for the ouabain-resistant control of cell volume in slices of rat liver, van Rossum, G.D.V., Russo, M.A. 77:63
Gallbladder
—, different sodium chloride cotransport systems in the apical membrane of rabbit gallbladder epithelial cells, Cremaschi, D., Meyer, G., Bermano, S., Marcati, M. 73:227
Gamma-glutamyl transpeptidase
—, absence of a role of gamma-glutamyl transpeptidase in the transport of amino acids by rat renal brushborder membrane vesicles, Hsu, B.Y.L., Foreman, J.W., Corcoran, S.M., Ginkinger, K., Segal, S. 80:167
Gap junctions
—, arrangement of MP26 in lens junctional membranes: analysis with proteases and antibodies, Keeling, P., Johnson, K., Sas, D., Klukas, K., Donahue, P., Johnson, R. 74:217
—, detergent sensitivity and splitting of isolated liver gap junctions, Manjunath, C.K., Goings, G.E., Page, E. 78:147
—, effect of several uncouplers of cell-to-cell communication on gap junction morphology in mammalian heart, Délèze, J., Hervé, J.C. 74:203
—, junctional transfer in cultured vascular endothelium: I. electrical coupling, Larson, D.M., Kam, E., Sheridan, J.D. 74:103
—, quantitative evaluation of gap junctions in rat brown adipose tissue after cold acclimation, Schneider-Picard, G., Carpentier, J.-L., Girardier, L. 78:85
Gastric mucosa
—, anion exchange in oxyntic cell apical membrane: relationship to thiocyanate inhibition of acid secretion, Wolosin, J.M., Forte, J.G. 76:261
—, impedance analysis in epithelia and the problem of gastric acid secretion, Diamond, J.M., Machen, T.E. 72:17
—, study of dynamic membrane phenomena during the gastric secretory cycle: fusion, retrieval and recycling of membranes, Jirón, C., Romano, M., Michelangeli, F. 80:119
Gastric secretion
—, anion exchange in oxyntic cell apical membrane: relationship to thiocyanate inhibition of acid secretion, Wolosin, J.M., Forte, J.G. 76:261
Gating
—, exchange diffusion, electrodiffusion and rectification in the chloride transport pathway of frog skin, Kristensen, P. 72:141
—, the interaction of "K^+-like" cations with the apical K^+ channel in frog skin, Zeiske, W., Van Driessche, W. 76:57
Glomerular filtration
—, biophysical basis of glomerular permselectivity, Deen, W.M., Bridges, C.R., Brenner, B.M. 71:1
Glomerular permeability
—, biophysical basis of glomerular permselectivity, Deen, W.M., Bridges, C.R., Brenner, B.M. 71:1
Glucose
—, kinetics of sodium D-glucose contransport in bovine intestinal brush border vesicles, Kaunitz, J.D., Wright, E.M. 79:41
Glucose transport
—, glucose-dependent respiration in suspensions of rabbit cortical tubules, Gullans, S.R., Harris, S.I., Mandel, L.J. 78:257
D-Glucose transport (Na^+-dependent)
—, the small-intestinal Na^+, D-glucose cotransporter: an asymmetric gated channel (or pore) responsive to $\Delta\psi$, Kessler, M., Semenza, G. 76:27
Glucuronate symport
—, transport of an anionic substrate by the H^+/monosaccharide symport in *Rhodotorula gracilis:* only the protonated form of the carrier is catalytically active, Niemietz, C., Höfer, M. 80:235
Glutathione
—, partial requirements for *in vitro* survival of human red blood cells, Freedman, J.C. 75:225
Glycerol
—, ionic regulation of the unicellular green alga *Dunaliella tertiolecta:* response to hypertonic shock, Ehrenfeld, J., Cousin, J.-L. 77:45
Glycophorin
—, incorporation of the human erythrocyte sialoglycoprotein into recombined membranes containing cholesterol, Yeagle, P.L. 78:201
Glycophorin reconstitution
—, ^{31}P and ^{19}F NMR studies of glycophorin-reconstituted

membranes: preferential interaction of glycophorin with phosphatidylserine, Ong. R.L. 78:1
Gouy-Chapman theory
—, dimethonium, a divalent cation that exerts only a screening effect on the electrostatic potential adjacent to negatively charged phospholipid bilayer membranes, McLaughlin, A., Eng, W.-K., Vaio, G., Wilson, T., McLaughlin, S. 76:183
Gramicidin A
—, concentration dependence of bidirectional flux ratio as a characteristic of transmembrane ion transporting mechanism, Schagina, L.V., Grinfeldt, A.E., Lev, A.A. 73:203
—, multioccupancy models for single filing ionic channels: theoretical behavior of a four-site channel with three barriers separating the sites, Sandblom, J., Eisenman, G., Hägglund, J. 71:61
Gramicidin channel
—, the total electrostatic potential in a gramicidin channel, Jordan, P.C. 78:91
H^+, *see* Hydrogen *entries;* Proton *entries*
HCl secretion
—, anion exchange in oxyntic cell apical membrane: relationship to thiocyanate inhibition of acid secretion, Wolosin, J.M., Forte, J.G. 76:261
—, kinetic properties of the KCl transport at the secreting apical membrane of the oxyntic cell, Wolosin, J.M., Forte, J.G. 71:195
Heart
—, effect of several uncouplers of cell-to-cell communication on gap junction morphology in mammalian heart, Délèze, J., Hervé, J.C. 74:203
—, sodium and potassium permeability of membrane vesicles in a sarcolemma-enriched preparation from canine ventricle, Schilling, W.P., Schuil, D.W., Bagwell, E.E., Lindenmayer, G.E. 77:101
—, voltage-sensitive calcium flux promoted by vesicles in an isolated cardiac sarcolemma preparation, Schilling, W.P., Lindenmayer, G.E. 79:163
HeLa cells
—, single channel K^+ currents from HeLa cells, Sauvé, R., Roy, G., Payet, D. 74:41
Hemocyanin
—, alkali metal ion selectivity of the hemocyanin channel, Cecchi, X., Latorre, R., Alvarez, O. 77:277
Hemocyanin channel
—, a kinetic study of the opening and closing properties of the hemocyanin channel in artificial lipid bilayer membranes, Menestrina, G., Maniacco, D., Antolini, R. 71:173
Hemoglobin
—, the correlation of composition and morphology during the high to low potassium transition in single erythropoietic cells, Kirk, R.G., Andrews, S.B., Lee, P. 76:281
Hemoglobin content
—, role of the furosemide-sensitive Na^+/K^+ transport system in determining the steady-state Na^+ and K^+ content and volume of human erythrocytes *in vitro* and *in vivo,* Duhm, J., Göbel, B.O. 77:243
Hemolysis
—, thermotropic lipid phase separations in human erythrocyte ghosts .and cholesterol-enriched rat liver plasma membranes, Gordon, L.M., Mobley, P.W. 79:75
n-Heptan-l-ol
—, effect of several uncouplers of cell-to-cell communication on gap junction morphology in mammalian heart, Délèze, J., Hervé, J.C. 74:203
Histamine receptors
—, preparation of a human lung purified plasma membrane fraction: confirmation by enzyme markers, electron microscopy, and histamine H_1 receptor binding, Casale, T.B., Friedman, M., Parada, N., Plekes, J., Kaliner, M. 79:33
Histamine secretion
—, membrane potential changes during IgE-mediated histamine release from rat basophilic leukemia cells, Sagi-Eisenberg, R., Pecht, I. 75:97
Homeostasis
—, chloride accumulation in plant cells as a homeostatic system: energy supply as a dependent variable, Cram, W.J. 74:51
Human erythrocyte
—, cross-linking and cymotryptic digestion of the extracytoplasmic domain of the anion exchange channel in intact human erythrocytes, Staros, J.V., Kakkad, B.P. 74:247
—, plasma membrane (Mg^{2+})-dependent adenosine triphosphatase from the human erythrocyte is not an ion pump, Forgac, M., Cantley, L. 80:185
Hydrated channels
—, effect of deuterium oxide on junctional membrane channel permeability, Brink, P.R. 71:79
Hydraulic conductivity
—, determination of permeability coefficients, reflection coefficients, and hydraulic conductivity of *Chara corallina* using the pressure probe: effects of solute concentrations, Steudle, E., Tyerman, S.D. 75:85
Hydrodictyon
—, potassium channels in the membrane of *Hydrodictyon africanum,* Findlay, G.P., Coleman, H.A. 75:241
Hydrogen (H^+), *see also* Proton *entries*
—, the *lac* carrier protein in *Escherichia coli,* Kaback, H.R. 76:95
Hydrogen-ATPase
—, characterization of native and reconstituted plasma membrane H^+-ATPase from the plasma membrane of *Beta vulgaris,* O'Neill, S.D., Spanswick, R.M. 79:245
—, optical measurements of ΔpH and $\Delta\psi$ in corn root membrane vesicles: kinetic analysis of Cl^- effects on a proton-translocating ATPase, Bennett, A.B., Spanswick, R.M. 71:95
—, solubilization and reconstitution of an anion-sensitive H^+-ATPase from corn roots, Bennett, A.B., Spanswick, R.M. 75:21
—, solubilization and reconstitution of a vanadate-sensitive H^+-ATPase from the plasma membrane of *Beta vulgaris,* O'Neill, S.D., Spanswick, R.M. 79:231
Hydrogen bonded chain
—, hydrogen bonded chain mechanisms for proton conduction and proton pumping, Nagle, J.F., Tristram-Nagle, S. 74:1
Hydrogen-cotransport
—, transport of an anionic substrate by the H^+/monosaccharide symport in *Rhodotorula gracilis:* only the protonated form of the carrier is catalytically active, Niemietz, C., Höfer, M. 80:235
Hydrogen-coupled transport
—, proton-coupled L-lysine uptake by renal brush border membrane vesicles from mullet *Mugil cephalus,* Lee, S.-H., Pritchard, J.B. 75:171
Hydrogen dependence
—, functional roles of Na^+ and H^+ in SO_4^{2-} transport by rabbit ileal brush border membrane vesicles, Ahearn, G.A., Murer, H. 78:177

(Hydrogen+potassium)-ATPase
—, anion exchange in oxyntic cell apical membrane: relationship to thiocyanate inhibition of acid secretion, Wolosin, J.M., Forte, J.G. 76:261
—, kinetic properties of the KCl transport at the secreting apical membrane of the oxyntic cell, Wolosin, J.M., Forte, J.G. 71:195
Hydrogen transport
—, H^+ transport and the regulation of intracellular pH in Ehrlich ascites tumor cells, Bowen, J.W., Levinson, C. 79:7
—, study of dynamic membrane phenomena during the gastric secretory cycle: fusion, retrieval and recycling of membranes, Jirón, C., Romano, M., Michelangeli, F. 80:119
—, transport of H^+ and of ionic weak acids and bases, Boron, W.F. 72:1
3β-Hydroxysterols
—, ultrastructural characterization of cholesterol distribution in toad bladder using filipin, Stetson, D.L., Wade, J.B. 74:131
Hyperpolarizing response
—, electrical activity of an intestinal epithelial cell line: hyperpolarizing responses to intestinal secretagogues, Yada, T., Okada, Y. 77:33
Hypertonic conditions
—, regulation of intracellular chloride activity during perfusion with hypertonic solutions in the *Necturus* proximal tubule, London, R., Cohen, B., Guggino, W.B., Giebisch, G. 75:253
Hypertonicity
—, intracellular activities during volume regulation by *Necturus* gallbladder, Fisher, R.S., Spring, K.R. 78:187
Hypotonicity
—, morphologic response of the rabbit cortical collecting tubule to peritubular hypotonicity: quantitative examination with differential interference contrast microscopy, Kirk, K.L., DiBona, D.R., Schafer, J.A. 79:53
I-V curve
—, kinetic analysis of the electrogenic pump of *Chara corallina:* I. inhibition of the pump by DCCD, Kishimoto, U., Kami-ike, N., Takeuchi, Y., Ohkawa, T. 80:175
Impedance
—, ion conductances of the surface and transverse tubular membranes of skeletal muscle, Moore, L.E., Tsai, T.D. 73:217
Impedance analysis
—, impedance analysis in epithelia and the problem of gastric acid secretion, Diamond, J.M., Machen, T.E. 72:17
Inactivation
—, single-channel recordings of apical membrane chloride conductance in A6 epithelial cells, Nelson, D.J., Tang, J.M., Palmer, L.G. 80:81
Inactive state
—, interpretation of current-voltage relationships for "active" ion transport systems: II. nonsteady-state reaction kinetic analysis of Class-I mechanisms with one slow time-constant, Hansen, U.-P., Tittor, J., Gradmann, D. 75:141
Indodicarbocyanine
—, reconstitution of pure acetylcholine receptor in phospholipid vesicles and comparison with receptor-rich membranes by the use of a potentiometric dye, Lüdi, H., Oetliker, H., Brodbeck, U., Ott, P., Schwendimann, B., Fulpius, B.W. 74:75
Inductive behavior
—, interpretation of current-voltage relationships for "active" ion transport systems: II. nonsteady-state reaction kinetic analysis of Class-I mechanisms with one slow time-constant, Hansen, U.-P., Tittor, J., Gradmann, D. 75:141
Inhibition mechanism
—, apparent noncompetitive inhibition of choline transport in erythrocytes by inhibitors bound at the substrate site, Devés, R., Krupka, R.M. 74:183
—, the kinetics of transport inhibition by noncompetitive inhibitors, Krupka, R.M. 74:175
Inhibitors
—, water exchange through erythrocyte membranes: nuclear magnetic resonance studies on the effects of inhibitors and of chemical modification of human membranes, Benga, G., Pop, V.I., Popescu, O., Ionescu, M., Mihele, V. 76:129
Insect Cl absorption
—, KCl transport across an insect epithelium: II. electrochemical potentials and electrophysiology, Hanrahan, J.W., Phillips, J.E. 80:27
Insect epithelium
—, KCl transport across an insect epithelium: I. tracer fluxes and the effects of ion substitutions, Hanrahan, J.W., Phillips, J.E. 80:15
Insulin release
—, Na^+-K^+ pump activity and the glucose-stimulated Ca^{2+}-sensitive K^+ permeability in the pancreatic B-cell, Lebrun, P., Malaisse, W.J., Herchuelz, A. 74:67
Intercellular communication
—, cell-to-cell channels with two independently regulated gates in series: analysis of junctional conductance modulation by membrane potential, calcium, and pH, Obaid, A.L., Socolar, S.J., Rose, B. 73:69
—, electrical coupling between cells in islets of Langerhans from mouse, Eddlestone, G.T., Gonçalves, A., Bangham, J.A., Rojas, E. 77:1
Internal perfusion
—, characteristics of manganese current and its comparison with currents carried by other divalent cations in snail soma membranes, Akaike, N., Nishi, K., Oyama, Y. 76:289
—, effect of extracellular pH on sodium current in isolated, single rat ventricular cells, Yatani, A., Brown, A.M., Akaike, N. 78:163
—, separation of ionic currents in the somatic membrane of frog sensory neurons, Ishizuka, S., Hattori, K., Akaike, N. 78:19
Intestinal brush border vesicles
—, ion permeability of rabbit intestinal brush border membrane vesicles, Gunther, R.D., Schell, R.E., Wright, E.M. 78:119
Intestinal epithelial cell
—, electrical activity of an intestinal epithelial cell line: hyperpolarizing responses to intestinal secretagogues, Yada, T., Okada, Y. 77:33
Intestine
—, electrogenic Cl^- absorption by *Amphiuma* small intestine: dependence on serosal Na^+ from tracer and Cl^- microelectrode studies, White, J.F., Ellingsen, D., Burnup, K. 78:223
—, lithium absorption in tight and leaky segments of intestine, Diamond, J.M., Ehrlich, B.E., Morawski, S.G., Santa Ana, C.A., Fordtran, J.S. 72:153
—, partitioning of paracellular conductance along the ileal crypt-villus axis: a hypothesis based on structural analysis with detailed consideration of tight junction structure-function relationships, Marcial, M.A., Carlson, S.L., Madara, J.L. 80:59

—, potassium-dependent chloride and water transport across the seawater eel intestine, Ando, M. 73:125
Intracellular chloride
—, intracellular chloride activity and apical membrane chloride conductance in *Necturus* gallbladder, Garcia-Diaz, J.F., Corcia, A., Armstrong, W.McD. 73:145
Intracellular chloride activity
—, electrogenic Cl^- absorption by *Amphiuma* small intestine: dependence on serosal Na^+ from tracer and Cl^- microelectrode studies, White, J.F., Ellingsen, D., Burnup, K. 78:223
—, KCl cotransport: a mechanism for basolateral chloride exit in *Necturus* gallbladder, Corcia, A., Armstrong, W. McD. 76:173
Intracellular electrolytes
—, intracellular electrolyte concentrations in the frog skin epithelium: effect of vasopressin and dependence on the Na concentration in the bathing media, Rick, R., Roloff, C., Dörge, A., Beck, F.X., Thurau, K. 78:129
Intracellular ion activity
—, KCl transport across an insect epithelium: II. electrochemical potentials and electrophysiology, Hanrahan, J.W., Phillips, J.E. 80:27
Intracellular K^+/Cl^-
—, KCl leakage from microelectrodes and its impact on the membrane parameters of a nonexcitable cell, Blatt, M.R., Slayman, C.L. 72:223
Intracellular perfusion
—, control of Cl^- influx in *Chara* by internal pH, Reid, R.J., Walker, N.A. 78:157
—, the energetics of Cl^- active transport in *Chara*, Reid, R.J., Walker, N.A. 78:35
Intracellular pH
—, H^+ transport and the regulation of intracellular pH in Ehrlich ascites tumor cells, Bowen, J.W., Levinson, C. 79:7
Intracellular potassium activity
—, effects of Na-coupled alanine transport on intracellular K activities and the K conductance of the basolateral membranes of *Necturus* small intestine, Grasset, E., Gunter-Smith, P., Schultz, S.G. 71:89
—, KCl cotransport: a mechanism for basolateral chloride exit in *Necturus* gallbladder, Corcia, A., Armstrong, W. McD. 76:173
Intracellular potential
—, effect of bicarbonate, pH, methazolamide and stilbenes on the intracellular potentials of cultured bovine corneal endothelial cells, Jentsch, T.J., Koch, M., Bleckmann, H., Wiederholt, M. 78:103
Intracellular voltage recording
—, effects of antidiuretic hormone on cellular conductive pathways in mouse medullary thick ascending limbs of Henle: II. determinants of the ADH-mediated increases in transepithelial voltage and in net Cl^- absorption, Hebert, S.C., Andreoli, T.E. 80:221
Intramembrane particles
—, effect of temperature on the occluding junctions of monolayers of epithelioid cells (MDCK), González-Mariscal, L., Chávez de Ramírez, B., Cereijido, M. 79:175
Intramembranous particle aggregates
—, effects of potassium-free media on ADH action in toad urinary bladder, Kachadorian, W.A., Muller, J. 77:161
Intrinsic regulations
—, relationship between cell turgor pressure, electrical membrane potential, and chloride efflux in *Acetabularia mediterranea*, Wendler, S., Zimmermann, U., Bentrup, F.-W. 72:75
Inward rectification
—, single channel K^+ currents from HeLa cells, Sauvé, R., Roy, G., Payet, D. 74:41
Ion activities
—, intracellular activities during volume regulation by *Necturus* gallbladder, Fisher, R.S., Spring, K.R. 78:187
Ion channel
—, calcium channels of the excitable ciliary membrane from *Paramecium:* an initial biochemical characterization, Thiele, J., Otto, M.K., Deitmer, J.W., Schultz, J.E. 76:253
—, monoclonal antibodies modify acetylcholine-induced ionic channel properties in cultured chick myoballs, Goldberg, G., Mochly-Rosen, D., Fuchs, S., Lass, Y. 76:123
Ion conductances
—, ion conductances of the surface and transverse tubular membranes of skeletal muscle, Moore, L.E., Tsai, T.D. 73:217
Ion currents
—, separation of ionic currents in the somatic membrane of frog sensory neurons, Ishizuka, S., Hattori, K., Akaike, N. 78:19
Ion-diffusion
—, conduction and selectivity in potassium channels, Latorre, R., Miller, C. 71:11
Ion exchange
—, intracellular activities during volume regulation by *Necturus* gallbladder, Fisher, R.S., Spring, K.R. 78:187
Ion flux interactions
—, concentration dependence of bidirectional flux ratio as a characteristic of transmembrane ion transporting mechanism, Schagina, L.V., Grinfeldt, A.E., Lev, A.A. 73:203
Ion fluxes
—, plasma membrane (Mg^{2+})-dependent adenosine triphosphatase from the human erythrocyte is not an ion pump, Forgac, M., Cantley, L. 80:185
Ion permeability
—, electrophysiology of Cl secretion in canine trachea, Shorofsky, S.R., Field, M., Fozzard, H.A. 72:105
—, ion permeability of rabbit intestinal brush border membrane vesicles, Gunther, R.D., Schell, R.E., Wright, E.M. 78:119
—, Na^+, Li^+, and Cl^- transport by brush border membranes from rabbit jejunum, Gunther, R.D., Wright, E.M. 74:85
Ion pumps
—, plasma membrane potential of Lettré cells does not depend on cation gradients but on pumps, Bashford, C.L., Pasternak, C.A. 79:275
Ion-selective microelectrodes
—, influx mechanisms for Na^+ and Cl^- across the brush border membrane of leaky epithelia: a model and microelectrode study, Baerentsen, H., Giraldez, F., Zeuthen, T. 75:205
—, ion activities in the lateral intercellular spaces of gallbladder epithelium transporting at low external osmolarities, Zeuthen, T. 76:113
Ion selectivity
—, characterization of a monovalent cation-selective channel of mammalian cardiac muscle sarcoplasmic reticulum, Tomlins, B., Williams, A.J., Montgomery, R.A.P. 80:191
—, excitation of *Characeae* cell membranes as a result of activation of calcium and chloride channels, Lunevsky, V.Z., Zherelova, O.M., Vostrikov, I.Y., Berestovsky, G.N. 72:43
—, single-length and double-length channels formed by nystatin in lipid bilayer membranes, Kleinberg, M.E., Finkelstein, A. 80:257

—, two ion-selecting filters in the calcium channel of the somatic membrane of mollusc neurons, Kostyuk, P.G. Mironov, S.L., Shuba, Y.M. 76:83
Ion transport
—, alkali metal ion selectivity of the hemocyanin channel, Cecchi, X., Latorre, R., Alvarez, O. 77:277
—, effect of 3-phenylindole on lipophilic ion and carrier-mediated ion transport across bilayer lipid membranes, Sinha, B.A., Smejtek, P. 71:119
—, intracellular activities during volume regulation by *Necturus* gallbladder, Fisher, R.S., Spring, K.R. 78:187
—, ionic regulation of the unicellular green alga *Dunaliella tertiolecta:* response to hypertonic shock, Ehrenfeld, J., Cousin, J.-L. 77:45
—, the pH dependence of the Ca^{2+}, Mg^{2+}-ATPase of sarcoplasmic reticulum: evidence that the Ca^{2+} translocator bears a doubly negative charge, Haynes, D.H., Mandveno, A. 74:25
—, stimulation of a ouabain-sensitive Rb^+ uptake in human erythrocytes with an external electric field, Serpersu, E.H., Tsong, T.Y. 74:191
Ionic weak acids and bases
—, transport of H^+ and of ionic weak acids and bases, Boron, W.F. 72:1
Ionized magnesium
—, magnesium transport across cell membranes, Flatman, P.W. 80:1
Isethionate
—, pH modulation of glucose-induced electrical activity in B-cells: involvement of Na/H and HCO_3/Cl antiporters, Pace, C.S., Tarvin, J.T. 73:39
Islets of Langerhans
—, electrical coupling between cells in islets of Langerhans from mouse, Eddlestone, G.T., Gonçalves, A., Bangham, J.A., Rojas, E. 77:1
Isolated cells
—, ouabain binding in rectal gland of *Squalus acanthias*, Silva, P., Epstein, J.A., Stevens, A., Spokes, K., Epstein, F.H. 75:105
Isolated single cell
—, effect of extracellular pH on sodium current in isolated, single rat ventricular cells, Yatani, A., Brown, A.M., Akaike, N. 78:163
Junction potentials
—, microelectrode study of K^+ accumulation by tight epithelia: I. baseline values of split frog skin and toad urinary bladder, DeLong, J., Civan, M.M. 72:183
Junctional channels
—, effect of several uncouplers of cell-to-cell communication on gap junction morphology in mammalian heart, Délèze, J., Hervé, J.C. 74:203
Junctional conductance
—, cell-to-cell channels with two independently regulated gates in series: analysis of junctional conductance modulation by membrane potential, calcium, and pH, Obaid, A.L., Socolar, S.J., Rose, B. 73:69
Junctions
—, effect of deuterium oxide on junctional membrane channel permeability, Brink, P.R. 71:79
K/K^+, *see* Potassium *entries*
KCl transport
—, potassium-dependent chloride and water transport across the seawater eel intestine, Ando, M. 73:125
Kidney microvillus membrane
—, *in vitro* effects of vitamin D_3 on the phospholipids of isolated renal brush border membranes, Elgavish, A., Rifkind, J., Sacktor, B. 72:85
Kinetic model
—, kinetic analysis of the electrogenic pump of *Chara corallina:* I. inhibition of the pump by DCCD, Kishimoto, U., Kami-ike, N., Takeuchi, Y., Ohkawa, T. 80:175
—, quantitative studies of cotransport systems: models and vesicles, Turner, R.J. 76:1
Kinetics
—, characteristics of manganese current and its comparison with currents carried by other divalent cations in snail soma membranes, Akaike, N., Nishi, K., Oyama, Y. 76:289
—, kinetics of sodium D-glucose cotransport in bovine intestinal brush border vesicles, Kaunitz, J.D., Wright, E.M. 79:41
—, the kinetics of transport inhibition by noncompetitive inhibitors, Krupka, R.M. 74:175
—, Na^+, Li^+, and Cl^- transport by brush border membranes from rabbit jejunum, Gunther, R.D., Wright, E.M. 74:85
L1210 cells
—, effects of metabolic deprivation on methotrexate transport in L1210 leukemia cells: further evidence for separate influx and efflux systems with different energetic requirements, Dembo, M., Sirotnak, F.M., Moccio, D.M. 78:9
—, relationships between carrier-mediated transport of folate compounds by L1210 leukemia cells: evidence for multiplicity of entry routes with different kinetic properties expressed in plasma membrane vesicles, Yang, C.-H., Dembo, M., Sirotnak, F.M. 75:11
Lactate
—, the mechanism of Na^+-L-lactate cotransport by brush border membrane vesicles from horse kidney: analysis of rapid equilibrium kinetics in absence of membrane potential, Mengual, R., Sudaka, P. 71:163
—, specificity of the Na^+-dependent monocarboxylic acid transport pathway in rabbit renal brush border membranes, Nord, E.P., Wright, S.H., Kippen, I., Wright, E.M. 72:213
Lactose symport
—, the *lac* carrier protein in *Escherichia coli*, Kaback, H.R. 76:95
Lactose transport
—, transport by reconsitituted lactose carrier from parental and mutant strains of *Escherichia coli*, Seto-Young, D., Bedu, S., Wilson, T.H. 79:185
Lateral diffusion
—, lateral motion of membrane proteins and biological function, Axelrod, D. 75:1
Lateral intercellular spaces
—, ion activities in the lateral intercellular spaces of gallbladder epithelium transporting at low external osmolarities, Zeuthen, T. 76:113
—, morphologic response of the rabbit cortical collecting tubule to peritubular hypotonicity: quantitative examination with differential interference contrast microscopy, Kirk, K.L., DiBona, D.R., Schafer, J.A. 79:53
—, quantitative analysis of the structural events associated with antidiuretic hormone-induced volume reabsorption in the rabbit cortical collecting tubule, Kirk, K.L., Schafer, J.A., DiBona, D.R. 79:65
Leaks
—, effect of volume changes on ouabain-insensitive net outward cation movements in human red cells, Adragna, N.C., Tosteson, D.C. 78:43
Leaky junctions
—, lithium absorption in tight and leaky segments of intestine,

Diamond, J.M., Ehrlich, B.E., Morawski, S.G., Santa Ana, C.A., Fordtran, J.S. 72:153
Lectins
—, interactions of lectins and their saccharide receptors in the *Rhizobium*-legume symbiosis, Dazzo, F.B., Truchet, G.L. 73:1
Lettré cell
—, plasma membrane potential of Lettré cells does not depend on cation gradients but on pumps, Bashford, C.L., Pasternak, C.A. 79:275
Li^+. *see* Lithium
Light-scattering
—, ATP causes a structural change in retinal rod outer segments: disc swelling is not involved, Thacher, S.M. 74:95
Lipid activation
—, solubilization and reconstitution of an anion-sensitive H^+-ATPase from corn roots, Bennett, A.B., Spanswick, R.M. 75:21
Lipid bilayers
—, alterations in phospholipid polymorphism by polyethylene glycol, Boni, L.T., Stewart, T.P., Hui, S.W. 80:91
—, electrical conductivity, transfer of hydrogen ions in lipid bilayer membranes and uncoupling effect induced by pentachlorobenzenethiol (pentachlorothiophenol), Smejtek, P., Jayaweera, A.R., Hsu, K. 76:227
—, monocarboxylic acid permeation through lipid bilayer membranes, Walter, A., Gutknecht, J. 77:255
—, phloretin and phloretin analogs: mode of action in planar lipid bilayers and monolayers, Reyes, F., Greco, F., Motais, R., Latorre, R. 72:93
—, single-length and double-length channels formed by nystatin in lipid bilayer membranes, Kleinberg, M.E., Finkelstein, A. 80:257
Lipid domains
—, thermotropic lipid phase separations in human erythrocyte ghosts and cholesterol-enriched rat liver plasma membranes, Gordon, L.M., Mobley, P.W. 79:75
Lipid monolayers
—, phloretin and phloretin analogs: mode of action in planar lipid bilayers and monolayers, Reyes, F., Greco, F., Motais, R., Latorre, R. 72:93
Lipid phase separation
—, thermotropic lipid phase separations in human erythrocyte ghosts and cholesterol-enriched rat liver plasma membranes, Gordon, L.M., Mobley, P.W. 79:75
—, thermotropic lipid phase separations in human platelet and rat liver plasma membranes, Gordon, L.M., Mobley, P.W., Esgate, J.A., Hofmann, G., Whetton, A.D., Houslay, M.D. 76:139
Lipid-phase transition
—, further photophysical and photochemical characterization of flavins associated with single-shelled vesicles, Schmidt, W. 76:73
Lipid-protein interactions
—, incorporation of the human erythrocyte sialoglycoprotein into recombined membranes containing cholesterol, Yeagle, P.L. 78:201
Liposomes
—, effect of detergents and fusogenic lipids on phospholipid phase transitions, Alonso, A., Goñi, F.M. 71:183
—, *in vitro* effects of vitamin D_3 on the phospholipids of isolated renal brush border membranes, Elgavish, A., Rifkind, J., Sacktor, B. 72:85
Lithium (Li^+)
—, cellular Li^+ opens paracellular path in toad skin: amiloride blockable effect, Aboulafia, J., Sanioto, S.M.L., Lacaz-Vieira, F. 74:59
—, lithium absorption in tight and leaky segments of intestine, Diamond, J.M., Ehrlich, B.E., Morawski, S.G., Santa Ana, C.A., Fordtran, J.S. 72:153
—, lithium's inhibition of erythrocyte cation countertransport involves a slow process in the erythrocyte, Ehrlich, B.E., Diamond, J.M., Fry, V., Meier, K. 75:233
—, Na^+, Li^+, and Cl^- transport by brush border membranes from rabbit jejunum, Gunther, R.D., Wright, E.M. 74:85
—, sulfate influx across the rabbit ileal brush border membrane: sodium and proton dependence, and substrate specificities, Langridge-Smith, J.E., Sellin, J.H., Field, M. 72:131
Liver plasma membranes
—, thermotropic lipid phase separations in human erythrocyte ghosts and cholesterol-enriched rat liver plasma membranes, Gordon, L.M., Mobley, P.W. 79:75
—, thermotropic lipid phase separations in human platelet and rat liver plasma membranes, Gordon, L.M., Mobley, P.W., Esgate, J.A., Hofmann, G., Whetton, A.D., Houslay, M.D. 76:139
Llama
—, the band 3-rich membrane of llama erythrocytes: studies on cell shape and the organization of membrane protein, Khodadad, J.K., Weinstein, R.S. 72:161
Locust rectum
—, KCl transport across an insect epithelium: I. tracer fluxes and the effects of ion substitutions, Hanrahan, J.W., Phillips, J.E. 80:15
Loop diuretic
—, inhibition of chloride secretion by furosemide in canine tracheal epithelium, Welsh, M.J. 71:219
"Loop diuretics"
—, presence of a sodium-potassium chloride cotransport system in the rectal gland of *Squalus acanthias*, Hannafin, J., Kinne-Saffran, E., Friedman, D., Kinne, R. 75:73
Lung
—, preparation of a human lung purified plasma membrane fraction: confirmation by enzyme markers, electron microscopy, and histamine H_1 receptor binding, Casale, T.B., Friedman, M., Parada, N., Plekes, J., Kaliner, M. 79:33
Magnesium (Mg^{2+})-ATPase
—, effect of Na_3VO_4 and membrane potential on the structure of sarcoplasmic reticulum membrane, Beeler, T.J., Dux, L., Martonosi, A.N. 78:73
Magnesium transport
—, magnesium transport across cell membranes, Flatman, P.W. 80:1
Mammalian muscle
—, slow potential changes in mammalian muscle fibers during prolonged hyperpolarization: transport number effects and chloride depletion, Barry, P.H., Dulhunty, A.F. 78:235
Mammalian urinary bladder
—, studies of sodium channels in rabbit urinary bladder by noise analysis, Lewis, S.A., Ifshin, M.S., Loo, D.D.F., Diamond, J.M. 80:135
Manganese (Mn) current
—, characteristics of manganese current and its comparison with currents carried by other divalent cations in snail soma membranes, Akaike, N., Nishi, K., Oyama, Y. 76:289
Manic-depressive illness
—, lithium's inhibition of erythrocyte cation countertransport involves a slow process in the erythrocyte, Ehrlich, B.E., Diamond, J.M., Fry, V., Meier, K. 75:233

Mast cells
—, enhanced incorporation of fatty acid into phosphatidyl choline that parallels histamine discharge in mast cells, Castle, J.D., Castle, A.M., Ma, A.K., Stukenbrok, H. 79:215
Maturation
—, regulatory changes of membrane transport and ouabain binding during progesterone-induced maturation of *Xenopus* oocytes, Richter, H.-P., Jung, D., Passow, H. 79:203
MDCK cells
—, effect of temperature on the occluding junctions of monolayers of epithelioid cells (MDCK), González-Mariscal, L., Chávez de Ramírez, B., Cereijido, M. 79:175
MDCK monolayers
—, electrical properties of cultured epithelioid cells (MDCK), Stefani, E., Cereijido, M. 73:117
Medullary thick ascending limb
—, effects of antidiuretic hormone on cellular conductive pathways in mouse medullary thick ascending limbs of Henle: I. ADH increases transcellular conductance pathways, Hebert, S.C., Friedman, P.A., Andreoli, T.E. 80:201
—, effects of antidiuretic hormone on cellular conductive pathways in mouse medullary thick ascending limbs of Henle: II. determinants of the ADH-mediated increases in transepithelial voltage and in net Cl^- absorption, Hebert, S.C., Andreoli, T.E. 80:221
Meiosis
—, biochemical correlates of progesterone-induced plasma membrane depolarization during the first meiotic division in *Rana* oocytes, Morrill, G.A., Ziegler, D.H., Kunar, J., Weinstein, S.P., Kostellow, A.B. 77:201
Membrane bioenergetics
—, hydrogen bonded chain mechanisms for proton conduction and proton pumping, Nagle, J.F., Tristram-Nagle, S. 74:1
Membrane breakdown
—, electric field-induced breakdown of lipid bilayers and cell membranes: a thin viscoelastic film model, Dimitrov, D.S. 78:53
Membrane capacitance
—, electrical properties of cultured epithelioid cells (MDCK), Stefani, E., Cereijido, M. 73:117
—, electrophysiology of *Necturus* urinary bladder: II. time-dependent current-voltage relations of the basolateral membranes, Schultz, S.G., Thompson, S.M., Hudson, R., Thomas, S.R., Suzuki, Y. 79:257
—, impedance of the electrogenic Cl^- pump in *Acetabularia:* electrical frequency entrainements, voltage sensitivity, and reaction kinetic interpretation, Tittor, J., Hansen, U.-P., Gradmann, D. 75:129
Membrane conductance
—, the total electrostatic potential in a gramicidin channel, Jordan, P.C. 78:91
Membrane conductivity
—, electrical conductivity, transfer of hydrogen ions in lipid bilayer membranes and uncoupling effect induced by pentachlorobenzenethiol (pentachlorothiophenol), Smejtek, P., Jayaweera, A.R., Hsu, K. 76:227
Membrane curvature
—, effects of divalent cations, temperature, osmotic pressure gradient, and vesicle curvature on phosphatidylserine vesicle fusion, Ohki, S. 77:265
Membrane fluidity
—, effects of alcohols on ADP-induced aggregation and membrane fluidity of gel-filtered bovine blood platelets, Kitagawa, S., Shinohara, T., Kametani, F. 79:97
—, *in vitro* effects of vitamin D_3 on the phospholipids of isolated renal brush border membranes, Elgavish, A., Rifkind, J., Sacktor, B. 72:85
—, lateral motion of membrane proteins and biological function, Axelrod, D. 75:1
Membrane fusion
—, effect of detergents and fusogenic lipids on phospholipid phase transitions, Alonso, A., Goñi, F.M. 71:183
—, study of dynamic membrane phenomena during the gastric secretory cycle: fusion, retrieval and recycling of membranes, Jirón, C., Romano, M., Michelangeli, F. 80:119
Membrane ion transport
—, phloretin and phloretin analogs: mode of action in planar lipid bilayers and monolayers, Reyes, F., Greco, F., Motais, R., Latorre, R. 72:93
Membrane isolation
—, isolation and partial characterization of platelet α-granule membranes, Van der Meulen, J., Furuya, W., Grinstein, S. 71:47
Membrane permeability
—, effect of 3-phenylindole on lipophilic ion and carrier-mediated ion transport across bilayer lipid membranes, Sinha, B.A., Smejtek, P. 71:119
—, the influence of electrochemical gradients of Na^+ and K^+ upon the membrane binding and pore forming activity of the terminal complement proteins, Sims, P.J., Wiedmer, T. 78:169
—, the mechanism of anion transport across human red blood cell membranes as revealed with a fluorescent substrate: I. kinetic properties of NBD-taurine transfer in symmetric conditions, Eidelman, O., Cabantchik, Z.I. 71:141
—, the mechanism of anion transport across human red blood cell membranes as revealed with a fluorescent substrate: II. kinetic properties of NBD-taurine transfer in asymmetric conditions, Eidelman, O., Cabantchik, Z.I. 71:149
—, monocarboxylic acid permeation through lipid bilayer membranes, Walter, A., Gutknecht, J. 77:255
Membrane pore
—, the influence of electrochemical gradients of Na^+ and K^+ upon the membrane binding and pore forming activity of the terminal complement proteins, Sims, P.J., Wiedmer, T. 78:169
Membrane potential
—, cell-to-cell channels with two independently regulated gates in series: analysis of junctional conductance modulation by membrane potential, calcium, and pH, Obaid, A.L., Socolar, S.J., Rose, B. 73:69
—, effect of Na_3VO_4 and membrane potential on the structure of sarcoplasmic reticulum membrane, Beeler, T.J., Dux, L., Martonosi, A.N. 78:73
—, electric field-induced breakdown of lipid bilayers and cell membranes: a thin viscoelastic film model, Dimitrov, D.S. 78:53
—, electrical porperties of cultured epithelioid cells (MDCK), Stefani, E., Cereijido, M. 73:117
—, electrophysiology of a clonal osteoblast-like cell line: evidence for the existence of a Ca^{2+}-activated K^+ conductance, Dixon, S.J., Aubin, J.E., Dainty, J. 80:49
—, electrophysiology of Cl secretion in canine trachea, Shorofsky, S.R., Field, M., Fozzard, H.A. 72:105
—, the influence of electrochemical gradients of Na^+ and K^+ upon the membrane binding and pore forming activity of the terminal complement proteins, Sims, P.J., Wiedmer, T. 78:169
—, intracellular potassium activity measurements in single

proximal tubules of *Necturus* kidney, Kubota, T., Biagi, B.A., Giebisch, G. 73:51
—, membrane potential changes during IgE-mediated histamine release from rat basophilic leukemia cells, Sagi-Eisenberg, R., Pecht, I. 75:97
—, membrane potentials associated with Ca-induced conductance in human red blood cells: studies with a fluorescent oxonol dye, WW 781, Freedman, J.C., Novak, T.S. 72:59
—, phloretin and phloretin analogs: mode of action in planar lipid bilayers and monolayers, Reyes, F., Greco, F., Motais, R., Latorre, R. 72:93
—, plasma membrane potential of Lettré cells does not depend on cation gradients but on pumps, Bashford, C.L., Pasternak, C.A. 79:275
—, sodium and potassium permeability of membrane vesicles in a sarcolemma-enriched preparation from canine ventricle, Schilling, W.P., Schuil, D.W., Bagwell, E.E., Lindenmayer, G.E. 77:101
—, stimulation of a ouabain-sensitive Rb^+ uptake in human erythrocytes with an external electric field, Serpersu, E.H., Tsong, T.Y. 74:191
—, transport by reconstituted lactose carrier from parental and mutant strains of *Escherichia coli*, Seto-Young, D., Bedu, S., Wilson, T.H. 79:185
—, voltage-sensitive calcium flux promoted by vesicles in an isolated cardiac sarcolemma preparation, Schilling, W.P., Lindenmayer, G.E. 79:163
Membrane protein aggregation
—, membrane structure and the tenuously maintained resistance to staining with Nε-dansyl-L-lysine shown by many cells, Humphries, G.M.K., Lovejoy, J.P. 77:115
Membrane proteins
—, cross-linking and cymotryptic digestion of the extracytoplasmic domain of the anion exchange channel in intact human erythrocytes, Staros, J.V., Kakkad, B.P. 74:247
—, detergent sensitivity and splitting of isolated liver gap junctions, Manjunath, C.K., Goings, G.E., Page, E. 78:147
—, incorporation of the human erythrocyte sialoglycoprotein into recombined membranes containing cholesterol, Yeagle, P.L. 78:201
—, lateral motion of membrane proteins and biological function, Axelrod, D. 75:1
—, modification of ultraviolet radiation effects on the membrane of myelinated nerve fibers by sulfhydryl compounds, Hof, D., Fox, J.M. 79:1
Membrane reconstitution
—, cadmium causes vesicle leakage under conditions which favor reconstitution of tissue factor-vesicle complexes, Carson, S.D. 75:123
—, reconstitution of pure acetylcholine receptor in phospholipid vesicles and comparison with receptor-rich membranes by the use of a potentiometric dye, Lüdi, H., Oetliker, H., Brodbeck, U., Ott, P., Schwendimann, B., Fulpius, B.W. 74:75
Membrane recycling
—, study of dynamic membrane phenomena during the gastric secretory cycle: fushion, retrieval and recycling of membranes, Jirón, C., Romano, M., Michelangeli, F. 80:119
Membrane resistance
—, electrical properties of cultured epithelioid cells (MDCK), Stefani, E., Cereijido, M. 73:117
—, electrophysiology of Cl secretion in canine trachea, Shorofsky, S.R., Field, M., Fozzard, H.A. 72:105
Membrane structure
—, incorporation of the human erythrocyte sialoglycoprotein into recombined membranes containing cholesterol, Yeagle, P.L. 78:201
Membrane structure and function
—, *in vitro* effects of vitamin D_3 on the phospholipids of isolated renal brush border membranes, Elgavish, A., Rifkind, J., Sacktor, B. 72:85
Membrane topography
—, arrangement of MP26 in lens junctional membranes: analysis with proteases and antibodies, Keeling, P., Johnson, K., Sas, D., Klukas, K., Donahue, P., Johnson, R. 74:217
Membrane transport
—, kinetic properties of the KCl transport at the secreting apical membrane of the oxyntic cell, Wolosin, J.M., Forte, J.G. 71:195
—, magnesium transport across cell membranes, Flatman, P.W. 80:1
Membrane ultrastructure
—, detergent sensitivity and splitting of isolated liver gap junctions, Manjunath, C.K., Goings, G.E., Page, E. 78:147
Membrane vesicles
—, functional roles of Na^+ and H^+ in SO_4^{2-} transport by rabbit ileal brush border membrane vesicles, Ahearn, G.A., Murer, H. 78:177
—, optical measurements of ΔpH and $\Delta\psi$ in corn root membrane vesicles: kinetic analysis of Cl^- effects on a proton-translocating ATPase, Bennett, A.B., Spanswick, R.M. 71:95
Membranes
—, the band 3-rich membrane of llama erythrocytes: studies on cell shape and the organization of membrane protein, Khodadad, J.K., Weinstein, R.S. 72:161
—, calcium channels of the excitable ciliary membrane from *Paramecium:* an initial biochemical characterization, Thiele, J., Otto, M.K., Deitmer, J.W., Schultz, J.E. 76:253
—, the correlation of composition and morphology during the high to low potassium transition in single erythropoietic cells, Kirk, R.G., Andrews, S.B., Lee, P. 76:281
—, distribution of transport proteins over animal cell membranes, Almers, W., Stirling, C. 77:169
—, effect of a spatially inhomogeneous membrane upon the measured electrical properties of *Chara*, Smith, J.R. 73:185
—, involvement of intracellular calcium in the phosphate efflux from mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Jones, G.J., Pralong, W.F., Straub, R.W. 79:87
—, lateral phase separation of phospholipids as a basis for increased permeability of membranes towards fluorescein and other chemical species, Humphries, G.M.K., Lovejoy, J.P. 80:249
—, membrane conductance of *Chara* measured in the acid and basic zones, Smith, J.R., Walker, N.A. 73:193
—, potassium channels in the membrane of *Hydrodictyon africanum*, Findlay, G.P., Coleman, H.A. 75:241
Membranes, artificial
—, studies on the mechanism of action of channel-forming colicins using artificial membranes, Davidson, V.L., Brunden, K.R., Cramer, W.A., Cohen, F.S. 79:105
Membranes, hindered transport in pores
—, biophysical basis of glomerular permselectivity, Deen, W.M., Bridges, C.R., Brenner, B.M. 71:1
Metabolic regulation
—, optical measurements of ΔpH and $\Delta\psi$ in corn root membrane vesicles: kinetic analysis of Cl^- effects on a proton-translocating ATPase, Bennett, A.B., Spanswick, R.M. 71:95

Methotrexate
—, effects of metabolic deprivation on methotrexate transport in L1210 leukemia cells: further evidence for separate influx and efflux systems with different energetic requirements, Dembo, M., Sirotnak, F.M., Moccio, D.M. 78:9
Mg/Mg^{2+}, *see* Magnesium *entries*
Michaelis constant
—, generalized kinetic analysis of ion-driven cotransport systems: a unified interpretation of selective ionic effects on Michaelis parameters, Sanders, D., Hansen, U.-P., Gradmann, D., Slayman, C.L. 77:123
Microelectrode KCl leakage
—, KCl leakage from microelectrodes and its impact on the membrane parameters of a nonexcitable cell, Blatt, M.R., Slayman, C.L. 72:223
Microelectrodes
—, intracellular activities during volume regulation by *Necturus* gallbladder, Fisher, R.S., Spring, K.R. 78:187
Microvilli
—, association of renal dipeptidase with the Triton-insoluble fraction of kidney microvilli, Kim, H.S., Campbell, B.J. 75:115
Mineralocorticoid receptors
—, effects of thyroid hormones and aldosterone on mineralocorticoid binding sites in the toad bladder, Rossier, B.C., Claire, M., Rafestin-Oblin, M.E., Gaeggeler, H.P., Geering, K. 77:25
Mitochondria
—, the proton-ATPase of bacteria and mitochondria, Senior, A.E., Wise, J.G. 73:105
—, purification of VDAC (voltage-dependent anion-selective channel) from rat liver mitochondria, Colombini, M. 74:115
Mn, *see* Manganese current
Mobility
—, distribution of transport proteins over animal cell membranes, Almers, W., Stirling, C. 77:169
Mollusc neurons
—, two ion-selecting filters in the calcium channel of the somatic membrane of mollusc neurons, Kostyuk, P.G., Mironov, S.L., Shuba, Y.M. 76:83
Monensin
—, stimulation of lymphocyte receptor capping by the ionophore monensin, Bourguignon, L.Y.W., Pressman, B.C. 73:91
Monocarboxylate carrier
—, specificity of the Na^+-dependent monocarboxylic acid transport pathway in rabbit renal brush border membranes, Nord, E.P., Wright, S.H., Kippen, I., Wright, E.M. 72:213
Monoclonal antibodies
—, the *lac* carrier protein in *Escherichia coli*, Kaback, H.R. 76:95
—, monoclonal antibodies modify acetylcholine-induced ionic channel properties in cultured chick myoballs, Goldberg, G., Mochly-Rosen, D., Fuchs, S., Lass, Y. 76:123
Monosaccharide carrier
—, transport of an anionic substrate by the H^+/monosaccharide symport in *Rhodotorula gracilis:* only the protonated form of the carrier is catalytically active, Niemietz, C., Höfer, M. 80:235
Mouse islet
—, pH modulation of glucose-induced electrical acitivty in B-cells: involvement of Na/H and HCO_3/Cl antiporters, Pace, C.S., Tarvin, J.T. 73:39
Mugil cephalus
—, proton-coupled L-lysine uptake by renal brush border membrane vesicles from mullet *Mugil cephalus*, Lee, S.-H., Pritchard, J.B. 75:171
Multiple occupancy
—, multioccupancy models for single filing ionic channels: theoretical behavior of a four-site channel with three barriers separating the sites, Sandblom, J., Eisenman, G., Hägglund, J. 71:61
Multiple sclerosis
—, is the myelin membrane abnormal in multiple sclerosis?, Wood, D.D., Moscarello, M.A. 79:195
Multistate transitions
—, a kinetic study of the opening and closing properties of the hemocyanin channel in artificial lipid bilayer membranes, Menestrina, G., Maniacco, D., Antolini, R. 71:173
Muscle
—, distribution of transport proteins over animal cell membranes, Almers, W., Stirling, C. 77:169
—, ion conductances of the surface and transverse tubular membranes of skeletal muscle, Moore, L.E., Tsai, T.D. 73:217
Mutants
—, calcium channels of the excitable ciliary membrane from *Paramecium:* an initial biochemical characterization, Thiele, J., Otto, M.K., Deitmer, J.W., Schultz, J.E. 76:253
Myelin structure
—, is the myelin membrane abnormal in multiple sclerosis?, Wood, D.D., Moscarello, M.A. 79:195
Na/Na^+, *see* Sodium *entries*
$NaSo_4^-$ ion pair
—, sulfate influx across the rabbit ileal brush border membrane: sodium and proton dependence, and substrate specificities, Langridge-Smith, J.E., Sellin, J.H., Field, M. 72:131
Necturus gallbladder
—, intracellular chloride activity and apical membrane chloride conductance in *Necturus* gallbladder, Garcia-Diaz, J.F., Corcia, A., Armstrong, W.McD. 73:145
Necturus proximal tubule
—, chloride transport across the basolateral cell membrane of the *Necturus* proximal tubule: dependence on bicarbonate and sodium, Guggino, W.B., London, R., Boulpaep, E.L., Giebisch, G. 71:227
—, electrical effects of potassium and bicarbonate on proximal tubule cells of *Necturus*, Matsumura, Y., Cohen, B., Guggino, W.B., Giebisch, G. 79:145
—, intracellular potassium activity measurements in single proximal tubules of *Necturus* kidney, Kubota, T., Biagi, B.A., Giebisch, G. 73:51
—, regulation of intracellular chloride activity during perfusion with hypertonic solutions in the *Necturus* proximal tubule, London, R., Cohen, B., Guggino, W.B., Giebisch, G. 75:253
—, regulation of the basolateral potassium conductance of the *Necturus* proximal tubule, Matsumura, Y., Cohen, B., Guggino, W.B., Giebisch, G. 79:153
Necturus small intestine
—, effects of Na-coupled alanine transport on intracellular K activities and the K conductance of the basolateral membranes of *Necturus* small intestine, Grasset, E., Gunter-Smith, P., Schultz, S.G. 71:89
Necturus urinary bladder; *see also* Urinary bladder
—, electrophysiology of *Necturus* urinary bladder: II. time-dependent current-voltage relations of the basolateral membranes, Schultz, S.G., Thompson, S.M., Hudson, R., Thomas, S.R., Suzuki, Y. 79:257

Nerve
—, distribution of transport proteins over animal cell membranes, Almers, W., Stirling, C. 77:169
Nerve fibers
—, involvement of intracellular calcium in the phosphate efflux from mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Jones, G.J., Pralong, W.F., Straub, R.W. 79:87
Neuron
—, characteristics of manganese current and its comparison with currents carried by other divalent cations in snail soma membranes, Akaike, N., Nishi, K., Oyama, Y. 76:289
Neurospora
—, KCl leakage from microelectrodes and its impact on the membrane parameters of a nonexcitable cell, Blatt, M.R., Slayman, C.L. 72:223
Nitella
—, hydraulic conductivity of *Nitella* cells using the intracellular perfusion technique, Spyropoulos, C.S. 76:17
NMR studies
—, water exchange through erythrocyte membranes: nuclear magnetic resonance studies on the effects of inhibitors and of chemical modification of human membranes, Benga, G., Pop, V.I., Popescu, O., Ionescu, M., Mihele, V. 76:129
Node of Ranvier
—, modification of ultraviolet radiation effects on the membrane of myelinated nerve fibers by sulfhydryl compounds, Hof, D., Fox, J.M. 79:1
Noncompetitive
—, apparent noncompetitive inhibition of choline transport in erythrocytes by inhibitors bound at the substrate site, Devés, R., Krupka, R.M. 74:183
—, the kinetics of transport inhibition by noncompetitive inhibitors, Krupka, R.M. 74:175
Nonelectrolyte permeability
—, single-length and double-length channels formed by nystatin in lipid bilayer membranes, Kleinberg, M.E., Finkelstein, A. 80:257
Nonidentical influx, efflux routes
—, effects of metabolic deprivation on methotrexate transport in L1210 leukemia cells: further evidence for separate influx and efflux systems with different energetic requirements, Dembo, M., Sirotnak, F.M., Moccio, D.M. 78:9
Nonsteady-state kinetic models
—, interpretation of current-voltage relationships for "active" ion transport systems: II. nonsteady-state reaction kinetic analysis of Class-I mechanisms with one slow time-constant, Hansen, U.-P., Tittor, J., Gradmann, D. 75:141
5′Nucleotidase
—, preparation of a human lung purified plasma membrane fraction: confirmation by enzyme markers, electron microscopy, and histamine H_1 receptor binding, Casale, T.B., Friedman, M., Parada, N., Plekes, J., Kaliner, M. 79:33
Null point technique
—, microelectrode study of K^+ accumulation by tight epithelia: I. baseline values of split frog skin and toad urinary bladder, DeLong, J., Civan, M.M. 72:183
Nystatin
—, current-voltage relations of the basolateral membrane in tight amphibian epithelia: use of nystatin to depolarize the apical membrane, Garty, H. 77:213
Occluding junctions
—, effect of temperature on the occluding junctions of monolayers of epithelioid cells (MDCK), González-Mariscal, L., Chávez de Ramírez, B., Cereijido, M. 79:175
Oligomer
—, oligomeric structure and the anion transport function of human erythrocyte band 3 protein, Jennings, M.L. 80:105
Oocyte
—, regulatory changes of membrane transport and ouabain binding during progesterone-induced maturation of *Xenopus* oocytes, Richter, H.-P., Jung, D., Passow, H. 79:203
—, sodium-alanine cotransport in oocytes of *Xenopus laevis:* correlation of alanine and sodium fluxes with potential and current changes, Jung, D., Schwarz, W., Passow, H. 78:29
Optical monitoring
—, optical evidence for calcium-action potentials in early embryonic precontractile chick heart using a potential-sensitive dye, Sakai, T., Fujii, S., Hirota, A., Kamino, K. 72:205
Organic anions
—, plasma membrane potential of Lettré cells does not depend on cation gradients but on pumps, Bashford, C.L., Pasternak, C.A. 79:275
Organization
—, the band 3-rich membrane of llama erythrocytes: studies on cell shape and the organization of membrane protein, Khodadad, J.K., Weinstein, R.S. 72:161
Osmolarity
—, ion activities in the lateral intercellular spaces of gallbladder epithelium transporting at low external osmolarities, Zeuthen, T. 76:113
Osmoregulation
—, ionic regulation of the unicellular green alga *Dunaliella tertiolecta:* response to hypertonic shock, Ehrenfeld, J., Cousin, J.-L. 77:45
Osmosis
—, hydrualic conductivity of *Nitella* cells using the intracellular perfusion technique, Spyropoulos, C.S. 76:17
Osmotic gradient
—, effects of an outward water flow on potassium currents in a squid giant axon, Kukita, F., Yamagishi, S. 75:33
Osmotic permeability
—, the single file hypothesis and the water channels induced by antidiuretic hormone, Parisi, M., Bourguet, J. 71:189
Osmotic pressure gradient
—, effects of divalent cations, temperature, osmotic pressure gradient, and vesicle curvature on phosphatidylserine vesicle fusion, Ohki, S. 77:265
Osmotic swelling
—, osmotic changes of sarcoplasmic reticulum vesicles during Ca^{2+} uptake, Beeler, T. 76:165
Osteoblasts
—, electrophysiology of a clonal osteoblast-like cell line: evidence for the existence of a Ca^{2+}-activated K^+ conductance, Dixon, S.J., Aubin, J.E., Dainty, J. 80:49
Ouabain
—, intracellular activities during volume regulation by *Necturus* gallbladder, Fisher, R.S., Spring, K.R. 78:187
—, intracellular potassium activity measurements in single proximal tubules of *Necturus* kidney, Kubota, T., Biagi, B.A., Giebisch, G. 73:51
—, microelectrode study of K^+ accumulation by tight epithelia: II. effect of inhibiting transepithelial Na^+ transport on reaccumulation following depletion, DeLong, J., Civan, M.M. 74:155
—, Na^+-K^+ pump activity and the glucose-stimulated Ca^{2+}-sensitive K^+ permeability in the pancreatic B-cell, Lebrun, P., Malaisse, W.J., Herchuelz, A. 74:67
—, regulatory changes of membrane transport and ouabain

binding during progesterone-induced maturation of *Xenopus* oocytes, Richter, H.-P., Jung, D., Passow, H. 79:203
Ouabain binding
—, ouabain binding in rectal gland of *Squalus acanthias*, Silva, P., Epstein, J.A., Stevens, A., Spokes, K., Epstein, F.H. 75:105
Ouabain-resistant
—, Rb^+ influxes differentiate between growth arrest of cells by different agents, Panet, R., Fromer, I., Alayoff, A. 75:219
Ouabain-resistant cation transport
—, role of the furosemide-sensitive Na^+/K^+ transport system in determining the steady-state Na^+ and K^+ content and volume of human erythrocytes *in vitro* and *in vivo*, Duhm, J., Göbel, B.O. 77:243
Oaubain-sensitive
—, Rb^+ influxes differentiate between growth arrest of cells by different agents, Panet, R., Fromer, I., Alayoff, A. 75:219
Outer membrane
—, purification of VDAC (voltage-dependent anion-selective channel) from rat liver mitochondria, Colombini, M. 74:115
Oxonol
—, membrane potentials associated with Ca-induced conductance in human red blood cells: studies with a fluorescent oxonol dye, WW 781, Freedman, J.C., Novak, T.S. 72:59
Oxonol-V
—, plasma membrane potential of Lettré cells does not depend on cation gradients but on pumps, Bashford, C.L., Pasternak, C.A. 79:275
Oxygen consumption
—, glucose-dependent respiration in suspensions of rabbit cortical tubules, Gullans, S.R., Harris, S.I., Mandel, L.J. 78:257
Oxyntic cell
—, kinetic properties of the KCl transport at the secreting apical membrane of the oxyntic cell, Wolosin, J.M., Forte, J.G. 71:195
—, study of dynamic membrane phenomena during the gastric secretory cycle: fusion, retrieval and recycling of membranes, Jirón, C., Romano, M., Michelangeli, F. 80:119
^{31}P NMR
—, alterations in phospholipid polymorphism by polyethylene glycol, Boni, L.T., Stewart, T.P., Hui, S.W. 80:91
—, ^{31}P and ^{19}F MNR studies of glycophorin-reconstituted membranes: preferential interaction of glycophorin with phosphatidylserine, Ong, R.L. 78:1
Pancreas
—, localization of ATP-dependent calcium transport activity in mouse pancreatic microsomes, Preissler, M., Williams, J.A. 73:137
Pancreatic acinar cells
—, control of K^+ conductance by cholecystokinin and Ca^{2+} in single pancreatic acinar cells studied by the patch-clamp technique, Maruyama, Y., Petersen, O.H. 79:293
Pancreatic B-cell
—, Na^+-K^+ pump activity and the glucose-stimulated Ca^{2+}-sensitive K^+ permeability in the pancreatic B-cell, Lebrun, P., Malaisse, W.J., Herchuelz, A. 74:67
Paracellular Cl^- influx
—, different sodium chloride cotransport systems in the apical membrane of rabbit gallbladder epithelial cells, Cremaschi, D., Meyer, G., Bermano, S., Marcati, M. 73:227
Paracellular pathway
—, cellular and paracellular pathway resistances in the "tight" Cl^--secreting epithelium of rabbit cornea, Marshall, W.S., Klyce, S.D. 73:275
—, cellular Li^+ opens paracellular path in toad skin: amiloride blockable effect, Aboulafia, J., Sanioto, S.M.L., Lacaz-Vieira, F. 74:59
—, partitioning of paracellular conductance along the ileal crypt-villus axis: a hypothesis based on structural analysis with detailed consideration of tight junction structure-function relationships, Marcial, M.A., Carlson, S.L., Madara, J.L. 80:59
Paramecium
—, calcium channels of the excitable ciliary membrane from *Paramecium*: an initial biochemical characterization, Thiele, J., Otto, M.K., Deitmer, J.W., Schultz, J.E. 76:253
Parotid
—, isolation and compositional analysis of secretion granules and their membrane subfraction from the rat parotid gland, Cameron, R.S., Castle, J.D. 79:127
Partition coefficient
—, monocarboxylic acid permeation through lipid bilayer membranes, Walter, A., Gutknecht, J. 77:255
Passive K/Cl transport
—, thiol-dependent passive K/Cl transport in sheep red cells: I. dependence on chloride and external K^+ [Rb^+] ions, Lauf, P.K. 73:237
—, thiol-dependent passive K/Cl transport in sheep red cells: II. loss of Cl^- and N-ethylmaleimide sensitivity in maturing high K^+ cells, Lauf, P.K. 73:247
—, thiol-dependent passive K/Cl transport in sheep red cells: III. differential reactivity of membrane SH groups with N-ethylmaleimide and iodoacetamide, Bauer, J., Lauf, P.K. 73:257
Patch clamp
—, control of K^+ conductance by cholecystokinin and Ca^{2+} in single pancreatic acinar cells studied by the patch-clamp technique, Maruyama, Y., Petersen, O.H. 79:293
—, single channel K^+ currents from HeLa cells, Sauvé, R., Roy, G., Payet, D. 74:41
PCMB
—, chemical stimulation of Na transport through amiloride-blockable channels of frog skin epithelium, Li, J.H.-Y., Lindemann, B. 75:179
Pentachlorobenzenethiol
—, electrical conductivity, transfer of hydrogen ions in lipid bilayer membranes and uncoupling effect induced by pentachlorobenzenethiol (pentachlorothiophenol), Smejtek, P., Jayaweera, A.R., Hsu, K. 76:227
Pentachlorothiophenol
—, electrical conductivity, transfer of hydrogen ions in lipid bilayer membranes and uncoupling effect induced by pentachlorobenzenethiol (pentachlorothiophenol), Smejtek, P., Jayaweera, A.R., Hsu, K. 76:227
Permeability
—, effect of deuterium oxide on junctional membrane channel permeability, Brink, P.R. 71:79
—, hydraulic conductivity of *Nitella* cells using the intracellular perfusion technique, Spyropoulos, C.S. 76:17
—, influence of surface charge and transmembrane potential on rubidium-86 efflux of human red blood cells, Bernhardt, I., Donath, E., Glaser, R. 78:249
—, ionic selectivity revisited: the role of kinetic and equilibrium processes in ion permeation through channels, Eisenman, G., Horn, R. 76:197
—, lateral phase separation of phospholipids as a basis for increased permeability of membranes towards fluorescein and other chemical species, Humphries, G.M.K., Lovejoy, J.P. 80:249

Permeability ratios
—, ionic selectivity of the paracellular shunt path across rabbit corneal endothelium, Lim, J.J., Liebovitch, L.S., Fischbarg, J. 73:95
Permeability transients
—, mechanism of Cl^- efflux bursts in *Acetabularia:* vesicle release *versus* permeability transients, Gradmann, D., Mummert, H. 78:81
pH
—, cell-to-cell channels with two independently regulated gates in series: analysis of junctional conductance modulation by membrane potential, calcium, and pH, Obaid, A.L., Socolar, S.J., Rose, B. 73:69
—, effect of bicarbonate, pH, methazolamide and stilbenes on the intracellular potentials of cultured bovine corneal endothelial cells, Jentsch, T.J., Koch, M., Bleckmann, H., Wiederholt, M. 78:103
—, effects of acid base disturbances on basolateral membrane potential and intracellular potassium activity in the proximal tubule of *Necturus*, Kubota, T., Biagi, B.A., Giebisch, G. 73:61
—, membrane conductance of *Chara* measured in the acid and basic zones, Smith, J.R., Walker, N.A. 73:193
—, Na^+, Li^+, and Cl^- transport by brush border membranes from rabbit jejunum, Gunther, R.D., Wright, E.M. 74:85
pH alkalization
—, X-ray microanalysis of elements in frozen-hydrated sections of an electrogenic K^+ transport system: the posterior midgut of tobacco hornworm (*Manduca sexta*) *in vivo* and *in vitro*, Dow, J.A.T., Gupta, B.L., Hall, T.A., Harvey, W.R. 77:223
pH banding
—, effect of a spatially inhomogeneous membrane upon the measured electrical properties of *Chara*, Smith, J.R. 73:185
pH dependence
—, sulfate influx across the rabbit ileal brush border membrane: sodium and proton dependence, and substrate specificities, Langridge-Smith, J.E., Sellin, J.H., Field, M. 72:131
pH gradient
—, transport by reconstituted lactose carrier from parental and mutant strains of *Escherichia coli*, Seto-Young, D., Bedu, S., Wilson, T.H. 79:185
pH membrane potentials
—, intracellular chloride activity and apical membrane chloride conductance in *Necturus* gallbladder, Garcia-Diaz, J.F., Corcia, A., Armstrong, W.McD. 73:145
pH regulation
—, control of Cl^- influx in *Chara* by internal pH, Reid, R.J., Walker, N.A. 78:157
—, H^+ transport and the regulation of intracellular pH in Ehrlich ascites tumor cells, Bowen, J.W., Levinson, C. 79:7
Phase transition
—, alterations in phospholipid polymorphism by polyethylene glycol, Boni, L.T., Stewart, T.P., Hui, S.W. 80:91
3-Phenylindole
—, effect of 3-phenylindole on lipophilic ion and carrier-mediated ion transport across bilayer lipid membranes, Sinha, B.A., Smejtek, P. 71:119
Phloretin
—, phloretin and phloretin analogs: mode of action in planar lipid bilayers and monolayers, Reyes, F., Greco, F., Motais, R., Latorre, R. 72:93
Phlorizin
—, glucose-dependent respiration in suspensions of rabbit cortical tubules, Gallans, S.R., Harris, S.I., Mandel, L.J. 78:257
Phosphate
—, involvement of intracellular calcium in the phosphate efflux from mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Jones, G.J., Pralong, W.F., Straub, R.W. 79:87
Phosphatidylcholine
—, *in vitro* effects of vitamin D_3 on the phospholipids of isolated renal brush border membranes, Elgavish, A., Rifkind, J., Sacktor, B. 72:85
—, ^{31}P and ^{19}F NMR studies of glycophorin-reconstituted membranes: preferential interaction of glycophorin with phosphatidylserine, Ong, R.L. 78:1
Phosphatidylethanolamine
—, ^{31}P and ^{19}F NMR studies of glycophorin-reconstituted membranes: preferential interaction of glycophorin with phosphatidylserine, Ong, R.L. 78:1
Phosphatidylserine
—, ^{31}P and ^{19}F NMR studies of glycophorin-reconstituted membranes: preferential interaction of glycophorin with phosphatidylserine, Ong, R.L. 78:1
Phospholipid
—, biochemical correlates of progesterone-induced plasma membrane depolarization during the first meiotic division in *Rana* oocytes, Morrill, G.A., Ziegler, D.H., Kunar, J., Weinstein, S.P., Kostellow, A.B. 77:201
Phospholipid domains
—, lateral phase separation of phospholipids as a basis for increased permeability of membranes towards fluorescein and other chemical species, Humphries, G.M.K., Lovejoy, J.P. 80:249
—, membrane structure and the tenuously maintained resistance to staining with Nε-dansyl-L-lysine shown by many cells, Humphries, G.M.K., Lovejoy, J.P. 77:115
Phospholipid labeling
—, enhanced incorporation of fatty acid into phosphatidyl choline that parallels histamine discharge in mast cells, Castle, J.D., Castle, A.M., Ma, A.K., Stukenbrok, H. 79:215
Phospholipid vesicles
—, reconstitution of pure acetylcholine receptor in phospholipid vesicles and comparison with receptor-rich membranes by the use of a potentiometric dye, Lüdi, H., Oetliker, H., Brodbeck, U., Ott, P., Schwendimann, B., Fulpius, B.W. 74:75
Phosphorylation
—, biochemical correlates of progesterone-induced plasma membrane depolarization during the first meiotic division in *Rana* oocytes, Morrill, G.A., Ziegler, D.H., Kunar, J., Weinstein, S.P., Kostellow, A.B. 77:201
Photo-pH
—, further photophysical and photochemical characterization of flavins associated with single-shelled vesicles, Schmidt, W. 76:73
Photoreduction
—, further photophysical and photochemical characterization of flavins associated with single-shelled vesicles, Schmidt, W. 76:73
Photosynthesis
—, evidence against H^+-HCO_3^- symport as the mechanism for HCO_3^- transport in the cyanobacterium *Anabaena variabilis*, Zenvirth, D., Volokita, M., Kaplan, A. 79:271

Pituitary cells
—, regulation of excitation-secretion coupling by thyrotropin-releasing hormone (TRH): evidence for TRH receptor-ion channel coupling in cultured pituitary cells, Kaczorowski, G.J., Vandlen, R.L., Katz, G.M., Reuben, J.P. 71:109
Planar bilayer membrane
—, a kinetic study of the opening and closing properties of the hemocyanin channel in artificial lipid bilayer membranes, Menestrina, G., Maniacco, D., Antolini, R. 71:173
Plant microbiology
—, interactions of lectins and their saccharide receptors in the *Rhizobium*-legume symbiosis, Dazzo, F.B., Truchet, G.L. 73:1
Plant plasma membrane
—, characterization of native and reconstituted plasma membrane H^+-ATPase from the plasma membrane of *Beta vulgaris*, O'Neill, S.D., Spanswick, R.M. 79:245
—, solubilization and reconstitution of a vanadate-sensitive H^+-ATPase from the plasma membrane of *Beta vulgaris*, O'Neill, S.D., Spanswick, R.M. 79:231
Plant root cells
—, chloride accumulation in plant cells as a homeostatic system: energy supply as a dependent variable, Cram, W.J. 74:51
Plasma membrane
—, biochemical correlates of progesterone-induced plasma membrane depolarization during the first meiotic division in *Rana* oocytes, Morrill, G.A., Ziegler, D.H., Kunar, J., Weinstein, S.P., Kostellow, A.B. 77:201
—, preparation of a human lung purified plasma membrane fraction: confirmation by enzyme markers, electron microscopy, and histamine H_1 receptor binding, Casale, T.B., Friedman, M., Parada, N., Plekes, J., Kaliner, M. 79:33
Plasma membrane (Ca^{2+})-ATPase
—, plasma membrane (Mg^{2+})-dependent adenosine triphosphatase from the human erythrocyte is not an ion pump, Forgac, M., Cantley, L. 80:185
Plasma membrane (Mg^{2+})-ATPase
—, plasma membrane (Mg^{2+})dependent adenosine triphosphatase from the human erythrocyte is not an ion pump, Forgac, M., Cantley, L. 80:185
Platelet acid phosphatase
—, thermotropic lipid phase separations in human platelet and rat liver plasma membranes, Gordon, L.M., Mobley, P.W., Esgate, J.A., Hofmann, G., Whetton, A.D., Houslay, M.D. 76:139
Platelet aggregation
—, effects of alcohols on ADP-induced aggregation and membrane fluidity of gel-filtered bovine blood platelets, Kitagawa, S., Shinohara, T., Kametani, F. 79:97
Platelet membranes
—, microenvironment changes of human blood platelet membranes associated with fibrinogen binding, Kowalska, M.A., Cierniewski, C.S. 75:57
Platelet plasma membranes
—, thermotropic lipid phase separations in human platelet and rat liver plasma membranes, Gordon, L.M., Mobley, P.W., Esgate, J.A., Hofmann, G., Whetton, A.D., Houslay, M.D. 76:139
Platelets
—, isolation and partial characterization of platelet α-granule membranes, Van der Meulen, J., Furuya, W., Grinstein, S. 71:47
Polyene antibiotics
—, single-length and double-length channels formed by nystatin in lipid bilayer membranes, Kleinberg, M.E., Finkelstein, A. 80:257
Polyethylene glycol
—, alterations in phospholipid polymorphism by polyethylene glycol, Boni, L.T., Stewart, T.P., Hui, S.W. 80:91
Potassium (K/K^+)
—, partial requirements for *in vitro* survival of human red blood cells, Freedman, J.C. 75:225
—, single channel K^+ currents from HeLa cells, Sauvé, R., Roy, G., Payet, D. 74:41
Potassium activity
—, intracellular potassium activity measurements in single proximal tubules of *Necturus* kidney, Kubota, T., Biagi, B.A., Giebisch, G. 73:51
Potassium ATPase
—, X-ray microanalysis of elements in frozen-hydrated sections of an electrogenic K^+ transport system: the posterior midgut of tobacco hornworm (*Manduca sexta*) *in vivo* and *in vitro*, Dow, J.A.T., Gupta, B.L., Hall, T.A., Harvey, W.R. 77:223
Potassium channel
—, characterization of a monovalent cation-selective channel of mammalian cardiac muscle sarcoplasmic reticulum, Tomlins, B., Williams, A.J., Montgomery, R.A.P. 80:191
—, control of K^+ conductance by cholecystokinin and Ca^{2+} in single pancreatic acinar cells studied by the patch-clamp technique, Maruyama, Y., Petersen, O.H. 79:293
—, effects of an outward water flow on potassium currents in a squid giant axon, Kukita, F., Yamagishi, S. 75:33
—, the interaction of "K^+-like" cations with the apical K^+ channel in frog skin, Zeiske, W., Van Driessche, W. 76:57
—, potassium channels in the membrane of *Hydrodictyon africanum*, Findlay, G.P., Coleman, H.A. 75:241
—, regulation of excitation-secretion coupling by thyrotropin-releasing hormone (TRH): evidence for TRH receptor-ion channel coupling in cultured pituitary cells, Kaczorowski, G.J., Vandlen, R.L., Katz, G.M., Reuben, J.P. 71:109
—, voltage-dependent interaction of barium and cesium with the potassium conductance of the cortical collecting duct apical cell membrane, O'Neil, R.G. 74:165
Potassium chemical potential
—, KCl cotransport: a mechanism for basolateral chloride exit in *Necturus* gallbladder, Corcia, A., Armstrong, W. McD. 76:173
Potassium/chloride transport
—, thiol-dependent passive K/Cl transport in sheep red cells: IV. furosemide inhibition as a function of external Rb^+, Na^+, and Cl^-, Lauf, P.K. 77:57
Potassium conductance
—, chloride secretion by canine tracheal epithelium: IV. basolateral membrane K permeability parallels secretion rate, Smith, P.L., Frizzell, R.A. 77:187
—, effects of antidiuretic hormone on cellular conductive pathways in mouse medullary thick ascending limbs of Henle: I. ADH increases transcellular conductance pathways, Hebert, S.C., Friedman, P.A., Andreoli, T.E. 80:201
—, effects of antidiuretic hormone on cellular conductive pathways in mouse medullary thick ascending limbs of Henle: II. determinants of the ADH-mediated increases in transepithelial voltage and in net Cl^- absorption, Hebert, S.C., Andreoli, T.E. 80:221
—, intracellular potassium activity measurements in single

proximal tubules of *Necturus* kidney, Kubota, T., Biagi, B.A., Giebish, 73:51
—, regulation of the basolateral potassium conductance of the *Necturus* proximal tubule, Matsumura, Y., Cohen, B., Guggino, W.B., Giebisch, G. 79:153
—, voltage-dependent interaction of barium and cesium with the potassium conductance of the cortical collecting duct apical cell membrane, O'Neil, R.G. 74:165
Potassium-dependent Cl absorption
—, KCl transport across an insect epithelium: I. tracer fluxes and the effects of ion substitutions, Hanrahan, J.W., Phillips, J.E., 80:15
Potassium permeability
—, sodium and potassium permeability of membrane vesicles in a sarcolemma-enriched preparation from canine ventricle, Schilling, W.P., Schuil, D.W., Bagwell, E.E., Lindenmayer, G.E. 77:101
Potassium/potassium exchange
—, role of the furosemide-sensitive Na^+/K^+ transport system in determining the steady-state Na^+ and K^+ content and volume of human erythrocytes *in vitro* and *in vivo*, Duhm, J., Göbel, B.O. 77:243
Potassium-stimulated Cl transport
—, KCl transport across an insect epithelium: II. electrochemical potentials and electrophysiology, Hanrahan, J.W., Phillips, J.E. 80:27
Potassium transport
—, current-voltage relations of the basolateral membrane in tight amphibian epithelia: use of nystatin to depolarize the apical membrane, Garty, H. 77:213
—, voltage-dependent interaction of barium and cesium with the potassium conductance of the cortical collecting duct apical cell membrane, O'Neil, R.G. 74:165
Potential-sensitive cyanine dye
—, ion permeability of rabbit intestinal brush border membrane vesicles, Gunther, R.D., Schell, R.E., Wright, E.M. 78:119
Potential-sensitive dye
—, optical evidence for calcium-action potentials in early embryonic precontractile chick heart using a potential-sensitive dye, Sakai, T., Fujii, S., Hirota, A., Kamono, K. 72:205
Pressure
—, hydraulic conductivity of *Nitella* cells using the intracellular perfusion technique, Spyropoulos, C.S. 76:17
Pressure probe
—, determination of permeability coefficients, reflection coefficients, and hydraulic conductivity of *Chara corallina* using the pressure probe: effects of solute concentrations, Steudle, E., Tyerman, S.D. 75:85
Probenecid
—, pH modulation of glucose-induced electrical activity in B-cells: involvement of Na/H and HCO_3/Cl antiporters, Pace, C.S., Tarvin, J.T. 73:39
Proteins
—, the band 3-rich membrane of llama erythrocytes: studies on cell shape and the organization of membrane protein, Khodadad, J.K., Weinstein, R.S. 72:161
Proteinuria
—, biophysical basis of glomerular permselectivity, Deen, W.M., Bridges, C.R., Brenner, B.M. 71:1
Proteolipid
—, biochemical correlates of progesterone-induced plasma membrane depolarization during the first meiotic division in *Rana* oocytes, Morrill, G.A., Ziegler, D.H., Kunar, J., Weinstein, S.P., Kostellow, A.B. 77:201
Proteoliposomes
—, the *lac* carrier protein in *Escherichia coli*, Kaback, H.R. 76:95
Proteolytic enzymes
—, transport by reconstituted lactose carrier from parental and mutant strains of *Escherichia coli*, Seto-Young, D., Bedu, S., Wilson, T.H. 79:185
Proton cotransport
—, the energetics of Cl^- active transport in *Chara*, Reid, R.J., Walker, N.A. 78:35
Proton motive force
—, evidence against H^+-HCO_3^- symport as the mechanism for HCO_3^- transport in the cyanobacterium *Anabaena variabilis*, Zenvirth, D., Volokita, M., Kaplan, A. 79:271
—, proton-coupled L-lysine uptake by renal brush border membrane vesicles from mullet *Mugil cephalus*, Lee, S.-H., Pritchard, J.B. 75:171
Proton permeability
—, plasma membrane (Mg^{2+})-dependent adenosine triphosphatase from the human erythrocyte is not an ion pump, Forgac, M., Cantley, L. 80:185
Proton pump
—, hydrogen bonded chain mechanisms for proton conduction and proton pumping, Nagle, J.F., Tristram-Nagle, S. 74:1
—, membrane conductance of *Chara* measured in the acid and basic zones, Smith, J.R., Walker, N.A. 73:193
—, potential dependence of the admittance of *Chara* plasmalemma, Beilby, M.J., Beilby, B.N. 74:229
Proton transport
—, plasma membrane (Mg^{2+})-dependent adenosine triphosphatase from the human erythrocyte is not an ion pump, Forgac, M., Cantley, L. 80:185
—, the proton-ATPase of bacteria and mitochondria, Senior, A.E., Wise, J.G. 73:105
Proton well
—, generalized kinetic analysis of ion-driven cotransport systems: a unified interpretation of selective ionic effects on Michaelis parameters, Sanders, D., Hansen, U.-P., Gradmann, D., Slayman, C.L. 77:123
Proton wire
—, hydrogen bonded chain mechanisms for proton conduction and proton pumping, Nagle, J.F., Tristram-Nagle, S. 74:1
Proximal tubule, *see Necturus* proximal tubule; Rabbit proximal tubule
Punchthrough
—, potential dependence of the admittance of *Chara* plasmalemma, Beilby, M.J., Beilby, B.N. 74:229
Quantitative freeze-fracture EM
—, effect of several uncouplers of cell-to-cell communication on gap junction morphology in mammalian heart, Délèze, J., Hervé, J.C. 74:203
Quinine
—, electrophysiology of a clonal osteoblast-like cell line: evidence for the existence of a Ca^{2+}-activated K^+ conductance, Dixon, S.J., Aubin, J.E., Dainty, J. 80:49
—, Na^+-K^+ pump activity and the glucose-stimulated Ca^{2+}-sensitive K^+ permeability in the pancreatic B-cell, Lebrun, P., Malaisse, W.J., Herchuelz, A. 74:67
—, volume-induced increase of K^+ and Cl^- permeabilities in Ehrlich ascites tumor cells, role of internal Ca^{2+}, Hoffmann, E.K., Simonsen, L.E., Lambert, I.H. 78:211
Rabbit cornea
—, cellular and paracellular pathway resistances in the "tight" Cl^--secreting epithelium of rabbit cornea, Marshall, W.S., Klyce, S.D. 73:275

Rabbit corneal endothelium
—, ionic selectivity of the paracellular shunt path across rabbit corneal endothelium, Lim, J.J., Liebovitch, L.S., Fischbarg, J. 73:95
Rabbit cortical collecting tubule
—, morphologic response of the rabbit cortical collecting tubule to peritubular hypotonicity: quantitative examination with differential interference contrast microscopy, Kirk, K.L., DiBona, D.R., Schafer, J.A. 79:53
—, quantitative analysis of the structural events associated with antidiuretic hormone-induced volume reabsorption in the rabbit cortical collecting tubule, Kirk, K.L., Schafer, J.A., DiBona, D.R. 79:65
Rabbit descending colon
—, relation between intracellular sodium and active sodium transport in rabbit colon: current-voltage relations of the apical sodium entry mechanism in the presence of varying luminal sodium concentrations, Turnheim, K., Thompson, S.M., Schultz, S.G. 76:299
Rabbit gallbladder, *see* Gallbladder
Rabbit ileum
—, functional roles of Na^+ and H^+ in SO_4^{2-} transport by rabbit ileal brush border membrane vesicles, Ahearn, G.A., Murer, H. 78:177
—, sulfate influx across the rabbit ileal brush border membrane: sodium and proton dependence, and substrate specificities, Langridge-Smith, J.E., Sellin, J.H., Field, M. 72:131
Rabbit proximal tubule
—, functional roles of Na^+ and H^+ in SO_4^{2-} transport by rabbit ileal brush border membrane vesicles, Ahearn, G.A., Murer, H. 78:177
Rabbit urinary bladder
—, acid pH and weak acids induce Na-Cl cotransport in the rabbit urinary bladder, Ifshin, M.S., Johnson, K.E., Eaton, D.C. 76:151
Ranvier node
—, changes of ultraviolet sensitivity of voltage-clamped sodium channels during their potential-induced conductance cycle, Hof, D., Fox, J.M. 71:31
Rapid equilibrium kinetics
—, generalized kinetic analysis of ion-driven cotransport systems: a unified interpretation of selective ionic effects on Michaelis parameters, Sanders, D., Hansen, U.-P., Gradmann, D., Slayman, C.L. 77:123
Rat basophilic leukemia
—, membrane potential changes during IgE-mediated histamine release from rat basophilic leukemia cells, Sagi-Eisenberg, R., Pecht, I. 75:97
Rat kidney cortex
—, kinetic properties of the ATP-dependent Ca^{2+} pump and the Na^+/Ca^{2+} exchange system in basolateral membranes from rat kidney cortex, van Heeswijk, M.P.E., Geertsen, J.A.M., van Os, C.H. 79:19
Rat ventricle
—, effect of extracellular pH on sodium current in isolated, single rat ventricular cells, Yatani, A., Brown, A.M., Akaike, N. 78:163
Rate theory
—, ionic selectivity revisited: the role of kinetic and equilibrium processes in ion permeation through channels, Eisenman, G., Horn, R. 76:197
Rb^+, *see* Rubidium *entries*
Reaction kinetic model
—, generalized kinetic analysis of ion-driven cotransport systems: a unified interpretation of selective ionic effects on Michaelis parameters, Sanders, D., Hansen, U.-P., Gradmann, D., Slayman, C.L. 77:123
Receptor
—, electrical activity of an intestinal epithelial cell line: hyperpolarizing responses to intestinal secretagogues, Yada, T., Okada, Y. 77:33
—, stimulation of lymphocyte receptor capping by the ionophore monensin, Bourguignon, L.Y.W., Pressman, B.C. 73:91
Recessed-tip pH microelectrodes
—, bicarbonate transport in *Chara corallina:* evidence for cotransport of HCO_3 with H^+, Lucas, W.J., Keifer, D.W., Sanders, D. 73:263
Reconstitution
—, characterization of native and reconstituted plasma membrane H^+-ATPase from the plasma membrane of *Beta vulgaris*, O'Neill, S.D., Spanswick, R.M. 79:245
—, solubilization and reconstitution of an anion-sensitive H^+-ATPase from corn roots, Bennett, A.B., Spanswick, R.M. 75:21
—, solubilization and reconstitution of a vanadate-sensitive H^+-ATPase from the plasma membrane of *Beta vulgaris*, O'Neill, S.D., Spanswick, R.M. 79:231
—, transport by reconstituted lactose carrier from parental and mutant strains of *Escherichia coli*, Seto-Young, D., Bedu, S., Wilson, T.H. 79:185
Rectal gland
—, presence of a sodium-potassium chloride cotransport system in the rectal gland of *Squalus acanthias*, Hannafin, J., Kinne-Saffran, E., Friedman, D., Kinne, R. 75:73
Rectification
—, effects of an outward water flow on potassium currents in a squid giant axon, Kukita, F., Yamagishi, S. 75:33
—, exchange diffusion, electrodiffusion and rectification in the chloride transport pathway of frog skin, Kristensen, P. 72:141
Red beet
—, characterization of native and reconstituted plasma membrane H^+-ATPase from the plasma membrane of *Beta vulgaris*, O'Neill, S., Spanswick, R.M. 79:245
—, solubilization and reconstitution of a vanadate-sensitive H^+-ATPase from the plasma membrane of *Beta vulgaris*, O'Neill, S.D., Spanswick, R.M. 79:231
Red blood cells; *see also* Erythrocytes
—, the correlation of composition and morphology during the high to low potassium transition in single erythropoietic cells, Kirk, R.G., Andrews, S.B., Lee, P. 76:281
—, influence of surface charge and transmembrane potential on rubidium-86 efflux of human red blood cells, Bernhardt, I., Donath, E., Glaser, R. 78:249
—, interrelations among Na and K content, cell volume, and bouyant density in human red blood cell populations, Lee, P., Kirk, R.G., Hoffman, J.F. 79:119
—, the mechanism of anion transport across human red blood cell membranes as revealed with a fluorescent substrate: I. kinetic properties of NBD-taurine transfer in symmetric conditions, Eidelman, O., Cabantchik, Z.I. 71:141
—, the mechanism of anion transport across human red blood cell membranes as revealed with a fluorescent substrate: II. kinetic properties of NBD-taurine transfer in asymmetric conditions, Eidelman, O., Cabantchik, Z.I. 71:149
—, membrane potentials associated with Ca-induced conductance in human red blood cells: studies with a fluorescent oxonol dye, WW 781, Freedman, J.C., Novak, T.S. 72:59

—, oligomeric structure and the anion transport function of human erythrocyte band 3 protein, Jennings, M.L. 80:105
—, partial requirements for *in vitro* survival of human red blood cells, Freedman, J.C. 75:225
Reflection coefficient
—, determination of permeability coefficients, reflection coefficients, and hydraulic conductivity of *Chara corallina* using the pressure probe: effects of solute concentrations, Steudle, E., Tyerman, S.D. 75:85
Regulatory volume decrease
—, volume-induced increase of K^+ and Cl permeabilities in Ehrlich ascites tumor cells, role of internal Ca^{2+}, Hoffmann, E.K., Simonsen, L.E., Lambert, I.H. 78:211
Regulatory volume increase
—, Na^+,Cl cotransport in Ehrlich ascites tumor cells activated during volume regulation (regulatory volume increase), Hoffmann, E.K., Sjøholm, C., Simonsen, L.O. 76:269
Renal brush border
—, the mechanism of Na^+-L-lactate cotransport by brush border membrane vesicles from horse kidney: analysis of rapid equilibrium kinetics in absence of membrane potential, Mengual, R., Sudaka, P. 71:163
Renal brush border membrane
—, absence of a role of gamma-glutamyl transpeptidase in the transport of amino acids by rat renal brushborder membrane vesicles, Hsu, B.Y.L., Foreman, J.W., Corcoran, S.M., Ginkinger, K., Segal, S. 80:167
—, proton-coupled L-lysine uptake by renal brush border membrane vesicles from mullet *Mugil cephalus*, Lee, S.-H., Pritchard, J.B. 75:171
—, specificity of the Na^+-dependent monocarboxylic acid transport pathway in rabbit renal brush border membranes, Nord, E.P., Wright, S.H., Kippen, I., Wright, E.M. 72:213
Renal dipeptidase
—, association of renal dipeptidase with the Triton-insoluble fraction of kidney microvilli, Kim, H.S., Campbell, B.J. 75:115
Renal epithelium
—, voltage-dependent interaction of barium and cesium with the potassium conductance of the cortical collecting duct apical cell membrane, O'Neil, R.G. 74:165
Renal medulla
—, sodium-chloride transport in the medullary thick ascending limb of Henle's loop: evidence for a sodium-chloride cotransport system in plasma membrane vesicles, Eveloff, J., Kinne, R. 72:173
Renal microcirculation
—, biophysical basis of glomerular permselectivity, Deen, W.M., Bridges, C.R., Brenner, B.M. 71:1
Renal proximal tubule
—, transport of L-cysteine by rat renal brush border membrane vesicles, Stieger, B., Stange, G., Biber, J., Murer, H. 73:25
Renal tubule transport
—, effects of antidiuretic hormone on cellular conductive pathways in mouse medullary thick ascending limbs of Henle: I. ADH increases transcellular conductance pathways, Hebert, S.C., Friedman, P.A., Andreoli, T.E. 80:201
—, effects of antidiuretic hormone on cellular conductive pathways in mouse medullary thick ascending limbs of Henle: II. determinants of the ADH-mediated increases in transepithelial voltage and in net Cl absorption, Hebert, S.C., Andreoli, T.E. 80:221
Respiration
—, chloride accumulation in plant cells as a homeostatic system: energy supply as a dependent variable, Cram, W.J. 74:51
Retinal rod outer segment
—, ATP causes a structural change in retinal rod outer segments: disc swelling is not involved, Thacher, S.M. 74:95
Reversal potentials
—, ionic selectivity revisited: the role of kinetic and equilibrium processes in ion permeation through channels, Eisenman, G., Horn, R. 76:197
Rhizobium-legume symbiosis
—, interactions of lectins and their saccharide receptors in the *Rhizobium*-legume symbiosis, Dazzo, F.B., Truchet, G.L. 73:1
Rhodotorula gracilis
—, transport of an anionic substrate by the H^+/monosaccharide symport in *Rhodotorula gracilis:* only the protonated form of the carrier is catalytically active, Niemietz, C., Höfer, M. 80:235
Rough endoplasmic reticulum
—, localization of ATP-dependent calcium transport activity in mouse pancreatic microsomes, Preissler, M., Williams, J.A. 73:137
Rubidium (Rb^+) efflux
—, influence of surface charge and transmembrane potential on rubidium-86 efflux of human red blood cells, Bernhardt, I., Donath, E., Glaser, R. 78:249
Rubidium influx
—, Rb^+ influxes differentiate between growth arrest of cells by different agents, Panet, R., Fromer, I., Alayoff, A. 75:219
Saccharide receptors
—, interactions of lectins and their saccharide receptors in the *Rhizobium*-legume symbiosis, Dazzo, F.B., Truchet, G.L. 73:1
Saccharomyces cerevisiae
—, interaction of ethidium bromide with yeast cells investigated by electron probe X-ray microanalysis, Theuvenet, A.P.R., Bindels, R.J.M., van Amelsvoort, J.M.M., Borst-Pauwels, G.W.F.H., Stols, A.L.H. 73:131
Sarcolemma
—, sodium and potassium permeability of membrane vesicles in a sarcolemma-enriched preparation from canine ventricle, Schilling, W.P., Schuil, D.W., Bagwell, E.E., Lindenmayer, G.E. 77:101
—, voltage-sensitive calcium flux promoted by vesicles in an isolated cardiac sarcolemma preparation, Schilling, W.P., Lindenmayer, G.E. 79:163
Sarcoplasmic reticulum
—, effect of Na_3VO_4 and membrane potential on the structure of sarcoplasmic reticulum membrane, Beeler, T.J., Dux, L., Martonosi, A.N. 78:73
—, osmotic changes of sarcoplasmic reticulum vesicles during Ca^{2+} uptake, Beeler, T. 76:165
—, the pH dependence of the Ca^{2+}, Mg^{2+}-ATPase of sarcoplasmic reticulum: evidence that the Ca^{2+} translocator bears a doubly negative charge, Haynes, D.H., Mandveno, A. 74:25
Secondary active transport
—, quantitative studies of cotransport systems: models and vesicles, Turner, R.J. 76:1
Secondary structure
—, the *lac* carrier protein in *Escherichia coli*, Kaback, H.R. 76:95

Secretagogue
—, electrical activity of an intestinal epithelial cell line: hyperpolarizing responses to intestinal secretagogues, Yada, T., Okada, Y. 77:33
Secretion
—, electrical activity of an intestinal epithelial cell line: hyperpolarizing responses to intestinal secretagogues, Yada, T., Okada, Y. 77:33
—, isolation and compositional analysis of secretion granules and their membrane subfraction from the rat parotid gland, Cameron, R.S., Castle, J.D. 79:127
Secretory granule membranes
—, isolation and compositional analysis of secretion granules and their membrane subfraction from the rat parotid gland, Cameron, R.S., Castle, J.D. 79:127
Secretory granules
—, isolation and partial characterization of platelet α-granule membranes, Van der Meulen, J., Furuya, W., Grinstein, S. 71:47
Selectivity
—, conduction and selectivity in potassium channels, Latorre, R., Miller, C. 71:11
—, the interaction of "K^+-like" cations with the apical K^+ channel in frog skin, Zeiske, W., Van Driessche, W. 76:57
—, ionic selectivity revisited: the role of kinetic and equilibrium processes in ion permeation through channels, Eisenman, G., Horn, R. 76:197
SH groups
—, thiol-dependent passive K/Cl transport in sheep red cells: IV. furosemide inhibition as a function of external Rb^+, Na^+, and Cl^-, Lauf, P.K. 77:57
Shark rectal gland
—, ouabain binding in rectal gland of *Squalus acanthias*, Silva, P., Epstein, J.A., Stevens, A., Spokes, K., Epstein, F.H. 75:105
Sheep erythrocytes
—, thiol-dependent passive K/Cl transport in sheep red cells: I. dependence on chloride and external K^+ [Rb^+] ions, Lauf, P.K. 73:237
—, thiol-dependent passive K/Cl transport in sheep red cells: III. differential reactivity of membrane SH groups with N-ethylmaleimide, and iodoacetamide, Bauer, J., Lauf, P.K. 73:257
Sheep red cell maturation
—, thiol-dependent passive K/Cl transport in sheep red cells: II. loss of Cl^- and N-ethylmaleimide sensitivity in maturing high K^+ cells, Lauf, P.K. 73:247
Sheep red cells
—, thiol-dependent passive K/Cl transport in sheep red cells: IV. furosemide inhibition as a function of external Rb^+, Na^+, and Cl^- Lauf, P.K. 77:57
Sigmoidal transport
—, functional roles of Na^+ and H^+ in SO_4^{2-} transport by rabbit ileal brush border membrane vesicles, Ahearn, G.A., Murer, H. 78:177
Silver ion (Ag^+)
—, cellular and paracellular pathway resistances in the "tight" Cl^--secreting epithelium of rabbit cornea, Marshall, W.S., Klyce, S.D. 73:275
Single cells
—, interrelations among Na and K content, cell volume, and bouyant density in human red blood cell populations, Lee, P., Kirk, R.G., Hoffman, J.F. 79:119
Single channel recording
—, control of K^+ conductance by cholecystokinin and Ca^{2+} in single pancreatic acinar cells studied by the patch-clamp technique, Maruyama, Y., Petersen, O.H. 79:293
—, single-channel recordings of apical membrane chloride conductance in A6 epithelial cells, Nelson, D.J., Tang, J.M., Palmer, L.G. 80:81
Single channels
—, single channel K^+ currents from HeLa cells, Sauvé, R., Roy, G., Payet, D. 74:41
—, single-length and double-length channels formed by nystatin in lipid bilayer membranes, Kleinberg, M.E., Finkelstein, A. 80:257
Single-file transport
—, the total electrostatic potential in a gramicidin channel, Jordan, P.C. 78:91
Single-filing channel
—, the interaction of "K^+-like" cations with the apical K^+ channel in frog skin, Zeiske, W., Van Driessche, W. 76:57
—, multioccupancy models for single filing ionic channels: theoretical behavior of a four-site channel with three barriers separating the sites, Sandblom, J., Eisenman, G., Hägglund, J. 71:61
Singlet state
—, further photophysical and photochemical characterization of flavins associated with single-shelled vesicles, Schmidt, W. 76:73
Sites
—, ionic selectivity revisited: the role of kinetic and equilibrium processes in ion permeation through channels, Eisenman, G., Horn, R. 76:197
SITS
—, single-channel recordings of apical membrane chloride conductance in A6 epithelial cells, Nelson, D.J., Tang, J.M., Palmer, L.G. 80:81
Slices
—, ouabin binding in rectal gland of *Squalus acanthias*, Silva, P., Epstein, J.A., Stevens, A., Spokes, K., Epstein, F.H. 75:105
Slow conductance changes
—, slow potential changes in mammalian muscle fibers during prolonged hyperpolarization: transport number effects and chloride depletion, Barry, P.H., Dulhunty, A.F. 78:235
Slow potential changes
—, slow potential changes in mammalian muscle fibers during prolonged hyperpolarization: transport number effects and chloride depletion, Barry, P.H., Dulhunty, A.F. 78:235
Small intestine
—, the small-intestinal Na^+, D-glucose cotransporter: an asymmetric gated channel (or pore) responsive to $\Delta\psi$, Kessler, M., Semenza, G. 76:27
Sodium
—, electrogenic Cl^- absorption by *Amphiuma* small intestine: dependence on serosal Na^+ from tracer and Cl^- microelectrode studies, White, J.F., Ellingsen, D., Burnup, K. 78:223
—, Na^+, Li^+, and Cl^- transport by brush border membranes from rabbit jejunum, Gunther, R.D., Wright, E.M. 74:85
—, partial requirements for *in vitro* survival of human red blood cells, Freedman, J.C., 75:225
—, stimulation of lymphocyte receptor capping by the ionophore monensin, Bourguignon, L.Y.W., Pressman, B.C. 73:91

—, sulfhydryl reagents affect Na^+ uptake into toad bladder membrane vesicles, LaBelle, E.F., Eaton, D.C. 71:39
Sodium/calcium competition
—, voltage-sensitive calcium flux promoted by vesicles in an isolated cardiac sarcolemma preparation, Schilling, W.P., Lindenmayer, G.E. 79:163
Sodium/calcium exchange
—, involvement of intracellular calcium in the phosphate efflux from mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Jones, G.J., Pralong, W.F., Straub, R.W. 79:87
—, kinetic properties of the ATP-dependent Ca^{2+} pump and the Na^+/Ca^{2+} exchange system in basolateral membranes from rat kidney cortex, van Heeswijk, M.P.E., Geertsen, J.A.M., van Os, C.H. 79:19
Sodium channel
—, effects of D-600 on sodium current in squid axons, Clay, J.R., Shrier, A. 79:211
—, modification of ultraviolet radiation effects on the membrane of myelinated nerve fibers by sulfhydryl compounds, Hof, D., Fox, J.M. 79:1
—, studies of sodium channels in rabbit urinary bladder by noise analysis, Lewis, S.A., Ifshin, M.S., Loo, D.D.F., Diamond, J.M. 80:135
Sodium/chloride cotransport
—, acid pH and weak acids induce Na-Cl cotransport in the rabbit urinary bladder, Ifshin, M.S., Johnson, K.E., Eaton, D.C. 76:151
—, determination of permeability coefficients, reflection coefficients, and hydraulic conductivity of *Chara corallina* using the pressure probe: effects of solute concentrations, Steudle, E., Tyerman, S.D. 75:85
—, different sodium chloride cotransport systems in the apical membrane of rabbit gallbladder epithelial cells, Cremaschi, D., Meyer, G., Bermano, S., Marcati, M. 73:227
—, KCl transport across an insect epithelium: II. electrochemical potentials and electrophysiology, Hanrahan, J.W., Phillips, J.E. 80:27
—, Na^+,Cl^- cotransport in Ehrlich ascites tumor cells activated during volume regulation (regulatory volume increase), Hoffmann, E.K., Sjøholm, C., Simonsen, L.O. 76:269
—, potassium-dependent chloride and water transport across the seawater eel intestine, Ando, M. 73:125
—, sodium-chloride transport in the medullary thick ascending limb of Henle's loop: evidence for a sodium-chloride cotransport system in plasma membrane vesicles, Eveloff, J., Kinne, R. 72:173
Sodium conductance
—, changes of ultraviolet sensitivity of voltage-clamped sodium channels during their potential-induced conductance cycle, Hof, D., Fox, J.M. 71:31
Sodium cotransport
—, kinetics of sodium D-glucose cotransport in bovine intestinal brush border vesicles, Kaunitz, J.D., Wright, E.M. 79:41
—, specificity of the Na^+-dependent monocarboxylic acid transport pathway in rabbit renal brush border membranes, Nord, E.P., Wright, S.H., Kippen, I., Wright, E.M. 72:213
Sodium-coupled transport
—, effects of Na-coupled alanine transport on intracellular K activities and the K conductance of the basolateral membranes of *Necturus* small intestine, Grasset, E., Gunter-Smith, P., Schultz, S.G. 71:89
Sodium current
—, axonal microtubules necessary for generation of sodium current in squid giant axons: I. pharmacological study on sodium current and restoration of sodium current by microtubule proteins and 260K protein, Matsumoto, G., Ichikawa, M., Tasaki, A., Murofushi, H., Sakai, H. 77:77
—, axonal microtubules necessary for generation of sodium current in squid giant axons: II. effect of colchicine upon asymmetrical displacement current, Matsumoto, G., Ichikawa, M, Tasaki, A. 77:93
—, effect of extracellular pH on sodium current in isolated, single rat ventricular cells, Yatani, A., Brown, A.M., Akaike, N. 78:163
—, sodium-alanine cotransport in oocytes of *Xenopus laevis:* correlation of alanine and sodium fluxes with potential and current changes, Jung, D., Schwarz, W., Passow, H. 78:29
Sodium dependence
—, functional roles of Na^+ and H^+ in SO_4^{2-} transport by rabbit ileal brush border membrane vesicles, Ahearn, G.A., Murer, H. 78:177
—, sulfate influx across the rabbit ileal brush border membrane: sodium and proton dependence, and substrate specificities, Langridge-Smith, J.E., Sellin, J.H., Field, M. 72:131
Sodium flux
—, sodium-alanine cotransport in oocytes of *Xenopus laevis:* correlation of alanine and sodium fluxes with potential and current changes, Jung, D., Schwarz, W., Passow, H. 78:29
Sodium gating currents
—, axonal microtubules necessary for generation of sodium current in squid giant axons: II. effect of colchicine upon asymmetrical displacement current, Matsumoto, G., Ichikawa, M., Tasaki, A. 77:93
Sodium/hydrogen exchange
—, different sodium chloride cotransport systems in the apical membrane of rabbit gallbladder epithelial cells, Cremaschi, D., Meyer, G., Bermano, S., Marcati, M. 73:227
—, influx mechanisms for Na^+ and Cl^- across the brush border membrane of leaky epithelia: a model and microelectrode study, Baerentsen, H., Giraldez, F., Zeuthen, T. 75:205
Sodium inactivation
—, changes of ultraviolet sensitivity of voltage-clamped sodium channels during their potential-induced conductance cycle, Hof, D., Fox, J.M. 71:31
Sodium mechanism
—, the mechanism of Na^+-L-lactate cotransport by brush border membrane vesicles from horse kidney: analysis of rapid equilibrium kinetics in absence of membrane potential, Mengual, R., Sudaka, P. 71:163
Sodium movement, liver cells
—, requirement of Cl^- and Na^+ for the ouabain-resistant control of cell volume in slices of rat liver, van Rossum, G.D.V., Russo, M.A. 77:63
Sodium permeability
—, optical measurements of ΔpH and $\Delta\psi$ in corn root membrane vesicles: kinetic analysis of Cl^- effects on a proton-translocating ATPase, Bennett, A.B., Spanswick, R.M. 71:95
—, sodium and potassium permeability of membrane vesicles in a sarcolemma-enriched preparation from canine ventricle, Schilling, W.P., Schuil, D.W., Bagwell, E.E., Lindenmayer, G.E. 77:101
Sodium plus potassium
—, interrelations among Na and K content, cell volume, and buoyant density in human red blood cell populations, Lee, P., Kirk, R.G., Hoffman, J.F. 79:119

Sodium-potassium ATPase
—, electrical and biochemical properties of an enzyme model of the sodium pump, Chapman, J.B., Johnson, E.A., Kootsey, J.M. 74:139
—, Na^+-K^+ pump activity and the glucose-stimulated Ca^{2+}-sensitive K^+ permeability in the pancreatic B-cell, Lebrun, P., Malaisse, W.J., Herchuelz, A. 74:67
—, ouabain binding in rectal gland of *Squalus acanthias*, Silva, P., Epstein, J.A., Stevens, A., Spokes, K., Epstein, F.H. 75:105
—, regulatory changes of membrane transport and ouabain binding during progesterone-induced maturation of *Xenopus* oocytes, Richter, H.-P., Jung, D., Passow, H. 79:203
—, stimulation of a ouabain-sensitive Rb^+ uptake in human erythrocytes with an external electric field, Serpersu, E.H., Tsong, T.Y. 74:191
Sodium/potassium/chloride cotransport
—, effects of antidiuretic hormone on cellular conductive pathways in mouse medullary thick ascending limbs of Henle: I. ADH increases transcellular conductance pathways, Hebert, S.C., Friedman, P.A., Andreoli, T.E. 80:201
—, presence of a sodium-potassium chloride cotransport system in the rectal gland of *Squalus acanthias*, Hannafin, J., Kinne-Saffran, E., Friedman, D., Kinne, R. 75:73
Sodium/potassium content
—, role of the furosemide-sensitive Na^+/K^+ transport system in determining the steady-state Na^+ and K^+ content and volume of human erythrocytes *in vitro* and *in vivo*, Duhm, J., Göbel, B.O. 77:243
Sodium/potassium cotransport
—, role of the furosemide-sensitive Na^+/K^+ transport system in determining the steady-state Na^+ and K^+ content and volume of human erythrocytes *in vitro* and *in vivo*, Duhm, J., Göbel, B.O. 77:243
Sodium/potassium exchange
—, ionic regulation of the unicellular green alga *Dunaliella tertiolecta:* response to hypertonic shock, Ehrenfeld, J., Cousin, J.-L. 77:45
Sodium/potassium-exchange pump
—, microelectrode study of K^+ accumulation by tight epithelia: II. effect of inhibiting transepithelial Na^+ transport on reaccumulation following depletion, DeLong, J., Civan, M.M. 74:155
Sodium-potassium pump
—, regulation of the basolateral potassium conductance of the *Necturus* proximal tubule, Matsumura, Y., Cohen, B., Guggino, W.B., Giebisch, G. 79:153
Sodium pump
—, electrical and biochemical properties of an enzyme model of the sodium pump, Chapman, J.B., Johnson, E.A., Kootsey, J.M. 74:139
Sodium spike
—, separation of ionic currents in the somatic membrane of frog sensory neurons, Ishizuka, S., Hattori, K., Akaike, N. 78:19
Sodium transport
—, effects of thyroid hormones and aldosterone on mineralocorticoid binding sites in the toad bladder, Rossier, B.C., Claire, M., Rafestin-Oblin, M.E., Gaeggeler, H.P., Geering, K. 77:25
—, effects of thyromimetic drugs on aldosterone-dependent sodium transport in the toad bladder, Geering, K., Gaeggeler, H.P., Rossier, B.C. 77:15
—, electrophysiology of *Necturus* urinary bladder: I. "instantaneous" current-voltage relations in the presence of varying mucosal sodium concentrations, Thomas, S.R., Suzuki, Y., Thompson, S.M., Schultz, S.G. 73:157
—, relation between intracellular sodium and active sodium transport in rabbit colon: current-voltage relations of the apical sodium entry mechanism in the presence of varying luminal sodium concentrations, Turnheim, K., Thompson, S.M., Schultz, S.G. 76:299
—, sodium-chloride transport in the medullary thick ascending limb of Henle's loop: evidence for a sodium-chloride cotransport system in plasma membrane vesicles, Eveloff, J., Kinne, R. 72:173
Solubilization
—, solubilization and reconstitution of an anion-sensitive H^+-ATPase from corn roots, Bennett, A.B., Spanswick, R.M. 75:21
—, solubilization and reconstitution of a vanadate-sensitive H^+-ATPase from the plasma membrane of *Beta vulgaris*, O'Neill, S.D., Spanswick, R.M. 79:231
Solute permeability
—, determination of permeability coefficients, reflection coefficients, and hydraulic conductivity of *Chara corallina* using the pressure probe: effects of solute concentrations, Steudle, E., Tyerman, S.D. 75:85
Spectroscopy
—, microenvironment changes of human blood platelet membranes associated with fibrinogen binding, Kowalska, M.A., Cierniewski, C.S. 75:57
Spin probe
—, thermotropic lipid phase separations in human erythrocyte ghosts and cholesterol-enriched rat liver plasma membranes, Gordon, L.M., Mobley, P.W. 79:75
—, thermotropic lipid phase separations in human platelet and rat liver plasma membranes, Gordon, L.M., Mobley, P.W., Esgate, J.A., Hofmann, G., Whetton, A.D., Houslay, M.D. 76:139
Split frog skin
—, microelectrode study of K^+ accumulation by tight epithelia: II. effect of inhibiting transepithelial Na^+ transport on reaccumulation following depletion, DeLong, J., Civan, M.M. 74:155
Squid axons
—, effects of D-600 on sodium current in squid axons, Clay, J.R., Shrier, A. 79:211
Squid giant axon
—, effects of an outward water flow on potassium currents in a squid giant axon, Kukita, F., Yamagishi, S. 75:33
Stilbenes
—, effect of bicarbonate, pH, methazolamide and stilbenes on the intracellular potentials of cultured bovine corneal endothelial cells, Jentsch, T.J., Koch, M., Bleckmann, H., Wiederholt, M. 78:103
Stoichiometry change
—, generalized kinetic analysis of ion-driven cotransport systems: a unified interpretation of selective ionic effects on Michaelis parameters, Sanders, D., Hansen, U.-P., Gradmann, D., Slayman, C.L. 77:123
Stomach
—, impedance analysis in epithelia and the problem of gastric acid secretion, Diamond, J.M., Machen, T.E. 72:17
Stopped-flow spectroscopy
—, calcium channels of the excitable ciliary membrane from *Paramecium:* an initial biochemical characterization, Thiele, J., Otto, M.K., Deitmer, J.W., Schultz, J.E. 76:253

Strophanthidin
—, microelectrode study of K^+ accumulation by tight epithelia: I. baseline values of split frog skin and toad urinary bladder, DeLong, J., Civan, M.M. 72:183
Structural change
—, ATP causes a structural change in retinal rod outer segments: disc swelling is not involved, Thacher, S.M. 74:95
Structure-activity relationship
—, effects of alcohols on ADP-induced aggregation and membrane fluidity of gel-filtered bovine blood platelets, Kitagawa, S., Shinohara, T., Kametani, F. 79:97
Subcellular compartmentalization
—, microelectrode study of K^+ accumulation by tight epithelia: I. baseline values of split frog skin and toad urinary bladder, DeLong, J., Civan, M.M. 72:183
Substrate specificity
—, comparative specificity of the inner and outer substrate transfer sites in the choline carrier of human erythrocytes, Devés, R., Krupka, R.M. 80:71
Sugar levels
—, chloride accumulation in plant cells as a homeostatic system: energy supply as a dependent variable, Cram, W.J. 74:51
Sulfate influx
—, sulfate influx across the rabbit ileal brush border membrane: sodium and proton dependence, and substrate specificities, Langridge-Smith, J.E., Sellin, J.H., Field, M. 72:131
Sulfhydryl
—, sulfhydryl reagents affect Na^+ uptake into toad bladder membrane vesicles, LaBelle, E.F., Eaton, D.C. 71:39
Sulfhydryl compounds
—, modification of ultraviolet radiation effects on the membrane of myelinated nerve fibers by sulfhydryl compounds, Hof, D., Fox, J.M. 79:1
Sulfhydryl (SH) groups
—, thiol-dependent passive K/Cl transport in sheep red cells: I. dependence on chloride and external K^+ [Rb^+] ions, Lauf, P.K. 73:237
—, thiol-dependent passive K/Cl transport in sheep red cells: III. differential reactivity of membrane SH groups with N-ethylmaleimide and iodoacetamide, Bauer, J., Lauf, P.K. 73:257
Sulphate transport
—, functional roles of Na^+ and H^+ in SO_4^{2-} transport by rabbit ileal brush border membrane vesicles, Ahearn, G.A., Murer, H. 78:177
Surface biochemistry
—, lateral motion of membrane proteins and biological function, Axelrod, D. 75:1
Surface charge
—, interaction between calcium ions and surface charge as it relates to calcium currents, Wilson, D.L., Morimoto, K., Tsuda, Y., Brown, A.M. 72:117
—, modification of ultraviolet radiation effects on the membrane of myelinated nerve fibers by sulfhydryl compounds, Hof, D., Fox, J.M. 79:1
Surface concentration
—, interaction between calcium ions and surface charge as it relates to calcium currents, Wilson, D.L., Morimoto, K., Tsuda, Y., Brown, A.M. 72:117
Surface energy
—, effects of divalent cations, temperature, osmotic pressure gradient, and vesicle curvature on phosphatidylserine vesicle fusion, Ohki, S. 77:265
Surface potential
—, influence of surface charge and transmembrane potential on rubidium-86 efflux of human red blood cells, Bernhardt, I., Donath, E., Glaser, R. 78:249
Syncytium
—, microelectrode study of K^+ accumulation by tight epithelia: I. baseline values of split frog skin and toad urinary bladder, DeLong, J., Civan, M.M. 72:183
T-lymphoma cells
—, receptor capping in mouse T-lymphoma cells: a Ca^{2+} and calmodulin-stimulated ATP-dependent process, Bourguignon, L.Y.W., Kerrick, W.G.L 75:65
TEA effects
—, potassium channels in the membrane of *Hydrodictyon africanum*, Findlay, G.P., Coleman, H.A. 75:241
Teleost opercular membrane
—, localization of ionic pathways in the teleost opercular membrane by extracellular recording with a vibrating probe, Scheffey, C., Foskett, J.K., Machen, T.E. 75:193
Temperature
—, effect of temperature on the occluding junctions of monolayers of epithelioid cells (MDCK), González-Mariscal, L., Chávez de Ramírez, B., Cereijido, M. 79:175
—, effects of divalent cations, temperature, osmotic pressure gradient, and vesicle curvature on phosphatidylserine vesicle fusion, Ohki, S. 77:265
Thermodynamics
—, electrical and biochemical properties of an enzyme model of the sodium pump, Chapman, J.B., Johnson, E.A., Kootsey, J.M. 74:139
Thick ascending limb of Henle's loop
—, sodium-chloride transport in the medullary thick ascending limb of Henle's loop: evidence for a sodium-chloride cotransport system in plasma membrane vesicles, Eveloff, J., Kinne, R. 72:173
Thin-sheet model
—, junctional transfer in cultured vascular endothelium: I. electrical coupling, Larson, D.M., Kam, E., Sheridan, J.D. 74:103
Thyromimetic drugs
—, effects of thyromimetic drugs on aldosterone-dependent sodium transport in the toad bladder, Geering, K., Gaeggeler, H.P., Rossier, B.C. 77:15
Thyrotropin-releasing hormone
—, regulation of excitation-secretion coupling by thyrotropin-releasing hormone (TRH): evidence for TRH receptor-ion channel coupling in cultured pituitary cells, Kaczorowski, G.J., Vandlen, R.L., Katz, G.M., Reuben, J.P. 71:109
Tight epithelium
—, acid pH and weak acids induce Na-Cl cotransport in the rabbit urinary bladder, Ifshin, M.S., Johnson, K.E., Eaton, D.C. 76:151
—, current-voltage relations of the basolateral membrane in tight amphibian epithelia: use of nystatin to depolarize the apical membrane, Garty, H. 77:213
—, studies of sodium channels in rabbit urinary bladder by noise analysis, Lewis, S.A., Ifshin, M.S., Loo, D.D.F., Diamond, J.M. 80:135
Tight junction
—, lithium absorption in tight and leaky segments of intestine, Diamond, J.M., Ehrlich, B.E., Morawski, S.G., Santa Ana, C.A., Fordtran, J.S. 72:153
—, partitioning of paracellular conductance along the ileal crypt-villus axis: a hypothesis based on structural analysis with detailed consideration of tight junction structure-func-

tion relationships, Marcial, M.A., Carlson, S.L., Madara, J.L. 80:59
Tilapia
—, localization of ionic pathways in the teleost opercular membrane by extracellular recording with a vibrating probe, Scheffey, C., Foskett, J.K., Machen, T.E. 75:193
Time-dependent *I-V* relations
—, electrophysiology of *Necturus* urinary bladder: II. time-dependent current-voltage relations of the basolateral membranes, Schultz, S.G., Thompson, S.M., Hudson, R., Thomas, S.R., Suzuki, Y. 79:257
Time-lag phenomenon
—, microelectrode study of K^+ accumulation by tight epithelia: II. effect of inhibiting transepithelial Na^+ transport on reaccumulation following depletion, DeLong, J., Civan, M.M. 74:155
Tissue culture
—, electrical properties of cultured epithelioid cells (MDCK), Stefani, E., Cereijido, M. 73:117
Tissue factor
—, cadmium causes vesicle leakage under conditions which favor reconstitution of tissue factor-vesicle complexes, Carson, S.D. 75:123
TNBS
—, chemical stimulation of Na transport through amiloride-blockable channels of frog skin epithelium, Li, J.H.-Y., Lindemann, B. 75:179
Toad, see also *Bufo marinus*
—, sulfhydryl reagents affect Na^+ uptake into toad bladder membrane vesicles, LaBelle, E.F., Eaton, D.C. 71:39
Toad bladder
—, effects of potassium-free media on ADH action in toad urinary bladder, Kachadorian, W.A., Muller, J. 77:161
—, effects of thyromimetic drugs on aldosterone-dependent sodium transport in the toad bladder, Geering, K., Gaeggeler, H.P., Rossier, B.C. 77:15
—, metabolic regulation of apical sodium permeability in toad urinary bladder in the presence and absence of aldosterone, Garty, H., Edelman, I.S., Lindemann, B. 74:15
—, microelectrode study of K^+ accumulation by tight epithelia: II. effect of inhibiting transepithelial Na^+ transport on reaccumulation following depletion, DeLong, J., Civan, M.M. 74:155
—, sulfhydryl reagents affect Na^+ uptake into toad bladder membrane vesicles, LaBelle, E.F., Eaton, D.C. 71:39
—, ultrastructural characterization of cholesterol distribution in toad bladder using filipin, Stetson, D.L., Wade, J.B. 74:131
—, voltage-dependent block by amiloride and other monovalent cations of apical Na channels in the toad urinary bladder, Palmer, L.G. 80:153
Toad skin
—, cellular Li^+ opens paracellular path in toad skin: amiloride blockable effect, Aboulafia, J., Sanioto, S.M.L., Lacaz-Vieira, F. 74:59
Toad urinary bladder, *see* Toad bladder
Tonoplast
—, optical measurements of ΔpH and $\Delta\psi$ in corn root membrane vesicles: kinetic analysis of Cl^- effects on a proton-translocating ATPase, Bennett, A.B., Spanswick, R.M. 71:95
Tracer studies
—, concentration dependence of bidirectional flux ratio as a characteristic of transmembrane ion transporting mechanism, Schagina, L.V., Grinfeldt, A.E., Lev, A.A. 73:203
Tracheal epithelium
—, anthracene-9-carboxylic acid inhibits an apical membrane chloride conductance in canine tracheal epithelium, Welsh, M.J. 78:61
—, chloride secretion by canine tracheal epithelium: III. membrane resistances and electromotive forces, Welsh, M.J., Smith, P.L., Frizzell, R.A. 71:209
—, chloride secretion by canine tracheal epithelium: IV. basolateral membrane K permeability parallels secretion rate, Smith, P.L., Frizzell, R.A. 77:187
—, electrophysiology of Cl secretion in canine trachea, Shorofsky, S.R., Field, M., Fozzard, H.A. 72:105
—, inhibition of chloride secretion by furosemide in canine tracheal epithelium, Welsh, M.J. 71:219
Transcellular chloride transport
—, KCl cotransport: a mechanism for basolateral chloride exit in *Necturus* gallbladder, Corcia, A., Armstrong, W. McD. 76:173
Transepithelial Na transport
—, intracellular electrolyte concentrations in the frog skin epithelium: effect of vasopressin and dependence on the Na concentration in the bathing media, Rick, R., Roloff, C., Dörge, A., Beck, F.X., Thurau, K. 78:129
Transepithelial resistance
—, partitioning of paracellular conductance along the ileal crypt-villus axis: a hypothesis based on structural analysis with detailed consideration of tight junction structure-function relationships, Marcial, M.A., Carlson, S.L., Madara, J.L. 80:59
Transepithelial volume flow
—, quantitative analysis of the structural events associated with antidiuretic hormone-induced volume reabsorption in the rabbit cortical collecting tubule, Kirk, K.L., Schafer, J.A., DiBona, D.R. 79:65
Transference numbers
—, electrical effects of potassium and bicarbonate on proximal tubule cells of *Necturus*, Matsumura, Y., Cohen, B., Guggino, W.B., Giebisch, G. 79:145
Transients
—, influx mechanisms for Na^+ and Cl^- across the brush border membrane of leaky epithelia: a model and microelectrode study, Baerentsen, H., Giraldez, F., Zeuthen, T. 75:205
Transmembrane potential
—, influence of surface charge and transmembrane potential on rubidium-86 efflux of human red blood cells, Bernhardt, I., Donath, E., Glaser, R. 78:249
Transport
—, the correlation of composition and morphology during the high to low potassium transition in single erythropoietic cells, Kirk, R.G., Andrews, S.B., Lee, P. 76:281
—, effects of metabolic deprivation on methotrexate transport in L1210 leukemia cells: further evidence for separate influx and efflux systems with different energetic requirements, Dembo, M., Sirotnak, F.M., Moccio, D.M. 78:9
—, involvement of intracellular calcium in the phosphate efflux from mammalian nonmyelinated nerve fibers, Jirounek, P., Vitus, J., Jones, G.J., Pralong, W.F., Straub, R.W. 79:87
—, Na^+, Li^+, and Cl^- transport by brush border membranes from rabbit jejunum, Gunther, R.D., Wright, E.M. 74:85
Transport and metabolism
—, glucose-dependent respiration in suspensions of rabbit cortical tubules, Gullans, S.R., Harris, S.I., Mandel, L.J. 78:257

Transport inhibition
—, the kinetics of transport inhibition by noncompetitive inhibitors, Krupka, R.M. 74:175
Transport multiplicity
—, relationships between carrier-mediated transport of folate compounds by L1210 leukemia cells: evidence for multiplicity of entry routes with different kinetic properties expressed in plasma membrane vesicles, Yang, C.-H., Dembo, M., Sirotnak, F.M. 75:11
Transport number effects
—, potential dependence of the admittance of *Chara* plasmalemma, Beilby, M.J., Beilby, B.N. 74:229
—, slow potential changes in mammalian muscle fibers during prolonged hyperpolarization: transport number effects and chloride depletion, Barry, P.H., Dulhunty, A.F. 78:235
Transport of macromolecules
—, biophysical basis of glomerular permselectivity, Deen, W.M.,Bridges, C.R., Brenner, B.M. 71:1
Transport proteins
—, distribution of transport proteins over animal cell membranes, Almers, W., Stirling, C. 77:169
Transverse tubules
—, ion conductances of the surface and transverse tubular membranes of skeletal muscle, Moore, L.E., Tsai, T.D. 73:217
Triaminopyrimidine
—, competitve blocking of epithelial sodium channels by organic cations: the relationships between macroscopic and microscopic inhibition constants, Li, J.H.-Y., Lindemann, B. 76:235
Triamterene
—, competitive blocking of epithelial sodium channels by organic cations: the relationships between macroscopic and microscopic inhibition constants, Li, J.H.-Y., Lindemann, B. 76:235
Tributyltin
—, pH modulation of glucose-induced electrical activity in B-cells: involvement of Na/H and HCO_3/Cl antiporters, Pace, C.S., Tarvin, J.T. 73:39
Triiodothyronine
—, effects of thyroid hormones and aldosterone on mineralocorticoid binding sites in the toad bladder, Rossier, B.C., Claire, M., Rafestin-Oblin, M.E., Gaeggeler, H.P., Geering, K. 77:25
—, effects of thyromimetic drugs on aldosterone-dependent sodium transport in the toad bladder, Geering, K., Gaeggeler, H.P., Rossier, B.C. 77:15
Triplet state
—, further photophysical and photochemical characterization of flavins associated with single-shelled vesicles, Schmidt, W. 76:73
Triton extraction
—, association of renal dipeptidase with the Triton-insoluble fraction of kidney microvilli, Kim, H.S., Campbell, B.J. 75:115
Turgor pressure
—, relationship between cell turgor pressure, electrical membrane potential, and chloride efflux in *Acetabularia mediterranea*, Wendler, S., Zimmermann, U., Bentrup, F.-W. 72:75
260K proteins
—, axonal microtubules necessary for generation of sodium current in squid giant axons: I. pharmacological study on sodium current and restoration of sodium current by microtubule proteins and 260K protein, Matsumoto, G., Ichikawa, M., Tasaki, A., Murofushi, H., Sakai, H. 77:77
Ultraviolet irradiation
—, changes of ultraviolet sensitivity of voltage clamped sodium channels during their potential-induced conductance cycle, Hof, D., Fox, J.M. 71:31
—, modification of ultraviolet radiation effects on the membrane of myelinated nerve fibers by sulfhydryl compounds, Hof, D., Fox, J.M. 79:1
Uncouplers
—, electrical conductivity, transfer of hydrogen ions in lipid bilayer membranes and uncoupling effect induced by pentachlorobenzenethiol (pentachlorothiophenol), Smejtek, P., Jayaweera, A.R., Hsu, K. 76:227
Unicellular algae
—, ionic regulation of the unicellular green alga *Dunaliella tertiolecta:* response to hypertonic shock, Ehrenfeld, J., Cousin, J.-L. 77:45
Unstirred layers
—, the single file hypothesis and the water channels induced by antidiuretic hormone, Parisi, M., Bourguet, J. 71:189
Urinary bladder; see also *Necturus* urinary bladder
—, electrophysiology of *Necturus* urinary bladder: I. "instantaneous" current-voltage relations in the presence of varying mucosal sodium concentrations, Thomas, S.R., Suzuki, Y., Thompson, S.M., Schultz, S.G. 73:157
Valinomycin
—, concentration dependence of bidirectional flux ratio as a characteristic of transmembrane ion transporting mechanism, Schagina, L.V., Grinfeldt, A.E., Lev, A.A. 73:203
Vanadate
—, characterization of native and reconstituted plasma membrane H^+-ATPase from the plasma membrane of *Beta vulgaris*, O'Neill, S.D., Spanswick, R.M. 79:245
—, effect of Na_3VO_4 and membrane potential on the structure of sarcoplasmic reticulum membrane, Beeler, T.J., Dux, L., Martonosi, A.N. 78:73
—, solubilization and reconstitution of a vanadate-sensitive H^+-ATPase from the plasma membrane of *Beta vulgaris*, O'Neill, S.D., Spanswick, R.M. 79:231
Vanadate inhibition
—, ATP causes a structural change in retinal rod outer segments: disc swelling is not involved, Thacher, S.M. 74:95
Vascular endothelium
—, junctional transfer in cultured vascular endothelium: I. electrical coupling, Larson, D.M., Kam, E., Sheridan, J.D. 74:103
Vasopressin
—, forskolin increases osmotic water permeability of rabbit cortical collecting tubule, Dillingham, M.A., Kim, J.K., Horster, M.F., Anderson, R.J. 80:243
—, intracellular electrolyte concentrations in the frog skin epithelium: effect of vasopressin and dependence on the Na concentration in the bathing media, Rick, R., Roloff, C., Dörge, A., Beck, F.X., Thurau, K. 78:129
VDAC
—, purification of VDAC (voltage-dependent anion-selective channel) from rat liver mitochondria, Colombini, M. 74:115
Vesicle fusion
—, effects of divalent cations, temperature, osmotic pressure gradient, and vesicle curvature on phosphatidylserine vesicle fusion, Ohki, S. 77:265

Vesicle release
—, mechanism of Cl^- efflux bursts in *Acetabularia:* vesicle release *versus* permeability transients, Gradmann, D., Mummert, H. 78:81
Vesicles
—, cadmium causes vesicle leakage under conditions which favor reconstitution of tissue factor-vesicle complexes, Carson, S.D. 75:123
—, interaction between anions and the reduced folate/methotrexate transport system in L1210 cell plasma membrane vesicles: directional symmetry and anion specificity for differential mobility of loaded and unloaded carrier, Yang, C.-H., Sirotnak, F.M., Dembo, M. 79:285
—, quantitative studies of cotransport systems: models and vesicles, Turner, R.J. 76:1
—, sulfhydryl reagents affect Na^+ uptake into toad bladder membrane vesicles, LaBelle, E.F., Eaton, D.C. 71:39
Vesicles, in liver cytoplasm
—, requirement of Cl^- and Na^+ for the ouabain-resistant control of cell volume in slices of rat liver, van Rossum, G.D.V., Russo, M.A. 77:63
Vibrating probe
—, localization of ionic pathways in the teleost opercular membrane by extracellular recording with a vibrating probe, Scheffey, C., Foskett, J.K., Machen, T.E. 75:193
Viscoelastic films
—, electric field-induced breakdown of lipid bilayers and cell membranes: a thin viscoelastic film model, Dimitrov, D.S. 78:53
Voltage clamp
—, effect of extracellular pH on sodium current in isolated, single rat ventricular cells, Yatani, A., Brown, A.M., Akaike, N. 78:163
—, effects of D-600 on sodium current in squid axons, Clay, J.R., Shrier, A. 79:211
—, excitation of *Characeae* cell membranes as a result of activation of calcium and chloride channels, Lunevsky, V.Z., Zherelova, O.M., Vostrikov, I.Y., Berestovsky, G.N. 72:43
—, ionic currents in cultured dorsal root ganglion cells from adult guinea pigs, Kameyama, M. 72:195
—, potential dependence of the admittance of *Chara* plasmalemma, Beilby, M.J., Beilby, B.N. 74:229
Voltage-dependence
—, purification of VDAC (voltage-dependent anion-selective channel) from rat liver mitochondria, Colombini, M. 74:115
Voltage-dependent capacitance
—, interpretation of current-voltage relationships for "active" ion transport systems: II. nonsteady-state reaction kinetic analysis of Class-I mechanisms with one slow time-constant, Hansen, U.-P., Tittor, J., Gradmann, D. 75:141
Voltage-dependent conductance
—, cell-to-cell channels with two independently regulated gates in series: analysis of junctional conductance modulation by membrane potential, calcium, and pH, Obaid, A.L., Socolar, S.J., Rose, B. 73:69
Voltage-dependent inhibition
—, voltage-dependent block by amiloride and other monovalent cations of apical Na channels in the toad urinary bladder, Palmer, L.G. 80:153
Voltage-dependent reaction kinetics
—, impedance of the electrogenic Cl^- pump in *Acetabularia:* electrical frequency entrainements, voltage-sensitivity, and reaction kinetic interpretation, Tittor, J., Hansen, U.-P., Gradmann, D. 75:129
Volume dependence
—, effect of volume changes on ouabain-insensitive net outward cation movements in human red cells, Adragna, N.C., Tosteson, D.C. 78:43
Volume regulation
—, Na^+,Cl^- cotransport in Ehrlich ascites tumor cells activated during volume regulation (regulatory volume increase), Hoffmann, E.K., Sjøholm, C., Simonsen, L.O. 76:269
—, role of the furosemide-sensitive Na^+/K^+ transport system in determining the steady-state Na^+ and K^+ content and volume of human erythrocytes *in vitro* and *in vivo*, Duhm, J., Göbel, B.O. 77:243
—, volume-induced increase of K^+ and Cl^- permeabilities in Ehrlich ascites tumor cells, role of internal Ca^{2+}, Hoffmann, E.K., Simonsen, L.E., Lambert, I.H. 78:211
Volume regulation, ouabain-resistant
—, requirement of Cl^- and Na^+ for the ouabain-resistant control of cell volume in slices of rat liver, van Rossum, G.D.V., Russo, M.A. 77:63
Water
—, hydraulic conductivity of *Nitella* cells using the intracellular perfusion technique, Spyropoulos, C.S. 76:17
Water channels
—, the single file hypothesis and the water channels induced by antidiuretic hormone, Parisi, M., Bourguet, J. 71:189
Water exchange
—, water exchange through erythrocyte membranes: nuclear magnetic resonance studies on the effects of inhibitors and of chemical modification of human membranes, Benga, G., Pop, V.I., Popescu, O., Ionescu, M., Mihele, V. 76:129
Water flow
—, effects of an outward water flow on potassium currents in a squid giant axon, Kukita, F., Yamagishi, S. 75:33
Water permeability
—, effects of potassium-free media on ADH action in toad urinary bladder, Kachadorian, W.A., Muller, J. 77:161
—, forskolin increases osmotic water permeability of rabbit cortical collecting tubule, Dillingham, M.A., Kim, J.K., Horster, M.F., Anderson, R.J. 80:243
Water relations
—, determination of permeability coefficients, reflection coefficients, and hydraulic conductivity of *Chara corallina* using the pressure probe: effects of solute concentrations, Steudle, E., Tyerman, S.D. 75:85
Water transport
—, ion activities in the lateral intercellular spaces of gallbladder epithelium transporting at low external osmolarities, Zeuthen, T. 76:113
—, potassium-dependent chloride and water transport across the seawater eel intestine, Ando, M. 73:125
Weak acids
—, acid pH and weak acids induce Na-Cl cotransport in the rabbit urinary bladder, Ifshin, M.S., Johnson, K.E., Eaton, D.C. 76:151
—, monocarboxylic acid permeation through lipid bilayer membranes, Walter, A., Gutknecht, J. 77:255
Whole cell recording
—, control of K^+ conductance by cholecystokinin and Ca^{2+} in single pancreatic acinar cells studied by the patch-clamp technique, Maruyama, Y., Petersen, O.H. 79:293

X-ray diffraction
—, alterations in phospholipid polymorphism by polyethylene glycol, Boni, L.T., Stewart, T.P., Hui, S.W. 80:91
X-ray microanalysis
—, the correlation of composition and morphology during the high to low potassium transition in single erythropoietic cells, Kirk, R.G., Andrews, S.B., Lee, P. 76:281
—, X-ray microanalysis of elements in frozen-hydrated sections of an electrogenic K^+ transport system: the posterior midgut of tabacco hornworm (*Manduca sexta*) *in vivo* and *in vitro*, Dow, J.A.T., Gupta, B.L., Hall, T.A., Harvey, W.R. 77:223
Xenopus
—, regulatory changes of membrane transport and ouabain binding during progesterone-induced maturation of *Xenopus* oocytes, Richter, H.-P., Jung, D., Passow, H. 79:203
—, sodium-alanine cotransport in oocytes of *Xenopus laevis:* correlation of alanine and sodium fluxes with potential and current changes, Jung, D., Schwarz, W., Passow, H. 78:29